

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120425\
Data File : FG017085.D
Signal(s) : FID1A.ch
Acq On : 05 Dec 2025 01:10
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG120125.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.616	4.577	4.765	BB	664994	6842411	100.00%	9.666%
2	6.799	6.757	6.937	BV	658469	6799470	99.37%	9.605%
3	8.638	8.602	8.815	BB	619859	6694660	97.84%	9.457%
4	10.256	10.215	10.427	BB	581120	6565519	95.95%	9.275%
5	11.709	11.659	11.864	BB	566422	6661224	97.35%	9.410%
6	13.029	12.987	13.182	BB	563774	6744494	98.57%	9.528%
7	14.236	14.200	14.340	VB	519618	6435062	94.05%	9.091%
8	15.141	15.097	15.174	PV	416213	5547047	81.07%	7.836%
9	15.347	15.257	15.462	BB	493135	6348057	92.78%	8.968%
10	16.375	16.270	16.495	BB	480569	6094684	89.07%	8.610%
11	17.331	17.240	17.434	BB	443964	6054935	88.49%	8.554%
Sum of corrected areas:							70787564	

FG120125.M Fri Dec 05 03:41:41 2025