

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120522\
 Data File : FG011188.D
 Signal(s) : FID1A.ch
 Acq On : 05 Dec 2022 20:02
 Operator : YP\AJ
 Sample : 5 TRPH STD
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :
 5 TRPH STD

Integration File: autoint1.e
 Quant Time: Dec 06 04:48:56 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG120522.M
 Quant Title :
 QLast Update : Tue Dec 06 04:46:41 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.074	651539	5.785 ug/ml
Target Compounds			
1) N-OCTANE	2.079	729439	5.851 ug/ml
2) N-DECANE	4.596	756098	5.853 ug/ml
3) N-DODECANE	6.766	764099	5.844 ug/ml
4) N-TETRADECANE	8.597	762929	5.818 ug/ml
5) N-HEXADECANE	10.210	773467	5.818 ug/ml
6) N-OCTADECANE	11.656	784376	5.833 ug/ml
7) N-EICOSANE	12.970	766277	5.823 ug/ml
8) N-DOCOSANE	14.171	755427	5.812 ug/ml
10) N-TETRACOSANE	15.278	776332	5.974 ug/ml
11) N-HEXACOSANE	16.301	726167	5.826 ug/ml
12) N-OCTACOSANE	17.254	696330	5.841 ug/ml
13) N-TRIACONTANE	18.143	672392	5.877 ug/ml
14) N-DOTRIACONTANE	18.979	650589	5.905 ug/ml
15) N-TETRATRIACONTANE	19.764	620729	5.864 ug/ml
16) N-HEXATRIACONTANE	20.507	582974	5.750 ug/ml
17) N-OCTATRIACONTANE	21.261	601571	5.634 ug/ml
18) N-TETRACONTANE	22.206	650448	5.637 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120522\
Data File : FG011188.D
Signal(s) : FID1A.ch
Acq On : 05 Dec 2022 20:02
Operator : YP\AJ
Sample : 5 TRPH STD
Misc :
ALS Vial : 57 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
5 TRPH STD

Integration File: autoint1.e
Quant Time: Dec 06 04:48:56 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG120522.M
Quant Title :
QLast Update : Tue Dec 06 04:46:41 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

