

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120618\
 Data File : FG003182.D
 Signal(s) : FID1A.ch
 Acq On : 06 Dec 2018 17:50
 Operator : AJ\SJ
 Sample : J6195-01MSD 10X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Dec 07 00:50:44 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG112818.M
 Quant Title :
 QLast Update : Thu Nov 29 04:54:55 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.712	260098	2.387 ug/mlm
Target Compounds			
2) N-DECANE	4.415	233220	1.996 ug/ml
3) N-DODECANE	6.441	254660	2.141 ug/ml
4) N-TETRADECANE	8.240	253877	2.090 ug/ml
5) N-HEXADECANE	9.845	282443	2.278 ug/ml
6) N-OCTADECANE	11.291	243271	1.935 ug/ml
7) N-EICOSANE	12.604	297950	2.374 ug/mlm
8) N-DOCOSANE	13.808	288442	2.306 ug/mlm
10) N-TETRACOSANE	14.908	847845	6.821 ug/ml
11) N-HEXACOSANE	15.942	264821	2.131 ug/mlm
12) N-OCTACOSANE	16.899	360523	2.893 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120618\
Data File : FG003182.D
Signal(s) : FID1A.ch
Acq On : 06 Dec 2018 17:50
Operator : AJ\SJ
Sample : J6195-01MSD 10X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Dec 07 00:50:44 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG112818.M
Quant Title :
QLast Update : Thu Nov 29 04:54:55 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.415 min
Delta R.T.: -0.005 min
Response: 233220
Conc: 2.00 ug/ml




#3 N-DODECANE

R.T.: 6.441 min
Delta R.T.: -0.006 min
Response: 254660
Conc: 2.14 ug/ml




#4 N-TETRADECANE

R.T.: 8.240 min
Delta R.T.: -0.006 min
Response: 253877
Conc: 2.09 ug/ml




#5 N-HEXADECANE

R.T.: 9.845 min
Delta R.T.: -0.006 min
Response: 282443
Conc: 2.28 ug/ml




#6 N-OCTADECANE

R.T.: 11.291 min
Delta R.T.: -0.007 min
Response: 243271
Conc: 1.94 ug/ml




#7 N-EICOSANE

R.T.: 12.604 min
Delta R.T.: -0.007 min
Response: 297950
Conc: 2.37 ug/ml m




#8 N-DOCOSANE

R.T.: 13.808 min
Delta R.T.: -0.006 min
Response: 288442
Conc: 2.31 ug/ml m




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.712 min
Delta R.T.: -0.003 min
Response: 260098
Conc: 2.39 ug/ml m




#10 N-TETRACOSANE

R.T.: 14.908 min
Delta R.T.: -0.013 min
Response: 847845
Conc: 6.82 ug/ml



#11 N-HEXACOSANE

R.T.: 15.942 min
Delta R.T.: -0.004 min
Response: 264821
Conc: 2.13 ug/ml m



#12 N-OCTACOSANE

R.T.: 16.899 min
Delta R.T.: -0.003 min
Response: 360523
Conc: 2.89 ug/ml m