

Data Path : P:\HPCHEM1\FID_G\Data\FG032218\
 Data File : FG000484.D
 Signal(s) : FID1A.ch
 Acq On : 22 Mar 2018 08:48
 Operator : UA\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 22 09:19:35 2018
 Quant Method : P:\HPCHEM1\FID_G\Method\FG031618.M
 Quant Title :
 QLast Update : Fri Mar 16 13:10:14 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.574	8375384	49.552 ug/ml
Target Compounds			
2) N-DECANE	4.304	5375608	54.428 ug/ml
3) N-DODECANE	6.328	6405922	57.565 ug/ml
4) N-TETRADECANE	8.124	7563829	56.487 ug/ml
5) N-HEXADECANE	9.725	8301450	53.718 ug/ml
6) N-OCTADECANE	11.167	8857667	49.664 ug/ml
7) N-EICOSANE	12.477	9160651	50.586 ug/ml
8) N-DOCOSANE	13.675	9308377	51.248 ug/ml
10) N-TETRACOSANE	14.779	9459569	49.341 ug/ml
11) N-HEXACOSANE	15.800	8475425	46.203 ug/ml
12) N-OCTACOSANE	16.749	7658264	42.548 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : P:\HPCHEM1\FID_G\Data\FG032218\
Data File : FG000484.D
Signal(s) : FID1A.ch
Acq On : 22 Mar 2018 08:48
Operator : UA\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 22 09:19:35 2018
Quant Method : P:\HPCHEM1\FID_G\Method\FG031618.M
Quant Title :
QLast Update : Fri Mar 16 13:10:14 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.304 min
Delta R.T.: 0.005 min
Response: 5375608
Conc: 54.43 ug/ml

Instrument :
FID_G
ClientSampleId :




#3 N-DODECANE

R.T.: 6.328 min
Delta R.T.: 0.003 min
Response: 6405922
Conc: 57.57 ug/ml




#4 N-TETRADECANE

R.T.: 8.124 min
Delta R.T.: 0.002 min
Response: 7563829
Conc: 56.49 ug/ml



#5 N-HEXADECANE


R.T.: 9.725 min
Delta R.T.: 0.000 min
Response: 8301450
Conc: 53.72 ug/ml



#6 N-OCTADECANE


R.T.: 11.167 min
Delta R.T.: 0.000 min
Response: 8857667
Conc: 49.66 ug/ml

Instrument :
FID_G
ClientSampleId :




#7 N-EICOSANE

R.T.: 12.477 min
Delta R.T.: 0.000 min
Response: 9160651
Conc: 50.59 ug/ml




#8 N-DOCOSANE

R.T.: 13.675 min
Delta R.T.: -0.002 min
Response: 9308377
Conc: 51.25 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.574 min
Delta R.T.: -0.004 min
Response: 8375384
Conc: 49.55 ug/ml



#10 N-TETRACOSANE


R.T.: 14.779 min
Delta R.T.: -0.003 min
Response: 9459569
Conc: 49.34 ug/ml

Instrument :
FID_G
ClientSampleId :



#11 N-HEXACOSANE

R.T.: 15.800 min
Delta R.T.: -0.004 min
Response: 8475425
Conc: 46.20 ug/ml



#12 N-OCTACOSANE

R.T.: 16.749 min
Delta R.T.: -0.005 min
Response: 7658264
Conc: 42.55 ug/ml