

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS011525\
 Data File : PS028916.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jan 2025 17:36
 Operator : AR\AJ
 Sample : Q1074-01MSD
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HACKENSACK-DGAMSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 15 20:38:19 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS011425.M
 Quant Title : 8080.M
 QLast Update : Tue Jan 14 12:25:39 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.196	7.677	1255.0E6	457.1E6	450.789	409.689
Target Compounds							
1) T	Dalapon	2.612	2.671	4997.7E6	1367.4E6	1676.105	670.233 #
2) T	3,5-DICHL...	6.373	6.642	1312.3E6	528.2E6	328.334	319.639
3) T	4-Nitroph...	6.995	7.206	309.9E6	172.0E6	174.854	193.311
5) T	DICAMBA	7.382	7.874	3565.1E6	1718.8E6	300.562	308.634
6) T	MCPD	7.560	7.974	138.4E6	86043184	20.311	28.605 #
7) T	MCPA	7.709	8.215	250.1E6	117.6E6	25.385	27.691
8) T	DICHLORPROP	8.085	8.585	947.0E6	447.5E6	298.884	318.393
9) T	2,4-D	8.314	8.912	1241.8E6	503.6E6	367.444	335.824
10) T	Pentachlo...	8.612	9.435	13663.4E6	6483.3E6	283.256	279.861
11) T	2,4,5-TP ...	9.188	9.811	5334.1E6	2802.6E6	278.795	297.531
12) T	2,4,5-T	9.478	10.228	5595.0E6	2649.9E6	291.452	294.143
13) T	2,4-DB	10.050	10.793	991.1E6	240.8E6	279.380	241.863
14) T	DINOSEB	11.252	11.171	916.3E6	323.0E6	55.372	50.326
15) T	Picloram	11.062	12.253	8220.3E6	3294.3E6	260.530	245.481
16) T	DCPA	11.543	12.208	6275.9E6	3659.8E6	218.819	322.379 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS011525\
Data File : PS028916.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jan 2025 17:36
Operator : AR\AJ
Sample : Q1074-01MSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 15 20:38:19 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS011425.M
Quant Title : 8080.M
QLast Update : Tue Jan 14 12:25:39 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.612 min
Delta R.T.: -0.003 min
Response: 4997715214
Conc: 1676.11 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#1 Dalapon

R.T.: 2.671 min
Delta R.T.: 0.004 min
Response: 1367374554
Conc: 670.23 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.373 min
Delta R.T.: -0.001 min
Response: 1312301036
Conc: 328.33 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.642 min
Delta R.T.: -0.001 min
Response: 528241422
Conc: 319.64 ng/ml



#3 4-Nitrophenol


R.T.: 6.995 min
Delta R.T.: 0.000 min
Response: 309856048
Conc: 174.85 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#3 4-Nitrophenol

R.T.: 7.206 min
Delta R.T.: 0.000 min
Response: 172003457
Conc: 193.31 ng/ml




#4 2,4-DCAA

R.T.: 7.196 min
Delta R.T.: -0.002 min
Response: 1255003406
Conc: 450.79 ng/ml



#4 2,4-DCAA


R.T.: 7.677 min
Delta R.T.: 0.000 min
Response: 457136818
Conc: 409.69 ng/ml



#5 DICAMBA


R.T.: 7.382 min
Delta R.T.: -0.002 min
Response: 3565102638
Conc: 300.56 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#5 DICAMBA

R.T.: 7.874 min
Delta R.T.: 0.000 min
Response: 1718796884
Conc: 308.63 ng/ml




#6 MCP

R.T.: 7.560 min
Delta R.T.: -0.007 min
Response: 138442910
Conc: 20.31 ug/ml



#6 MCP


R.T.: 7.974 min
Delta R.T.: -0.006 min
Response: 86043184
Conc: 28.61 ug/ml



#7 MCPA


R.T.: 7.709 min
Delta R.T.: -0.008 min
Response: 250069031
Conc: 25.39 ug/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#7 MCPA

R.T.: 8.215 min
Delta R.T.: -0.008 min
Response: 117613865
Conc: 27.69 ug/ml




#8 DICHLORPROP

R.T.: 8.085 min
Delta R.T.: -0.002 min
Response: 947036834
Conc: 298.88 ng/ml



#8 DICHLORPROP


R.T.: 8.585 min
Delta R.T.: -0.002 min
Response: 447533164
Conc: 318.39 ng/ml



#9 2,4-D


R.T.: 8.314 min
Delta R.T.: -0.003 min
Response: 1241759552
Conc: 367.44 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#9 2,4-D

R.T.: 8.912 min
Delta R.T.: -0.002 min
Response: 503573928
Conc: 335.82 ng/ml




#10 Pentachlorophenol

R.T.: 8.612 min
Delta R.T.: -0.003 min
Response: 13663411660
Conc: 283.26 ng/ml



#10 Pentachlorophenol


R.T.: 9.435 min
Delta R.T.: -0.002 min
Response: 6483272097
Conc: 279.86 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.188 min
Delta R.T.: -0.002 min
Response: 5334085269
Conc: 278.79 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#11 2,4,5-TP (SILVEX)

R.T.: 9.811 min
Delta R.T.: -0.002 min
Response: 2802568587
Conc: 297.53 ng/ml




#12 2,4,5-T

R.T.: 9.478 min
Delta R.T.: -0.002 min
Response: 5594972973
Conc: 291.45 ng/ml



#12 2,4,5-T


R.T.: 10.228 min
Delta R.T.: -0.002 min
Response: 2649937713
Conc: 294.14 ng/ml



#13 2,4-DB


R.T.: 10.050 min
Delta R.T.: 0.000 min
Response: 991059507
Conc: 279.38 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#13 2,4-DB

R.T.: 10.793 min
Delta R.T.: -0.002 min
Response: 240836286
Conc: 241.86 ng/ml




#14 DINOSEB

R.T.: 11.252 min
Delta R.T.: -0.003 min
Response: 916264875
Conc: 55.37 ng/ml



#14 DINOSEB


R.T.: 11.171 min
Delta R.T.: -0.002 min
Response: 322958079
Conc: 50.33 ng/ml



#15 Picloram


R.T.: 11.062 min
Delta R.T.: -0.002 min
Response: 8220272225
Conc: 260.53 ng/ml

Instrument :
ECD_S
ClientSampleId :
HACKENSACK-DGAMSD




#15 Picloram

R.T.: 12.253 min
Delta R.T.: -0.003 min
Response: 3294267534
Conc: 245.48 ng/ml



#16 DCPA

R.T.: 11.543 min
Delta R.T.: -0.006 min
Response: 6275944250
Conc: 218.82 ng/ml



#16 DCPA

R.T.: 12.208 min
Delta R.T.: -0.003 min
Response: 3659754142
Conc: 322.38 ng/ml