

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS021519\
 Data File : PS003216.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Feb 2019 23:55
 Operator : EI\SJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 16 00:45:10 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS012819.M
 Quant Title : 8080.M
 QLast Update : Tue Jan 29 06:11:45 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.294	10.795	305.4E6	333.4E6	804.519	779.774
Target Compounds							
1) T	Dalapon	2.856	2.329	416.9E6	400.1E6	755.675m	746.506
2) T	3,5-DICHL...	9.723	8.954	437.1E6	417.7E6	758.989m	741.107m
3) T	4-Nitroph...	10.888	9.945	150.9E6	155.8E6	779.631	745.303
5) T	DICAMBA	11.598	11.074	1206.6E6	1174.3E6	752.770m	740.085m
6) T	MCP	11.942	11.307	93816020	85084564	78.303m	77.143m
7) T	MCPA	12.192	11.682	141.0E6	124.4E6	79.646m	79.104m
8) T	DICHLORPROP	12.790	12.200	288.2E6	281.2E6	751.398m	735.565
9) T	2,4-D	13.152	12.672	355.0E6	368.9E6	770.059m	735.764
10) T	Pentachlo...	13.516	13.205	4860.7E6	4614.9E6	757.949m	746.681m
11) T	2,4,5-TP ...	14.394	13.832	1913.1E6	1821.2E6	759.655	734.256m
12) T	2,4,5-T	14.794	14.395	1846.2E6	1375.7E6	756.805	718.942
13) T	2,4-DB	15.540	15.047	192.2E6	186.8E6	735.004m	735.582m
14) T	DINOSEB	17.007	15.472	1430.1E6	1242.4E6	760.173	708.753m
15) T	Picloram	16.783	16.703	2139.2E6	1999.2E6	676.198	664.996
16) T	DCPA	17.353	16.647	2256.0E6	2258.2E6	750.169m	729.007



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS021519\
Data File : PS003216.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Feb 2019 23:55
Operator : EI\SJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 16 00:45:10 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS012819.M
Quant Title : 8080.M
QLast Update : Tue Jan 29 06:11:45 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.856 min
Delta R.T.: -0.024 min
Response: 416866452
Conc: 755.68 ng/ml m

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.329 min
Delta R.T.: -0.021 min
Response: 400068339
Conc: 746.51 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 9.723 min
Delta R.T.: -0.023 min
Response: 437058622
Conc: 758.99 ng/ml m



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 8.954 min
Delta R.T.: -0.022 min
Response: 417664111
Conc: 741.11 ng/ml m



#3 4-Nitrophenol


R.T.: 10.888 min
Delta R.T.: -0.016 min
Response: 150889044
Conc: 779.63 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 9.945 min
Delta R.T.: -0.020 min
Response: 155784994
Conc: 745.30 ng/ml




#4 2,4-DCAA

R.T.: 11.294 min
Delta R.T.: -0.023 min
Response: 305428214
Conc: 804.52 ng/ml



#4 2,4-DCAA


R.T.: 10.795 min
Delta R.T.: -0.022 min
Response: 333389216
Conc: 779.77 ng/ml



#5 DICAMBA


R.T.: 11.598 min
Delta R.T.: -0.026 min
Response: 1206606027
Conc: 752.77 ng/ml m

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 11.074 min
Delta R.T.: -0.023 min
Response: 1174268143
Conc: 740.09 ng/ml m




#6 MCP

R.T.: 11.942 min
Delta R.T.: -0.027 min
Response: 93816020
Conc: 78.30 ug/ml m



#6 MCP


R.T.: 11.307 min
Delta R.T.: -0.024 min
Response: 85084564
Conc: 77.14 ug/ml m



#7 MCPA


R.T.: 12.192 min
Delta R.T.: -0.027 min
Response: 140970583
Conc: 79.65 ug/ml m

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 11.682 min
Delta R.T.: -0.024 min
Response: 124435835
Conc: 79.10 ug/ml m




#8 DICHLORPROP

R.T.: 12.790 min
Delta R.T.: -0.025 min
Response: 288183710
Conc: 751.40 ng/ml m



#8 DICHLORPROP


R.T.: 12.200 min
Delta R.T.: -0.022 min
Response: 281236888
Conc: 735.57 ng/ml



#9 2,4-D


R.T.: 13.152 min
Delta R.T.: -0.021 min
Response: 355041884
Conc: 770.06 ng/ml m

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 12.672 min
Delta R.T.: -0.021 min
Response: 368901849
Conc: 735.76 ng/ml




#10 Pentachlorophenol

R.T.: 13.516 min
Delta R.T.: -0.027 min
Response: 4860724474
Conc: 757.95 ng/ml m



#10 Pentachlorophenol


R.T.: 13.205 min
Delta R.T.: -0.024 min
Response: 4614944710
Conc: 746.68 ng/ml m



#11 2,4,5-TP (SILVEX)


R.T.: 14.394 min
Delta R.T.: -0.026 min
Response: 1913094787
Conc: 759.65 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 13.832 min
Delta R.T.: -0.022 min
Response: 1821216944
Conc: 734.26 ng/ml m




#12 2,4,5-T

R.T.: 14.794 min
Delta R.T.: -0.023 min
Response: 1846153245
Conc: 756.80 ng/ml



#12 2,4,5-T


R.T.: 14.395 min
Delta R.T.: -0.022 min
Response: 1375687065
Conc: 718.94 ng/ml



#13 2,4-DB


R.T.: 15.540 min
Delta R.T.: -0.024 min
Response: 192150873
Conc: 735.00 ng/ml m

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 15.047 min
Delta R.T.: -0.021 min
Response: 186837434
Conc: 735.58 ng/ml m




#14 DINOSEB

R.T.: 17.007 min
Delta R.T.: -0.028 min
Response: 1430134905
Conc: 760.17 ng/ml



#14 DINOSEB


R.T.: 15.472 min
Delta R.T.: -0.023 min
Response: 1242442203
Conc: 708.75 ng/ml m



#15 Picloram


R.T.: 16.783 min
Delta R.T.: -0.023 min
Response: 2139240434
Conc: 676.20 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 16.703 min
Delta R.T.: -0.021 min
Response: 1999246027
Conc: 665.00 ng/ml



#16 DCPA

R.T.: 17.353 min
Delta R.T.: -0.029 min
Response: 2255980862
Conc: 750.17 ng/ml m



#16 DCPA

R.T.: 16.647 min
Delta R.T.: -0.023 min
Response: 2258162523
Conc: 729.01 ng/ml