

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS022420\
 Data File : PS008966.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Feb 2020 17:41
 Operator : DD\AJ
 Sample : PB127024BS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 25 03:57:53 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS022020.M
 Quant Title : 8080.M
 QLast Update : Thu Feb 20 11:30:26 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.247	6.940	1145.3E6	531.6E6	523.772	551.675
Target Compounds							
1) T	Dalapon	3.048	2.631	1134.5E6	798.9E6	379.206	546.389 #
2) T	3,5-DICHL...	6.454	6.083	1520.4E6	747.5E6	530.945	512.261
3) T	4-Nitroph...	7.076	6.541	453.6E6	281.6E6	424.017	487.208
5) T	DICAMBA	7.440	7.110	3953.2E6	2041.1E6	486.613	493.110
6) T	MCPD	7.609	7.207	320.7E6	154.5E6	53.323	50.959
7) T	MCPA	7.758	7.421	428.8E6	247.9E6	53.313	56.041
8) T	DICHLORPROP	8.134	7.739	1018.1E6	560.0E6	524.106	558.921
9) T	2,4-D	8.363	8.033	1159.7E6	713.4E6	559.606	602.151
10) T	Pentachlo...	8.677	8.466	15329.6E6	7666.8E6	528.228	539.637
11) T	2,4,5-TP ...	9.227	8.828	6006.6E6	2991.5E6	546.268	552.255
12) T	2,4,5-T	9.511	9.207	5523.3E6	2852.2E6	516.579	526.904
13) T	2,4-DB	10.066	9.715	720.9E6	370.8E6	499.586	527.891
14) T	DINOSEB	11.231	10.051	4137.1E6	1990.6E6	488.997	503.441
15) T	Picloram	11.044	11.031	6169.0E6	3277.2E6	450.586	451.006
16) T	DCPA	11.497	10.982	4548.5E6	2614.4E6	331.025	377.844



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS022420\
Data File : PS008966.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Feb 2020 17:41
Operator : DD\AJ
Sample : PB127024BS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 25 03:57:53 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS022020.M
Quant Title : 8080.M
QLast Update : Thu Feb 20 11:30:26 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.048 min
Delta R.T.: 0.000 min
Response: 1134499899
Conc: 379.21 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.631 min
Delta R.T.: 0.000 min
Response: 798941193
Conc: 546.39 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 1520426401
Conc: 530.94 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.083 min
Delta R.T.: 0.000 min
Response: 747527269
Conc: 512.26 ng/ml



#3 4-Nitrophenol


R.T.: 7.076 min
Delta R.T.: 0.000 min
Response: 453633901
Conc: 424.02 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.541 min
Delta R.T.: 0.000 min
Response: 281624351
Conc: 487.21 ng/ml




#4 2,4-DCAA

R.T.: 7.247 min
Delta R.T.: 0.000 min
Response: 1145275943
Conc: 523.77 ng/ml



#4 2,4-DCAA


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 531569247
Conc: 551.67 ng/ml



#5 DICAMBA


R.T.: 7.440 min
Delta R.T.: 0.000 min
Response: 3953164045
Conc: 486.61 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.110 min
Delta R.T.: 0.000 min
Response: 2041146081
Conc: 493.11 ng/ml




#6 MCP

R.T.: 7.609 min
Delta R.T.: -0.003 min
Response: 320710581
Conc: 53.32 ug/ml



#6 MCP


R.T.: 7.207 min
Delta R.T.: -0.003 min
Response: 154478268
Conc: 50.96 ug/ml



#7 MCPA


R.T.: 7.758 min
Delta R.T.: -0.003 min
Response: 428847706
Conc: 53.31 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.421 min
Delta R.T.: -0.004 min
Response: 247939750
Conc: 56.04 ug/ml




#8 DICHLORPROP

R.T.: 8.134 min
Delta R.T.: 0.000 min
Response: 1018080900
Conc: 524.11 ng/ml



#8 DICHLORPROP


R.T.: 7.739 min
Delta R.T.: 0.000 min
Response: 560000662
Conc: 558.92 ng/ml



#9 2,4-D


R.T.: 8.363 min
Delta R.T.: 0.000 min
Response: 1159689170
Conc: 559.61 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.033 min
Delta R.T.: 0.000 min
Response: 713429461
Conc: 602.15 ng/ml




#10 Pentachlorophenol

R.T.: 8.677 min
Delta R.T.: 0.000 min
Response: 15329644598
Conc: 528.23 ng/ml



#10 Pentachlorophenol


R.T.: 8.466 min
Delta R.T.: 0.000 min
Response: 7666831750
Conc: 539.64 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.227 min
Delta R.T.: 0.000 min
Response: 6006569492
Conc: 546.27 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.828 min
Delta R.T.: 0.000 min
Response: 2991517682
Conc: 552.25 ng/ml




#12 2,4,5-T

R.T.: 9.511 min
Delta R.T.: 0.000 min
Response: 5523301565
Conc: 516.58 ng/ml



#12 2,4,5-T


R.T.: 9.207 min
Delta R.T.: 0.000 min
Response: 2852178763
Conc: 526.90 ng/ml



#13 2,4-DB


R.T.: 10.066 min
Delta R.T.: 0.001 min
Response: 720920865
Conc: 499.59 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.715 min
Delta R.T.: 0.000 min
Response: 370810696
Conc: 527.89 ng/ml




#14 DINOSEB

R.T.: 11.231 min
Delta R.T.: 0.000 min
Response: 4137070548
Conc: 489.00 ng/ml



#14 DINOSEB


R.T.: 10.051 min
Delta R.T.: 0.000 min
Response: 1990634430
Conc: 503.44 ng/ml



#15 Picloram


R.T.: 11.044 min
Delta R.T.: 0.000 min
Response: 6168959227
Conc: 450.59 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 11.031 min
Delta R.T.: 0.000 min
Response: 3277245744
Conc: 451.01 ng/ml



#16 DCPA

R.T.: 11.497 min
Delta R.T.: 0.002 min
Response: 4548549577
Conc: 331.03 ng/ml



#16 DCPA

R.T.: 10.982 min
Delta R.T.: 0.000 min
Response: 2614435677
Conc: 377.84 ng/ml