

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS040220\
 Data File : PS009561.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Apr 2020 21:16
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 03 03:30:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS031120.M
 Quant Title : 8080.M
 QLast Update : Thu Mar 12 07:13:24 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.240	6.930	478.6E6	409.9E6	865.182	746.429
Target Compounds							
1) T	Dalapon	3.044	2.627	557.7E6	478.4E6	715.110	607.594
2) T	3,5-DICHL...	6.449	6.076	611.0E6	512.8E6	809.481	630.563
3) T	4-Nitroph...	7.070	6.532	200.4E6	210.4E6	839.549	661.258
5) T	DICAMBA	7.433	7.100	1698.9E6	1551.2E6	798.293	675.717
6) T	MCP	7.604	7.198	131.7E6	133.9E6	53.515	73.595 #
7) T	MCPA	7.753	7.415	190.7E6	181.0E6	62.619	67.060
8) T	DICHLORPROP	8.127	7.727	411.9E6	381.0E6	798.674	686.666
9) T	2,4-D	8.356	8.021	420.0E6	432.6E6	796.538	658.102
10) T	Pentachlo...	8.669	8.454	5464.2E6	4610.1E6	777.136	607.399
11) T	2,4,5-TP ...	9.218	8.815	2197.4E6	2055.4E6	801.634	689.478
12) T	2,4,5-T	9.503	9.194	2018.0E6	2032.9E6	793.294	688.597
13) T	2,4-DB	10.056	9.702	272.3E6	276.6E6	787.222	728.714
14) T	DINOSEB	11.221	10.037	1581.2E6	1499.5E6	773.526	682.670
15) T	Picloram	11.035	11.016	1665.3E6	1906.8E6	548.701	468.242
16) T	DCPA	11.486	10.967	2712.6E6	2673.7E6	782.577	690.337



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS040220\
Data File : PS009561.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Apr 2020 21:16
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 03:30:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS031120.M
Quant Title : 8080.M
QLast Update : Thu Mar 12 07:13:24 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.044 min
Delta R.T.: -0.002 min
Response: 557667335
Conc: 715.11 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.627 min
Delta R.T.: 0.000 min
Response: 478396960
Conc: 607.59 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.449 min
Delta R.T.: -0.001 min
Response: 610994558
Conc: 809.48 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.076 min
Delta R.T.: -0.004 min
Response: 512840655
Conc: 630.56 ng/ml



#3 4-Nitrophenol


R.T.: 7.070 min
Delta R.T.: -0.001 min
Response: 200410978
Conc: 839.55 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.532 min
Delta R.T.: -0.004 min
Response: 210411219
Conc: 661.26 ng/ml




#4 2,4-DCAA

R.T.: 7.240 min
Delta R.T.: -0.002 min
Response: 478592817
Conc: 865.18 ng/ml



#4 2,4-DCAA


R.T.: 6.930 min
Delta R.T.: -0.005 min
Response: 409936925
Conc: 746.43 ng/ml



#5 DICAMBA


R.T.: 7.433 min
Delta R.T.: -0.002 min
Response: 1698899504
Conc: 798.29 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.100 min
Delta R.T.: -0.006 min
Response: 1551176306
Conc: 675.72 ng/ml




#6 MCP

R.T.: 7.604 min
Delta R.T.: -0.002 min
Response: 131682381
Conc: 53.52 ug/ml



#6 MCP


R.T.: 7.198 min
Delta R.T.: -0.005 min
Response: 133855892
Conc: 73.59 ug/ml



#7 MCPA


R.T.: 7.753 min
Delta R.T.: -0.002 min
Response: 190717143
Conc: 62.62 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.415 min
Delta R.T.: -0.005 min
Response: 180969111
Conc: 67.06 ug/ml




#8 DICHLORPROP

R.T.: 8.127 min
Delta R.T.: -0.002 min
Response: 411910457
Conc: 798.67 ng/ml



#8 DICHLORPROP


R.T.: 7.727 min
Delta R.T.: -0.006 min
Response: 380977479
Conc: 686.67 ng/ml



#9 2,4-D


R.T.: 8.356 min
Delta R.T.: -0.002 min
Response: 419954409
Conc: 796.54 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.021 min
Delta R.T.: -0.006 min
Response: 432610407
Conc: 658.10 ng/ml




#10 Pentachlorophenol

R.T.: 8.669 min
Delta R.T.: -0.003 min
Response: 5464225173
Conc: 777.14 ng/ml



#10 Pentachlorophenol


R.T.: 8.454 min
Delta R.T.: -0.006 min
Response: 4610141452
Conc: 607.40 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.218 min
Delta R.T.: -0.002 min
Response: 2197441869
Conc: 801.63 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.815 min
Delta R.T.: -0.007 min
Response: 2055415218
Conc: 689.48 ng/ml




#12 2,4,5-T

R.T.: 9.503 min
Delta R.T.: -0.002 min
Response: 2018023779
Conc: 793.29 ng/ml



#12 2,4,5-T


R.T.: 9.194 min
Delta R.T.: -0.007 min
Response: 2032860918
Conc: 688.60 ng/ml



#13 2,4-DB


R.T.: 10.056 min
Delta R.T.: -0.003 min
Response: 272343011
Conc: 787.22 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.702 min
Delta R.T.: -0.007 min
Response: 276631550
Conc: 728.71 ng/ml




#14 DINOSEB

R.T.: 11.221 min
Delta R.T.: -0.004 min
Response: 1581204075
Conc: 773.53 ng/ml



#14 DINOSEB


R.T.: 10.037 min
Delta R.T.: -0.007 min
Response: 1499469057
Conc: 682.67 ng/ml



#15 Picloram


R.T.: 11.035 min
Delta R.T.: -0.003 min
Response: 1665267969
Conc: 548.70 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 11.016 min
Delta R.T.: -0.008 min
Response: 1906763219
Conc: 468.24 ng/ml



#16 DCPA

R.T.: 11.486 min
Delta R.T.: -0.003 min
Response: 2712608735
Conc: 782.58 ng/ml



#16 DCPA

R.T.: 10.967 min
Delta R.T.: -0.007 min
Response: 2673702955
Conc: 690.34 ng/ml