

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS051120\
 Data File : PS010221.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 May 2020 19:55
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 12 00:07:03 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS051120.M
 Quant Title : 8080.M
 QLast Update : Mon May 11 17:06:53 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.233	6.921	548.8E6	410.7E6	780.479	765.836
Target Compounds							
1) T	Dalapon	3.045	2.627	623.4E6	554.8E6	699.376	684.847
2) T	3,5-DICHL...	6.445	6.070	697.5E6	586.6E6	722.952	720.358
3) T	4-Nitroph...	7.063	6.525	235.3E6	234.0E6	711.274	704.212
5) T	DICAMBA	7.426	7.091	2021.5E6	1591.4E6	741.051	726.804
6) T	MCPD	7.596	7.189	161.9E6	133.5E6	73.964	72.733
7) T	MCPA	7.746	7.405	225.8E6	193.3E6	72.474	71.041
8) T	DICHLORPROP	8.119	7.717	490.5E6	404.5E6	734.758	716.396
9) T	2,4-D	8.348	8.010	510.3E6	490.1E6	722.308	706.816
10) T	Pentachlo...	8.660	8.442	6742.7E6	4866.2E6	741.534	718.225
11) T	2,4,5-TP ...	9.210	8.802	2747.9E6	2133.8E6	745.609	736.594
12) T	2,4,5-T	9.495	9.181	2627.1E6	2142.9E6	746.584	737.004
13) T	2,4-DB	10.047	9.688	377.9E6	290.5E6	751.291	728.803
14) T	DINOSEB	11.212	10.023	1975.0E6	1538.6E6	720.803	722.008
15) T	Picloram	11.027	11.002	3108.2E6	2809.7E6	677.949	665.509
16) T	DCPA	11.477	10.952	3394.9E6	2671.3E6	750.514	747.261



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS051120\
Data File : PS010221.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 May 2020 19:55
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 12 00:07:03 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS051120.M
Quant Title : 8080.M
QLast Update : Mon May 11 17:06:53 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.045 min
Delta R.T.: 0.000 min
Response: 623435195
Conc: 699.38 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.627 min
Delta R.T.: 0.000 min
Response: 554826584
Conc: 684.85 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.445 min
Delta R.T.: -0.002 min
Response: 697462255
Conc: 722.95 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 586639005
Conc: 720.36 ng/ml



#3 4-Nitrophenol


R.T.: 7.063 min
Delta R.T.: -0.001 min
Response: 235299811
Conc: 711.27 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.525 min
Delta R.T.: 0.000 min
Response: 233985785
Conc: 704.21 ng/ml




#4 2,4-DCAA

R.T.: 7.233 min
Delta R.T.: -0.001 min
Response: 548750629
Conc: 780.48 ng/ml



#4 2,4-DCAA


R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 410711273
Conc: 765.84 ng/ml



#5 DICAMBA


R.T.: 7.426 min
Delta R.T.: -0.002 min
Response: 2021495085
Conc: 741.05 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.091 min
Delta R.T.: -0.001 min
Response: 1591408620
Conc: 726.80 ng/ml




#6 MCP

R.T.: 7.596 min
Delta R.T.: -0.008 min
Response: 161911443
Conc: 73.96 ug/ml



#6 MCP


R.T.: 7.189 min
Delta R.T.: -0.008 min
Response: 133510279
Conc: 72.73 ug/ml



#7 MCPA


R.T.: 7.746 min
Delta R.T.: -0.009 min
Response: 225794652
Conc: 72.47 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.405 min
Delta R.T.: -0.010 min
Response: 193255895
Conc: 71.04 ug/ml




#8 DICHLORPROP

R.T.: 8.119 min
Delta R.T.: -0.001 min
Response: 490548129
Conc: 734.76 ng/ml



#8 DICHLORPROP


R.T.: 7.717 min
Delta R.T.: -0.001 min
Response: 404456176
Conc: 716.40 ng/ml



#9 2,4-D


R.T.: 8.348 min
Delta R.T.: -0.001 min
Response: 510277320
Conc: 722.31 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.010 min
Delta R.T.: 0.000 min
Response: 490107881
Conc: 706.82 ng/ml




#10 Pentachlorophenol

R.T.: 8.660 min
Delta R.T.: -0.003 min
Response: 6742714796
Conc: 741.53 ng/ml



#10 Pentachlorophenol


R.T.: 8.442 min
Delta R.T.: -0.001 min
Response: 4866229723
Conc: 718.23 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.210 min
Delta R.T.: -0.001 min
Response: 2747941523
Conc: 745.61 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.802 min
Delta R.T.: -0.002 min
Response: 2133801402
Conc: 736.59 ng/ml




#12 2,4,5-T

R.T.: 9.495 min
Delta R.T.: -0.002 min
Response: 2627094953
Conc: 746.58 ng/ml



#12 2,4,5-T


R.T.: 9.181 min
Delta R.T.: -0.001 min
Response: 2142872567
Conc: 737.00 ng/ml



#13 2,4-DB


R.T.: 10.047 min
Delta R.T.: -0.002 min
Response: 377931737
Conc: 751.29 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.688 min
Delta R.T.: -0.001 min
Response: 290461102
Conc: 728.80 ng/ml




#14 DINOSEB

R.T.: 11.212 min
Delta R.T.: -0.002 min
Response: 1975001606
Conc: 720.80 ng/ml



#14 DINOSEB


R.T.: 10.023 min
Delta R.T.: -0.001 min
Response: 1538557489
Conc: 722.01 ng/ml



#15 Picloram


R.T.: 11.027 min
Delta R.T.: -0.002 min
Response: 3108244728
Conc: 677.95 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 11.002 min
Delta R.T.: -0.002 min
Response: 2809709466
Conc: 665.51 ng/ml



#16 DCPA

R.T.: 11.477 min
Delta R.T.: -0.002 min
Response: 3394945970
Conc: 750.51 ng/ml



#16 DCPA

R.T.: 10.952 min
Delta R.T.: -0.002 min
Response: 2671320289
Conc: 747.26 ng/ml