

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060420\
 Data File : PS010669.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Jun 2020 19:00
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 04 19:17:13 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
 Quant Title : 8080.M
 QLast Update : Fri May 29 15:43:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.229	6.921	636.8E6	422.4E6	805.164	774.384
Target Compounds							
1) T	Dalapon	3.040	2.624	691.3E6	482.5E6	703.117	659.021
2) T	3,5-DICHL...	6.442	6.071	817.2E6	593.2E6	747.490	723.694
3) T	4-Nitroph...	7.060	6.526	281.7E6	237.9E6	759.784	718.280
5) T	DICAMBA	7.422	7.091	2379.8E6	1633.8E6	756.811	725.879
6) T	MCPD	7.593	7.189	185.9E6	136.5E6	75.253	73.237
7) T	MCPA	7.742	7.405	257.3E6	196.4E6	73.602	72.276
8) T	DICHLORPROP	8.115	7.717	574.0E6	416.9E6	757.312	723.050
9) T	2,4-D	8.343	8.010	609.7E6	515.0E6	773.475	679.224
10) T	Pentachlo...	8.656	8.442	8204.6E6	5186.1E6	769.219	729.980
11) T	2,4,5-TP ...	9.205	8.802	3296.9E6	2214.8E6	770.873	737.456
12) T	2,4,5-T	9.490	9.181	3198.9E6	2235.3E6	786.545	744.864
13) T	2,4-DB	10.042	9.688	430.3E6	306.0E6	778.242	753.195
14) T	DINOSEB	11.206	10.021	2424.6E6	1613.7E6	750.393	750.035
15) T	Picloram	11.022	11.002	3782.5E6	2814.5E6	740.916	682.147
16) T	DCPA	11.471	10.951	4081.6E6	2772.3E6	761.775	747.626



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060420\
Data File : PS010669.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Jun 2020 19:00
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 04 19:17:13 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
Quant Title : 8080.M
QLast Update : Fri May 29 15:43:50 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.040 min
Delta R.T.: 0.000 min
Response: 691299928
Conc: 703.12 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.624 min
Delta R.T.: 0.000 min
Response: 482498499
Conc: 659.02 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.442 min
Delta R.T.: 0.000 min
Response: 817165715
Conc: 747.49 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.071 min
Delta R.T.: 0.000 min
Response: 593171494
Conc: 723.69 ng/ml



#3 4-Nitrophenol


R.T.: 7.060 min
Delta R.T.: 0.000 min
Response: 281673611
Conc: 759.78 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 237939297
Conc: 718.28 ng/ml




#4 2,4-DCAA

R.T.: 7.229 min
Delta R.T.: -0.002 min
Response: 636773805
Conc: 805.16 ng/ml



#4 2,4-DCAA


R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 422361426
Conc: 774.38 ng/ml



#5 DICAMBA


R.T.: 7.422 min
Delta R.T.: -0.002 min
Response: 2379776507
Conc: 756.81 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.091 min
Delta R.T.: 0.000 min
Response: 1633823331
Conc: 725.88 ng/ml




#6 MCPP

R.T.: 7.593 min
Delta R.T.: -0.007 min
Response: 185906629
Conc: 75.25 ug/ml



#6 MCPP


R.T.: 7.189 min
Delta R.T.: -0.007 min
Response: 136477562
Conc: 73.24 ug/ml



#7 MCPA


R.T.: 7.742 min
Delta R.T.: -0.009 min
Response: 257311663
Conc: 73.60 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.405 min
Delta R.T.: -0.009 min
Response: 196429117
Conc: 72.28 ug/ml




#8 DICHLORPROP

R.T.: 8.115 min
Delta R.T.: -0.002 min
Response: 573985351
Conc: 757.31 ng/ml



#8 DICHLORPROP


R.T.: 7.717 min
Delta R.T.: 0.000 min
Response: 416931204
Conc: 723.05 ng/ml



#9 2,4-D


R.T.: 8.343 min
Delta R.T.: -0.002 min
Response: 609710947
Conc: 773.47 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.010 min
Delta R.T.: 0.000 min
Response: 515025644
Conc: 679.22 ng/ml




#10 Pentachlorophenol

R.T.: 8.656 min
Delta R.T.: -0.002 min
Response: 8204566507
Conc: 769.22 ng/ml



#10 Pentachlorophenol


R.T.: 8.442 min
Delta R.T.: 0.000 min
Response: 5186097262
Conc: 729.98 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.205 min
Delta R.T.: -0.002 min
Response: 3296873852
Conc: 770.87 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.802 min
Delta R.T.: 0.000 min
Response: 2214808668
Conc: 737.46 ng/ml




#12 2,4,5-T

R.T.: 9.490 min
Delta R.T.: -0.002 min
Response: 3198885944
Conc: 786.54 ng/ml



#12 2,4,5-T


R.T.: 9.181 min
Delta R.T.: 0.000 min
Response: 2235273463
Conc: 744.86 ng/ml



#13 2,4-DB


R.T.: 10.042 min
Delta R.T.: -0.002 min
Response: 430310720
Conc: 778.24 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.688 min
Delta R.T.: 0.000 min
Response: 305964877
Conc: 753.20 ng/ml




#14 DINOSEB

R.T.: 11.206 min
Delta R.T.: -0.002 min
Response: 2424585092
Conc: 750.39 ng/ml



#14 DINOSEB


R.T.: 10.021 min
Delta R.T.: 0.000 min
Response: 1613658917
Conc: 750.03 ng/ml



#15 Picloram


R.T.: 11.022 min
Delta R.T.: -0.002 min
Response: 3782474749
Conc: 740.92 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 11.002 min
Delta R.T.: 0.000 min
Response: 2814509680
Conc: 682.15 ng/ml



#16 DCPA

R.T.: 11.471 min
Delta R.T.: -0.002 min
Response: 4081571909
Conc: 761.78 ng/ml



#16 DCPA

R.T.: 10.951 min
Delta R.T.: 0.000 min
Response: 2772338564
Conc: 747.63 ng/ml