

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060420\
 Data File : PS010681.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Jun 2020 23:36
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 05 01:05:03 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
 Quant Title : 8080.M
 QLast Update : Fri May 29 15:43:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.229	6.921	640.7E6	423.8E6	810.189	776.988
Target Compounds							
1) T	Dalapon	3.041	2.625	687.7E6	479.2E6	699.476	654.451
2) T	3,5-DICHL...	6.442	6.070	824.3E6	593.4E6	754.032	724.014
3) T	4-Nitroph...	7.059	6.525	282.9E6	238.4E6	763.104	719.525
5) T	DICAMBA	7.422	7.090	2399.5E6	1642.0E6	763.074	729.530
6) T	MCPD	7.592	7.188	187.3E6	137.8E6	75.832	73.964
7) T	MCPA	7.742	7.405	261.5E6	198.0E6	74.804	72.859
8) T	DICHLORPROP	8.114	7.716	578.2E6	420.8E6	762.908	729.776
9) T	2,4-D	8.343	8.010	612.3E6	517.8E6	776.698	682.930
10) T	Pentachlo...	8.656	8.442	8260.6E6	5199.9E6	774.473	731.930
11) T	2,4,5-TP ...	9.204	8.801	3318.6E6	2228.1E6	775.949	741.867
12) T	2,4,5-T	9.490	9.181	3217.4E6	2246.3E6	791.099	748.548
13) T	2,4-DB	10.042	9.687	432.9E6	309.1E6	782.843	760.820
14) T	DINOSEB	11.205	10.022	2489.8E6	1631.5E6	770.565	758.344
15) T	Picloram	11.022	11.001	3782.7E6	2839.7E6	740.961	688.250
16) T	DCPA	11.470	10.950	4138.7E6	2800.3E6	772.435	755.171



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060420\
Data File : PS010681.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Jun 2020 23:36
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 05 01:05:03 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
Quant Title : 8080.M
QLast Update : Fri May 29 15:43:50 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.041 min
Delta R.T.: 0.000 min
Response: 687719857
Conc: 699.48 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.001 min
Response: 479152433
Conc: 654.45 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.442 min
Delta R.T.: -0.001 min
Response: 824318258
Conc: 754.03 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 593433446
Conc: 724.01 ng/ml



#3 4-Nitrophenol


R.T.: 7.059 min
Delta R.T.: -0.001 min
Response: 282904551
Conc: 763.10 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.525 min
Delta R.T.: 0.000 min
Response: 238351760
Conc: 719.52 ng/ml




#4 2,4-DCAA

R.T.: 7.229 min
Delta R.T.: -0.002 min
Response: 640747710
Conc: 810.19 ng/ml



#4 2,4-DCAA


R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 423781818
Conc: 776.99 ng/ml



#5 DICAMBA


R.T.: 7.422 min
Delta R.T.: -0.002 min
Response: 2399471898
Conc: 763.07 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.090 min
Delta R.T.: -0.001 min
Response: 1642042381
Conc: 729.53 ng/ml




#6 MCP

R.T.: 7.592 min
Delta R.T.: -0.008 min
Response: 187337088
Conc: 75.83 ug/ml



#6 MCP


R.T.: 7.188 min
Delta R.T.: -0.008 min
Response: 137831420
Conc: 73.96 ug/ml



#7 MCPA


R.T.: 7.742 min
Delta R.T.: -0.009 min
Response: 261513633
Conc: 74.80 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.405 min
Delta R.T.: -0.009 min
Response: 198012566
Conc: 72.86 ug/ml




#8 DICHLORPROP

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 578226926
Conc: 762.91 ng/ml



#8 DICHLORPROP


R.T.: 7.716 min
Delta R.T.: -0.001 min
Response: 420809704
Conc: 729.78 ng/ml



#9 2,4-D


R.T.: 8.343 min
Delta R.T.: -0.002 min
Response: 612251722
Conc: 776.70 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.010 min
Delta R.T.: 0.000 min
Response: 517835452
Conc: 682.93 ng/ml




#10 Pentachlorophenol

R.T.: 8.656 min
Delta R.T.: -0.002 min
Response: 8260605380
Conc: 774.47 ng/ml



#10 Pentachlorophenol


R.T.: 8.442 min
Delta R.T.: 0.000 min
Response: 5199949997
Conc: 731.93 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.204 min
Delta R.T.: -0.003 min
Response: 3318583649
Conc: 775.95 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.801 min
Delta R.T.: 0.000 min
Response: 2228056964
Conc: 741.87 ng/ml




#12 2,4,5-T

R.T.: 9.490 min
Delta R.T.: -0.002 min
Response: 3217406206
Conc: 791.10 ng/ml



#12 2,4,5-T


R.T.: 9.181 min
Delta R.T.: 0.000 min
Response: 2246329953
Conc: 748.55 ng/ml



#13 2,4-DB


R.T.: 10.042 min
Delta R.T.: -0.002 min
Response: 432854569
Conc: 782.84 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.687 min
Delta R.T.: 0.000 min
Response: 309062276
Conc: 760.82 ng/ml




#14 DINOSEB

R.T.: 11.205 min
Delta R.T.: -0.002 min
Response: 2489764376
Conc: 770.57 ng/ml



#14 DINOSEB


R.T.: 10.022 min
Delta R.T.: 0.000 min
Response: 1631536843
Conc: 758.34 ng/ml



#15 Picloram


R.T.: 11.022 min
Delta R.T.: -0.002 min
Response: 3782702005
Conc: 740.96 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 11.001 min
Delta R.T.: 0.000 min
Response: 2839687977
Conc: 688.25 ng/ml



#16 DCPA

R.T.: 11.470 min
Delta R.T.: -0.002 min
Response: 4138686703
Conc: 772.44 ng/ml



#16 DCPA

R.T.: 10.950 min
Delta R.T.: -0.001 min
Response: 2800317382
Conc: 755.17 ng/ml