

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060420\
 Data File : PS010693.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Jun 2020 04:12
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 05 04:36:12 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
 Quant Title : 8080.M
 QLast Update : Fri May 29 15:43:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.230	6.921	639.9E6	425.1E6	809.151	779.386
Target Compounds							
1) T	Dalapon	3.041	2.625	656.1E6	461.1E6	667.325	629.820
2) T	3,5-DICHL...	6.442	6.071	827.3E6	596.8E6	756.775	728.117
3) T	4-Nitroph...	7.060	6.526	280.6E6	236.8E6	756.816	714.706
5) T	DICAMBA	7.422	7.090	2404.1E6	1647.6E6	764.551	731.993
6) T	MCPD	7.592	7.189	187.9E6	138.7E6	76.075	74.404
7) T	MCPA	7.742	7.405	262.3E6	198.4E6	75.035	73.018
8) T	DICHLORPROP	8.114	7.716	578.2E6	420.7E6	762.903	729.559
9) T	2,4-D	8.343	8.010	608.0E6	518.2E6	771.314	683.376
10) T	Pentachlo...	8.655	8.441	8263.3E6	5205.4E6	774.724	732.703
11) T	2,4,5-TP ...	9.205	8.801	3324.1E6	2227.5E6	777.245	741.686
12) T	2,4,5-T	9.489	9.180	3194.2E6	2231.4E6	785.388	743.564
13) T	2,4-DB	10.042	9.686	430.0E6	304.4E6	777.765	749.346
14) T	DINOSEB	11.205	10.021	2504.8E6	1592.7E6	775.206	740.296
15) T	Picloram	11.021	11.001	3759.6E6	2808.6E6	736.435	680.707
16) T	DCPA	11.470	10.949	4191.0E6	2796.1E6	782.202	754.045



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060420\
Data File : PS010693.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Jun 2020 04:12
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 05 04:36:12 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
Quant Title : 8080.M
QLast Update : Fri May 29 15:43:50 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.041 min
Delta R.T.: 0.000 min
Response: 656109649
Conc: 667.32 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.002 min
Response: 461119208
Conc: 629.82 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.442 min
Delta R.T.: 0.000 min
Response: 827317035
Conc: 756.78 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.071 min
Delta R.T.: 0.000 min
Response: 596796483
Conc: 728.12 ng/ml



#3 4-Nitrophenol


R.T.: 7.060 min
Delta R.T.: 0.000 min
Response: 280573493
Conc: 756.82 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 236755271
Conc: 714.71 ng/ml




#4 2,4-DCAA

R.T.: 7.230 min
Delta R.T.: -0.002 min
Response: 639926476
Conc: 809.15 ng/ml



#4 2,4-DCAA


R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 425089542
Conc: 779.39 ng/ml



#5 DICAMBA


R.T.: 7.422 min
Delta R.T.: -0.002 min
Response: 2404117633
Conc: 764.55 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.090 min
Delta R.T.: -0.001 min
Response: 1647585518
Conc: 731.99 ng/ml




#6 MCP

R.T.: 7.592 min
Delta R.T.: -0.008 min
Response: 187937035
Conc: 76.08 ug/ml



#6 MCP


R.T.: 7.189 min
Delta R.T.: -0.008 min
Response: 138651350
Conc: 74.40 ug/ml



#7 MCPA


R.T.: 7.742 min
Delta R.T.: -0.009 min
Response: 262322568
Conc: 75.04 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.405 min
Delta R.T.: -0.009 min
Response: 198443970
Conc: 73.02 ug/ml




#8 DICHLORPROP

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 578223057
Conc: 762.90 ng/ml



#8 DICHLORPROP


R.T.: 7.716 min
Delta R.T.: -0.001 min
Response: 420684355
Conc: 729.56 ng/ml



#9 2,4-D


R.T.: 8.343 min
Delta R.T.: -0.002 min
Response: 608007723
Conc: 771.31 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.010 min
Delta R.T.: 0.000 min
Response: 518173419
Conc: 683.38 ng/ml




#10 Pentachlorophenol

R.T.: 8.655 min
Delta R.T.: -0.002 min
Response: 8263278280
Conc: 774.72 ng/ml



#10 Pentachlorophenol


R.T.: 8.441 min
Delta R.T.: -0.002 min
Response: 5205442981
Conc: 732.70 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.205 min
Delta R.T.: -0.003 min
Response: 3324127468
Conc: 777.25 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.801 min
Delta R.T.: 0.000 min
Response: 2227514531
Conc: 741.69 ng/ml




#12 2,4,5-T

R.T.: 9.489 min
Delta R.T.: -0.003 min
Response: 3194179787
Conc: 785.39 ng/ml



#12 2,4,5-T


R.T.: 9.180 min
Delta R.T.: -0.001 min
Response: 2231372148
Conc: 743.56 ng/ml



#13 2,4-DB


R.T.: 10.042 min
Delta R.T.: -0.002 min
Response: 430046809
Conc: 777.77 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.686 min
Delta R.T.: -0.001 min
Response: 304401046
Conc: 749.35 ng/ml




#14 DINOSEB

R.T.: 11.205 min
Delta R.T.: -0.002 min
Response: 2504760663
Conc: 775.21 ng/ml



#14 DINOSEB


R.T.: 10.021 min
Delta R.T.: -0.001 min
Response: 1592706355
Conc: 740.30 ng/ml



#15 Picloram


R.T.: 11.021 min
Delta R.T.: -0.003 min
Response: 3759597653
Conc: 736.44 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 11.001 min
Delta R.T.: -0.002 min
Response: 2808569389
Conc: 680.71 ng/ml



#16 DCPA

R.T.: 11.470 min
Delta R.T.: -0.003 min
Response: 4191016598
Conc: 782.20 ng/ml



#16 DCPA

R.T.: 10.949 min
Delta R.T.: -0.002 min
Response: 2796142121
Conc: 754.04 ng/ml