

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060721\
 Data File : PS015259.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jun 2021 23:11
 Operator : DD\AJ
 Sample : M2589-21MSD
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 18-B7(0-2)MSD

Manual Integrations
 APPROVED

Ankita
 6/9/2021 1:49:57 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 08 03:56:03 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052821.M
 Quant Title : 8080.M
 QLast Update : Fri May 28 14:34:22 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.225	6.784	1325.0E6	251.5E6	525.699	469.442m
Target Compounds							
1) T	Dalapon	3.036	2.520	976.7E6	311.4E6	371.586	475.778m#
2) T	3,5-DICHL...	6.436	5.970	1762.6E6	414.6E6	511.123	513.180
5) T	DICAMBA	7.419	6.949	4648.6E6	1152.6E6	487.691	520.830
6) T	MCP	7.588	7.046	377.3E6	103.5E6	52.424	58.547
7) T	MCPA	7.736	7.257	511.1E6	160.8E6	50.921	61.868
8) T	DICHLORPROP	8.113	7.571	1207.0E6	308.5E6	524.075	567.838
9) T	2,4-D	8.340	7.861	1565.6E6	399.9E6	614.427	620.935m
10) T	Pentachlo...	8.654	8.293	15337.0E6	3723.7E6	473.793	505.860
11) T	2,4,5-TP ...	9.204	8.654	7332.5E6	1925.3E6	590.802	663.447m
12) T	2,4,5-T	9.488	9.031	6469.7E6	1710.7E6	538.649	590.916
13) T	2,4-DB	10.041	9.538	903.8E6	221.7E6	354.916	574.846 #
14) T	DINOSEB	11.202	9.866	3637.3E6	892.3E6	455.251	488.613m
15) T	Picloram	11.015	10.844	7161.5E6	1880.4E6	432.283m	452.793
16) T	DCPA	11.470	10.800	6985.2E6	1899.8E6	414.253	440.696

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060721\
Data File : PS015259.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Jun 2021 23:11
Operator : DD\AJ
Sample : M2589-21MSD
Misc :
ALS Vial : 21 Sample Multiplier: 1



Instrument :
ECD_S
ClientSampled :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 08 03:56:03 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052821.M
Quant Title : 8080.M
QLast Update : Fri May 28 14:34:22 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon

R.T.: 3.036 min
Delta R.T.: 0.000 min
Response: 976668438
Conc: 371.59 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#1 Dalapon

R.T.: 2.520 min
Delta R.T.: 0.000 min
Response: 311374368
Conc: 475.78 ng/ml m




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.436 min
Delta R.T.: 0.000 min
Response: 1762564681
Conc: 511.12 ng/ml



#2 3,5-DICHLOROBENZOIC ACID

R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 414569581
Conc: 513.18 ng/ml




#4 2,4-DCAA

R.T.: 7.225 min
Delta R.T.: 0.000 min
Response: 1324959216
Conc: 525.70 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#4 2,4-DCAA

R.T.: 6.784 min
Delta R.T.: -0.002 min
Response: 251513634
Conc: 469.44 ng/ml m




#5 DICAMBA

R.T.: 7.419 min
Delta R.T.: 0.000 min
Response: 4648552616
Conc: 487.69 ng/ml



#5 DICAMBA

R.T.: 6.949 min
Delta R.T.: -0.003 min
Response: 1152563901
Conc: 520.83 ng/ml




#6 MCPP

R.T.: 7.588 min
Delta R.T.: -0.002 min
Response: 377262960
Conc: 52.42 ug/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#6 MCPP

R.T.: 7.046 min
Delta R.T.: -0.003 min
Response: 103459667
Conc: 58.55 ug/ml




#7 MCPA

R.T.: 7.736 min
Delta R.T.: -0.002 min
Response: 511063636
Conc: 50.92 ug/ml



#7 MCPA

R.T.: 7.257 min
Delta R.T.: -0.005 min
Response: 160781507
Conc: 61.87 ug/ml




#8 DICHLORPROP

R.T.: 8.113 min
Delta R.T.: 0.000 min
Response: 1206998007
Conc: 524.07 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#8 DICHLORPROP

R.T.: 7.571 min
Delta R.T.: -0.003 min
Response: 308485656
Conc: 567.84 ng/ml




#9 2,4-D

R.T.: 8.340 min
Delta R.T.: 0.000 min
Response: 1565631739
Conc: 614.43 ng/ml



#9 2,4-D

R.T.: 7.861 min
Delta R.T.: -0.003 min
Response: 399898104
Conc: 620.94 ng/ml m




#10 Pentachlorophenol

R.T.: 8.654 min
Delta R.T.: 0.000 min
Response: 15337037227
Conc: 473.79 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#10 Pentachlorophenol

R.T.: 8.293 min
Delta R.T.: -0.004 min
Response: 3723737169
Conc: 505.86 ng/ml




#11 2,4,5-TP (SILVEX)

R.T.: 9.204 min
Delta R.T.: -0.003 min
Response: 7332452565
Conc: 590.80 ng/ml



#11 2,4,5-TP (SILVEX)

R.T.: 8.654 min
Delta R.T.: -0.004 min
Response: 1925281792
Conc: 663.45 ng/ml m




#12 2,4,5-T

R.T.: 9.488 min
Delta R.T.: -0.002 min
Response: 6469660910
Conc: 538.65 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#12 2,4,5-T

R.T.: 9.031 min
Delta R.T.: -0.003 min
Response: 1710701826
Conc: 590.92 ng/ml




#13 2,4-DB

R.T.: 10.041 min
Delta R.T.: 0.000 min
Response: 903801939
Conc: 354.92 ng/ml



#13 2,4-DB

R.T.: 9.538 min
Delta R.T.: -0.005 min
Response: 221746490
Conc: 574.85 ng/ml




#14 DINOSEB

R.T.: 11.202 min
Delta R.T.: -0.005 min
Response: 3637261898
Conc: 455.25 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD


Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM




#14 DINOSEB

R.T.: 9.866 min
Delta R.T.: -0.006 min
Response: 892276292
Conc: 488.61 ng/ml m




#15 Picloram

R.T.: 11.015 min
Delta R.T.: -0.005 min
Response: 7161543366
Conc: 432.28 ng/ml m



#15 Picloram

R.T.: 10.844 min
Delta R.T.: -0.006 min
Response: 1880402095
Conc: 452.79 ng/ml




#16 DCPA

R.T.: 11.470 min
Delta R.T.: -0.005 min
Response: 6985162107
Conc: 414.25 ng/ml

Instrument :
ECD_S
ClientSampleId :
18-B7(0-2)MSD

Manual Integrations
APPROVED

Ankita
6/9/2021 1:49:57 PM



#16 DCPA

R.T.: 10.800 min
Delta R.T.: -0.007 min
Response: 1899836550
Conc: 440.70 ng/ml