

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060920\
 Data File : PS010734.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Jun 2020 20:47
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 10 03:17:42 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
 Quant Title : 8080.M
 QLast Update : Fri May 29 15:43:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.229	6.921	671.6E6	447.5E6	849.253	820.483
Target Compounds							
1) T	Dalapon	3.043	2.627	685.6E6	477.8E6	697.299	652.615
2) T	3,5-DICHL...	6.442	6.070	866.5E6	626.3E6	792.615	764.138
3) T	4-Nitroph...	7.059	6.526	296.4E6	254.0E6	799.393	766.820
5) T	DICAMBA	7.421	7.090	2513.9E6	1719.8E6	799.476	764.082
6) T	MCPD	7.592	7.189	198.2E6	146.1E6	80.230	78.376
7) T	MCPA	7.742	7.405	272.7E6	208.8E6	77.993	76.814
8) T	DICHLORPROP	8.114	7.716	603.8E6	443.5E6	796.702	769.078
9) T	2,4-D	8.343	8.010	634.0E6	549.9E6	804.233	725.227
10) T	Pentachlo...	8.655	8.441	8588.5E6	5342.7E6	805.214	752.018
11) T	2,4,5-TP ...	9.204	8.801	3449.5E6	2323.6E6	806.557	773.665
12) T	2,4,5-T	9.488	9.180	3304.4E6	2337.6E6	812.496	778.970
13) T	2,4-DB	10.041	9.688	449.2E6	321.3E6	812.352	791.042
14) T	DINOSEB	11.204	10.021	2643.3E6	1705.9E6	818.069	792.888
15) T	Picloram	11.021	11.002	3811.4E6	2925.7E6	746.574	709.088
16) T	DCPA	11.469	10.949	4325.9E6	2912.2E6	807.369	785.351



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS060920\
Data File : PS010734.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Jun 2020 20:47
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 10 03:17:42 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
Quant Title : 8080.M
QLast Update : Fri May 29 15:43:50 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.043 min
Delta R.T.: 0.002 min
Response: 685579808
Conc: 697.30 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.627 min
Delta R.T.: 0.003 min
Response: 477808194
Conc: 652.61 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.442 min
Delta R.T.: -0.001 min
Response: 866497585
Conc: 792.62 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 626321345
Conc: 764.14 ng/ml



#3 4-Nitrophenol


R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 296358051
Conc: 799.39 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 254018965
Conc: 766.82 ng/ml




#4 2,4-DCAA

R.T.: 7.229 min
Delta R.T.: -0.002 min
Response: 671641686
Conc: 849.25 ng/ml



#4 2,4-DCAA


R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 447504241
Conc: 820.48 ng/ml



#5 DICAMBA


R.T.: 7.421 min
Delta R.T.: -0.002 min
Response: 2513938714
Conc: 799.48 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.090 min
Delta R.T.: -0.001 min
Response: 1719813030
Conc: 764.08 ng/ml




#6 MCP

R.T.: 7.592 min
Delta R.T.: -0.008 min
Response: 198199839
Conc: 80.23 ug/ml



#6 MCP


R.T.: 7.189 min
Delta R.T.: -0.007 min
Response: 146053871
Conc: 78.38 ug/ml



#7 MCPA


R.T.: 7.742 min
Delta R.T.: -0.009 min
Response: 272662867
Conc: 77.99 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.405 min
Delta R.T.: -0.009 min
Response: 208762047
Conc: 76.81 ug/ml




#8 DICHLORPROP

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 603840315
Conc: 796.70 ng/ml



#8 DICHLORPROP


R.T.: 7.716 min
Delta R.T.: 0.000 min
Response: 443472302
Conc: 769.08 ng/ml



#9 2,4-D


R.T.: 8.343 min
Delta R.T.: -0.002 min
Response: 633956804
Conc: 804.23 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.010 min
Delta R.T.: 0.000 min
Response: 549907608
Conc: 725.23 ng/ml




#10 Pentachlorophenol

R.T.: 8.655 min
Delta R.T.: -0.003 min
Response: 8588492643
Conc: 805.21 ng/ml



#10 Pentachlorophenol


R.T.: 8.441 min
Delta R.T.: -0.001 min
Response: 5342665144
Conc: 752.02 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.204 min
Delta R.T.: -0.004 min
Response: 3449485858
Conc: 806.56 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.801 min
Delta R.T.: 0.000 min
Response: 2323556698
Conc: 773.67 ng/ml




#12 2,4,5-T

R.T.: 9.488 min
Delta R.T.: -0.003 min
Response: 3304429427
Conc: 812.50 ng/ml



#12 2,4,5-T


R.T.: 9.180 min
Delta R.T.: -0.001 min
Response: 2337621933
Conc: 778.97 ng/ml



#13 2,4-DB


R.T.: 10.041 min
Delta R.T.: -0.004 min
Response: 449170786
Conc: 812.35 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.688 min
Delta R.T.: 0.000 min
Response: 321338913
Conc: 791.04 ng/ml




#14 DINOSEB

R.T.: 11.204 min
Delta R.T.: -0.003 min
Response: 2643253875
Conc: 818.07 ng/ml



#14 DINOSEB


R.T.: 10.021 min
Delta R.T.: 0.000 min
Response: 1705855188
Conc: 792.89 ng/ml



#15 Picloram


R.T.: 11.021 min
Delta R.T.: -0.003 min
Response: 3811356371
Conc: 746.57 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 11.002 min
Delta R.T.: 0.000 min
Response: 2925666403
Conc: 709.09 ng/ml



#16 DCPA

R.T.: 11.469 min
Delta R.T.: -0.003 min
Response: 4325858692
Conc: 807.37 ng/ml



#16 DCPA

R.T.: 10.949 min
Delta R.T.: -0.002 min
Response: 2912231240
Conc: 785.35 ng/ml