

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS061120\
 Data File : PS010768.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Jun 2020 10:12
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 11 17:12:51 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
 Quant Title : 8080.M
 QLast Update : Fri May 29 15:43:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.229	6.920	660.9E6	433.9E6	835.613	795.478
Target Compounds							
1) T	Dalapon	3.040	2.625	689.1E6	482.5E6	700.888	658.984
2) T	3,5-DICHL...	6.441	6.070	850.1E6	607.5E6	777.609	741.154
3) T	4-Nitroph...	7.058	6.526	286.1E6	241.8E6	771.599	730.000
5) T	DICAMBA	7.421	7.090	2496.5E6	1682.9E6	793.935	747.662
6) T	MCPD	7.591	7.188	195.2E6	141.8E6	79.006	76.080
7) T	MCPA	7.740	7.404	272.6E6	205.8E6	77.982	75.721
8) T	DICHLORPROP	8.113	7.716	596.5E6	432.3E6	786.956	749.681
9) T	2,4-D	8.342	8.009	617.2E6	534.3E6	782.997	704.591
10) T	Pentachlo...	8.654	8.441	8480.6E6	5278.1E6	795.103	742.928
11) T	2,4,5-TP ...	9.203	8.801	3417.6E6	2270.8E6	799.106	756.094
12) T	2,4,5-T	9.488	9.180	3260.3E6	2271.3E6	801.651	756.878
13) T	2,4-DB	10.041	9.686	432.1E6	312.6E6	781.417	769.447
14) T	DINOSEB	11.203	10.021	2536.7E6	1661.3E6	785.091	772.162
15) T	Picloram	11.020	11.002	3927.7E6	2991.4E6	769.360	725.026
16) T	DCPA	11.468	10.949	4218.0E6	2861.1E6	787.236	771.558



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS061120\
Data File : PS010768.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2020 10:12
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 11 17:12:51 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS052920.M
Quant Title : 8080.M
QLast Update : Fri May 29 15:43:50 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.040 min
Delta R.T.: 0.000 min
Response: 689108284
Conc: 700.89 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.001 min
Response: 482471227
Conc: 658.98 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.441 min
Delta R.T.: -0.002 min
Response: 850092388
Conc: 777.61 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 607482126
Conc: 741.15 ng/ml



#3 4-Nitrophenol


R.T.: 7.058 min
Delta R.T.: -0.002 min
Response: 286053967
Conc: 771.60 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 241821674
Conc: 730.00 ng/ml




#4 2,4-DCAA

R.T.: 7.229 min
Delta R.T.: -0.002 min
Response: 660854501
Conc: 835.61 ng/ml



#4 2,4-DCAA


R.T.: 6.920 min
Delta R.T.: 0.000 min
Response: 433866113
Conc: 795.48 ng/ml



#5 DICAMBA


R.T.: 7.421 min
Delta R.T.: -0.003 min
Response: 2496514708
Conc: 793.94 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.090 min
Delta R.T.: -0.001 min
Response: 1682852900
Conc: 747.66 ng/ml




#6 MCP

R.T.: 7.591 min
Delta R.T.: -0.009 min
Response: 195175853
Conc: 79.01 ug/ml



#6 MCP


R.T.: 7.188 min
Delta R.T.: -0.008 min
Response: 141774226
Conc: 76.08 ug/ml



#7 MCPA


R.T.: 7.740 min
Delta R.T.: -0.011 min
Response: 272622766
Conc: 77.98 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.404 min
Delta R.T.: -0.010 min
Response: 205791657
Conc: 75.72 ug/ml




#8 DICHLORPROP

R.T.: 8.113 min
Delta R.T.: -0.003 min
Response: 596453598
Conc: 786.96 ng/ml



#8 DICHLORPROP


R.T.: 7.716 min
Delta R.T.: -0.002 min
Response: 432287193
Conc: 749.68 ng/ml



#9 2,4-D


R.T.: 8.342 min
Delta R.T.: -0.003 min
Response: 617216747
Conc: 783.00 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.009 min
Delta R.T.: 0.000 min
Response: 534259804
Conc: 704.59 ng/ml




#10 Pentachlorophenol

R.T.: 8.654 min
Delta R.T.: -0.004 min
Response: 8480642587
Conc: 795.10 ng/ml



#10 Pentachlorophenol


R.T.: 8.441 min
Delta R.T.: -0.002 min
Response: 5278084471
Conc: 742.93 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.203 min
Delta R.T.: -0.004 min
Response: 3417619435
Conc: 799.11 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.801 min
Delta R.T.: -0.001 min
Response: 2270785015
Conc: 756.09 ng/ml




#12 2,4,5-T

R.T.: 9.488 min
Delta R.T.: -0.004 min
Response: 3260321918
Conc: 801.65 ng/ml



#12 2,4,5-T


R.T.: 9.180 min
Delta R.T.: 0.000 min
Response: 2271326550
Conc: 756.88 ng/ml



#13 2,4-DB


R.T.: 10.041 min
Delta R.T.: -0.003 min
Response: 432065777
Conc: 781.42 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.686 min
Delta R.T.: -0.001 min
Response: 312566789
Conc: 769.45 ng/ml




#14 DINOSEB

R.T.: 11.203 min
Delta R.T.: -0.005 min
Response: 2536697765
Conc: 785.09 ng/ml



#14 DINOSEB


R.T.: 10.021 min
Delta R.T.: 0.000 min
Response: 1661264005
Conc: 772.16 ng/ml



#15 Picloram


R.T.: 11.020 min
Delta R.T.: -0.004 min
Response: 3927682333
Conc: 769.36 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 11.002 min
Delta R.T.: 0.000 min
Response: 2991424291
Conc: 725.03 ng/ml



#16 DCPA

R.T.: 11.468 min
Delta R.T.: -0.004 min
Response: 4217990364
Conc: 787.24 ng/ml



#16 DCPA

R.T.: 10.949 min
Delta R.T.: -0.002 min
Response: 2861085467
Conc: 771.56 ng/ml