

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS062218\
 Data File : PS000580.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Jun 2018 19:46
 Operator : UA
 Sample : J3603-02MSD
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 22 21:52:28 2018
 Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_S\Method\PS061718.M
 Quant Title : 8080.M
 QLast Update : Mon Jun 18 00:27:44 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.820	11.199	122.8E6	105.9E6	326.050	311.143
Target Compounds							
1) T	Dalapon	3.177	2.556	182.4E6	154.5E6	356.615	354.340
2) T	3,5-DICHL...	10.234	9.344	219.8E6	185.9E6	407.227	404.201
3) T	4-Nitroph...	11.420	10.353	2462784	7588251	10.477	38.723 #
5) T	DICAMBA	12.139	11.487	640.4E6	574.8E6	453.055	463.944
6) T	MCPD	12.476	11.710	48814814	40705590	43.107	42.426
7) T	MCPA	12.727	12.087	79511585	63724004	45.236	46.012
8) T	DICHLORPROP	13.330	12.612	181.1E6	159.0E6	481.342	493.703
9) T	2,4-D	13.688	13.083	232.8E6	219.7E6	486.795	516.835
10) T	Pentachlo...	14.087	13.646	1736.9E6	1578.1E6	330.841	333.586
11) T	2,4,5-TP ...	14.952	14.255	1010.2E6	934.9E6	465.341	480.403
12) T	2,4,5-T	15.350	14.829	993.2E6	590.6E6	461.234	349.235
13) T	2,4-DB	16.103	15.474	144.0E6	125.7E6	489.220	507.761
14) T	DINOSEB	17.614	15.907	304.1E6	262.1E6	204.233	200.874
15) T	Picloram	17.371	17.151	962.9E6	825.3E6	329.698	330.861
16) T	DCPA	17.953	17.093	871.3E6	803.4E6	340.011	348.396



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS062218\
Data File : PS000580.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Jun 2018 19:46
Operator : UA
Sample : J3603-02MSD
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 22 21:52:28 2018
Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_S\Method\PS061718.M
Quant Title : 8080.M
QLast Update : Mon Jun 18 00:27:44 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.177 min
Delta R.T.: -0.005 min
Response: 182394835
Conc: 356.62 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.556 min
Delta R.T.: -0.004 min
Response: 154468344
Conc: 354.34 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 10.234 min
Delta R.T.: -0.010 min
Response: 219771055
Conc: 407.23 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.344 min
Delta R.T.: -0.004 min
Response: 185949251
Conc: 404.20 ng/ml



#3 4-Nitrophenol


R.T.: 11.420 min
Delta R.T.: -0.007 min
Response: 2462784
Conc: 10.48 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 10.353 min
Delta R.T.: 0.003 min
Response: 7588251
Conc: 38.72 ng/ml




#4 2,4-DCAA

R.T.: 11.820 min
Delta R.T.: -0.009 min
Response: 122808448
Conc: 326.05 ng/ml



#4 2,4-DCAA


R.T.: 11.199 min
Delta R.T.: -0.004 min
Response: 105884802
Conc: 311.14 ng/ml



#5 DICAMBA


R.T.: 12.139 min
Delta R.T.: -0.008 min
Response: 640370864
Conc: 453.05 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 11.487 min
Delta R.T.: -0.005 min
Response: 574808619
Conc: 463.94 ng/ml




#6 MCP

R.T.: 12.476 min
Delta R.T.: -0.006 min
Response: 48814814
Conc: 43.11 ug/ml



#6 MCP


R.T.: 11.710 min
Delta R.T.: -0.001 min
Response: 40705590
Conc: 42.43 ug/ml



#7 MCPA


R.T.: 12.727 min
Delta R.T.: -0.007 min
Response: 79511585
Conc: 45.24 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 12.087 min
Delta R.T.: 0.000 min
Response: 63724004
Conc: 46.01 ug/ml




#8 DICHLORPROP

R.T.: 13.330 min
Delta R.T.: -0.011 min
Response: 181061164
Conc: 481.34 ng/ml



#8 DICHLORPROP


R.T.: 12.612 min
Delta R.T.: -0.004 min
Response: 158958444
Conc: 493.70 ng/ml



#9 2,4-D


R.T.: 13.688 min
Delta R.T.: -0.011 min
Response: 232836008
Conc: 486.79 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 13.083 min
Delta R.T.: -0.004 min
Response: 219654610
Conc: 516.83 ng/ml




#10 Pentachlorophenol

R.T.: 14.087 min
Delta R.T.: -0.010 min
Response: 1736902150
Conc: 330.84 ng/ml



#10 Pentachlorophenol


R.T.: 13.646 min
Delta R.T.: -0.005 min
Response: 1578086388
Conc: 333.59 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 14.952 min
Delta R.T.: -0.010 min
Response: 1010182003
Conc: 465.34 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 14.255 min
Delta R.T.: -0.004 min
Response: 934870858
Conc: 480.40 ng/ml




#12 2,4,5-T

R.T.: 15.350 min
Delta R.T.: -0.010 min
Response: 993164339
Conc: 461.23 ng/ml



#12 2,4,5-T


R.T.: 14.829 min
Delta R.T.: -0.005 min
Response: 590603329
Conc: 349.24 ng/ml



#13 2,4-DB


R.T.: 16.103 min
Delta R.T.: -0.011 min
Response: 144035223
Conc: 489.22 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 15.474 min
Delta R.T.: -0.004 min
Response: 125694772
Conc: 507.76 ng/ml




#14 DINOSEB

R.T.: 17.614 min
Delta R.T.: -0.012 min
Response: 304128726
Conc: 204.23 ng/ml



#14 DINOSEB


R.T.: 15.907 min
Delta R.T.: -0.005 min
Response: 262053750
Conc: 200.87 ng/ml



#15 Picloram


R.T.: 17.371 min
Delta R.T.: -0.011 min
Response: 962877049
Conc: 329.70 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 17.151 min
Delta R.T.: -0.005 min
Response: 825283783
Conc: 330.86 ng/ml



#16 DCPA

R.T.: 17.953 min
Delta R.T.: -0.012 min
Response: 871267430
Conc: 340.01 ng/ml



#16 DCPA

R.T.: 17.093 min
Delta R.T.: -0.005 min
Response: 803389223
Conc: 348.40 ng/ml