

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS062218\
 Data File : PS000595.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2018 03:29
 Operator : UA
 Sample : PB110429BS
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 23 04:15:28 2018
 Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_S\Method\PS061718.M
 Quant Title : 8080.M
 QLast Update : Mon Jun 18 00:27:44 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.803	11.182	199.5E6	180.1E6	529.532	529.177
Target Compounds							
1) T	Dalapon	3.161	2.541	237.8E6	200.0E6	465.024	458.751
2) T	3,5-DICHL...	10.218	9.328	269.1E6	230.0E6	498.563	500.035
3) T	4-Nitroph...	11.402	10.330	119.4E6	100.0E6	507.770	510.426
5) T	DICAMBA	12.122	11.472	709.7E6	624.6E6	502.139	504.151
6) T	MCPD	12.458	11.695	49491766	47207957	43.705	49.203
7) T	MCPA	12.709	12.073	86035163	71405885	48.948	51.558
8) T	DICHLORPROP	13.314	12.596	191.3E6	161.7E6	508.567	502.124
9) T	2,4-D	13.672	13.067	238.0E6	216.3E6	497.665	509.002
10) T	Pentachlo...	14.070	13.630	2741.2E6	2502.6E6	522.132	529.014
11) T	2,4,5-TP ...	14.935	14.239	1107.8E6	1004.1E6	510.301	515.956
12) T	2,4,5-T	15.333	14.814	1085.6E6	793.8E6	504.161	469.403
13) T	2,4-DB	16.086	15.458	129.8E6	125.2E6	441.030	505.650
14) T	DINOSEB	17.597	15.891	736.8E6	650.2E6	494.791	498.414
15) T	Picloram	17.353	17.135	1367.4E6	1175.9E6	468.208	471.407
16) T	DCPA	17.935	17.077	1344.3E6	1227.5E6	524.604	532.326



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS062218\
Data File : PS000595.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jun 2018 03:29
Operator : UA
Sample : PB110429BS
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 23 04:15:28 2018
Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_S\Method\PS061718.M
Quant Title : 8080.M
QLast Update : Mon Jun 18 00:27:44 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.161 min
Delta R.T.: -0.021 min
Response: 237841479
Conc: 465.02 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.541 min
Delta R.T.: -0.020 min
Response: 199984439
Conc: 458.75 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 10.218 min
Delta R.T.: -0.026 min
Response: 269062931
Conc: 498.56 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.328 min
Delta R.T.: -0.020 min
Response: 230036641
Conc: 500.03 ng/ml



#3 4-Nitrophenol


R.T.: 11.402 min
Delta R.T.: -0.026 min
Response: 119361701
Conc: 507.77 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 10.330 min
Delta R.T.: -0.020 min
Response: 100024062
Conc: 510.43 ng/ml




#4 2,4-DCAA

R.T.: 11.803 min
Delta R.T.: -0.026 min
Response: 199450858
Conc: 529.53 ng/ml



#4 2,4-DCAA


R.T.: 11.182 min
Delta R.T.: -0.020 min
Response: 180083539
Conc: 529.18 ng/ml



#5 DICAMBA


R.T.: 12.122 min
Delta R.T.: -0.025 min
Response: 709749302
Conc: 502.14 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 11.472 min
Delta R.T.: -0.021 min
Response: 624623067
Conc: 504.15 ng/ml




#6 MCP

R.T.: 12.458 min
Delta R.T.: -0.024 min
Response: 49491766
Conc: 43.70 ug/ml



#6 MCP


R.T.: 11.695 min
Delta R.T.: -0.016 min
Response: 47207957
Conc: 49.20 ug/ml



#7 MCPA


R.T.: 12.709 min
Delta R.T.: -0.024 min
Response: 86035163
Conc: 48.95 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 12.073 min
Delta R.T.: -0.015 min
Response: 71405885
Conc: 51.56 ug/ml




#8 DICHLORPROP

R.T.: 13.314 min
Delta R.T.: -0.027 min
Response: 191301845
Conc: 508.57 ng/ml



#8 DICHLORPROP


R.T.: 12.596 min
Delta R.T.: -0.020 min
Response: 161669633
Conc: 502.12 ng/ml



#9 2,4-D


R.T.: 13.672 min
Delta R.T.: -0.027 min
Response: 238035153
Conc: 497.66 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 13.067 min
Delta R.T.: -0.020 min
Response: 216325775
Conc: 509.00 ng/ml




#10 Pentachlorophenol

R.T.: 14.070 min
Delta R.T.: -0.027 min
Response: 2741175277
Conc: 522.13 ng/ml



#10 Pentachlorophenol


R.T.: 13.630 min
Delta R.T.: -0.021 min
Response: 2502587858
Conc: 529.01 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 14.935 min
Delta R.T.: -0.027 min
Response: 1107780976
Conc: 510.30 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 14.239 min
Delta R.T.: -0.020 min
Response: 1004057559
Conc: 515.96 ng/ml




#12 2,4,5-T

R.T.: 15.333 min
Delta R.T.: -0.027 min
Response: 1085598232
Conc: 504.16 ng/ml



#12 2,4,5-T


R.T.: 14.814 min
Delta R.T.: -0.021 min
Response: 793822493
Conc: 469.40 ng/ml



#13 2,4-DB


R.T.: 16.086 min
Delta R.T.: -0.028 min
Response: 129847406
Conc: 441.03 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 15.458 min
Delta R.T.: -0.020 min
Response: 125172404
Conc: 505.65 ng/ml




#14 DINOSEB

R.T.: 17.597 min
Delta R.T.: -0.029 min
Response: 736804176
Conc: 494.79 ng/ml



#14 DINOSEB


R.T.: 15.891 min
Delta R.T.: -0.021 min
Response: 650215606
Conc: 498.41 ng/ml



#15 Picloram


R.T.: 17.353 min
Delta R.T.: -0.028 min
Response: 1367392340
Conc: 468.21 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 17.135 min
Delta R.T.: -0.021 min
Response: 1175857205
Conc: 471.41 ng/ml



#16 DCPA

R.T.: 17.935 min
Delta R.T.: -0.029 min
Response: 1344283733
Conc: 524.60 ng/ml



#16 DCPA

R.T.: 17.077 min
Delta R.T.: -0.021 min
Response: 1227523012
Conc: 532.33 ng/ml