

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS062718\
 Data File : PS000679.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jun 2018 21:06
 Operator : UA
 Sample : J3712-01MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 28 00:56:14 2018
 Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_S\Method\PS061718.M
 Quant Title : 8080.M
 QLast Update : Mon Jun 18 00:27:44 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.815	11.197	117.3E6	96005162	311.342	282.112
Target Compounds							
1) T	Dalapon	3.175	2.557	121.7E6	120.9E6	237.963	277.372
2) T	3,5-DICHL...	10.230	9.341	152.0E6	116.8E6	281.648	253.789
3) T	4-Nitroph...	11.414	10.345	71566032	64552135	304.445	329.412
5) T	DICAMBA	12.134	11.486	408.2E6	374.1E6	288.766	301.980
6) T	MCPD	12.470	11.705	25492067	20671207	22.511	21.545
7) T	MCPA	12.720	12.082	45527036	37144383	25.901	26.820
8) T	DICHLORPROP	13.326	12.609	114.3E6	98063303	303.959	304.571
9) T	2,4-D	13.684	13.081	141.6E6	134.9E6	296.059	317.403
10) T	Pentachlo...	14.083	13.644	1406.2E6	1265.4E6	267.845	267.483
11) T	2,4,5-TP ...	14.948	14.253	534.6E6	511.2E6	246.252	262.712
12) T	2,4,5-T	15.345	14.827	567.2E6	266.1E6	263.419	157.341 #
13) T	2,4-DB	16.098	15.471	71745988	95841070	243.687	387.163 #
14) T	DINOSEB	17.608	15.904	69295361	97663515	46.534	74.863 #
15) T	Picloram	17.366	17.149	861.1E6	755.7E6	294.858	302.956
16) T	DCPA	17.949	17.092	525.5E6	531.7E6	205.062	230.566



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS062718\
Data File : PS000679.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jun 2018 21:06
Operator : UA
Sample : J3712-01MS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 28 00:56:14 2018
Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_S\Method\PS061718.M
Quant Title : 8080.M
QLast Update : Mon Jun 18 00:27:44 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.175 min
Delta R.T.: -0.007 min
Response: 121708612
Conc: 237.96 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.557 min
Delta R.T.: -0.004 min
Response: 120915301
Conc: 277.37 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 10.230 min
Delta R.T.: -0.014 min
Response: 151998951
Conc: 281.65 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.341 min
Delta R.T.: -0.006 min
Response: 116753322
Conc: 253.79 ng/ml



#3 4-Nitrophenol


R.T.: 11.414 min
Delta R.T.: -0.014 min
Response: 71566032
Conc: 304.45 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 10.345 min
Delta R.T.: -0.005 min
Response: 64552135
Conc: 329.41 ng/ml




#4 2,4-DCAA

R.T.: 11.815 min
Delta R.T.: -0.014 min
Response: 117268284
Conc: 311.34 ng/ml



#4 2,4-DCAA


R.T.: 11.197 min
Delta R.T.: -0.006 min
Response: 96005162
Conc: 282.11 ng/ml



#5 DICAMBA


R.T.: 12.134 min
Delta R.T.: -0.014 min
Response: 408157239
Conc: 288.77 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 11.486 min
Delta R.T.: -0.007 min
Response: 374141642
Conc: 301.98 ng/ml




#6 MCP

R.T.: 12.470 min
Delta R.T.: -0.012 min
Response: 25492067
Conc: 22.51 ug/ml



#6 MCP


R.T.: 11.705 min
Delta R.T.: -0.006 min
Response: 20671207
Conc: 21.54 ug/ml



#7 MCPA


R.T.: 12.720 min
Delta R.T.: -0.013 min
Response: 45527036
Conc: 25.90 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 12.082 min
Delta R.T.: -0.005 min
Response: 37144383
Conc: 26.82 ug/ml




#8 DICHLORPROP

R.T.: 13.326 min
Delta R.T.: -0.015 min
Response: 114337064
Conc: 303.96 ng/ml



#8 DICHLORPROP


R.T.: 12.609 min
Delta R.T.: -0.007 min
Response: 98063303
Conc: 304.57 ng/ml



#9 2,4-D


R.T.: 13.684 min
Delta R.T.: -0.015 min
Response: 141606139
Conc: 296.06 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 13.081 min
Delta R.T.: -0.007 min
Response: 134895992
Conc: 317.40 ng/ml




#10 Pentachlorophenol

R.T.: 14.083 min
Delta R.T.: -0.014 min
Response: 1406178384
Conc: 267.85 ng/ml



#10 Pentachlorophenol


R.T.: 13.644 min
Delta R.T.: -0.007 min
Response: 1265375177
Conc: 267.48 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 14.948 min
Delta R.T.: -0.014 min
Response: 534572770
Conc: 246.25 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 14.253 min
Delta R.T.: -0.006 min
Response: 511240627
Conc: 262.71 ng/ml




#12 2,4,5-T

R.T.: 15.345 min
Delta R.T.: -0.015 min
Response: 567215003
Conc: 263.42 ng/ml



#12 2,4,5-T


R.T.: 14.827 min
Delta R.T.: -0.007 min
Response: 266085407
Conc: 157.34 ng/ml



#13 2,4-DB


R.T.: 16.098 min
Delta R.T.: -0.016 min
Response: 71745988
Conc: 243.69 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 15.471 min
Delta R.T.: -0.007 min
Response: 95841070
Conc: 387.16 ng/ml




#14 DINOSEB

R.T.: 17.608 min
Delta R.T.: -0.017 min
Response: 69295361
Conc: 46.53 ng/ml



#14 DINOSEB


R.T.: 15.904 min
Delta R.T.: -0.008 min
Response: 97663515
Conc: 74.86 ng/ml



#15 Picloram


R.T.: 17.366 min
Delta R.T.: -0.016 min
Response: 861126799
Conc: 294.86 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 17.149 min
Delta R.T.: -0.007 min
Response: 755679885
Conc: 302.96 ng/ml



#16 DCPA

R.T.: 17.949 min
Delta R.T.: -0.016 min
Response: 525465938
Conc: 205.06 ng/ml



#16 DCPA

R.T.: 17.092 min
Delta R.T.: -0.006 min
Response: 531677381
Conc: 230.57 ng/ml