

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS070120\
 Data File : PS011018.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Jul 2020 10:15
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 01 15:48:50 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS062420.M
 Quant Title : 8080.M
 QLast Update : Thu Jun 25 02:45:12 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.229	6.920	739.3E6	451.8E6	815.297	815.395
Target Compounds							
1) T	Dalapon	3.041	2.625	791.5E6	514.0E6	706.848	681.395
2) T	3,5-DICHL...	6.441	6.070	957.6E6	627.4E6	761.199	753.309
3) T	4-Nitroph...	7.059	6.525	304.4E6	237.4E6	762.507	738.729
5) T	DICAMBA	7.421	7.089	2810.4E6	1733.6E6	770.751	763.270
6) T	MCPD	7.591	7.187	222.3E6	147.9E6	77.958	78.133
7) T	MCPA	7.741	7.403	306.0E6	211.4E6	76.832	76.580
8) T	DICHLORPROP	8.112	7.715	671.8E6	448.7E6	766.037	764.145
9) T	2,4-D	8.342	8.009	687.0E6	553.9E6	776.937	766.528
10) T	Pentachlo...	8.653	8.440	9519.2E6	5104.6E6	765.566	734.081
11) T	2,4,5-TP ...	9.202	8.799	3830.6E6	2337.0E6	771.469	776.683
12) T	2,4,5-T	9.487	9.179	3619.0E6	2322.6E6	776.959	779.961
13) T	2,4-DB	10.040	9.685	463.3E6	320.8E6	779.453	780.602
14) T	DINOSEB	11.202	10.019	2737.2E6	1641.6E6	764.255	788.442
15) T	Picloram	11.021	11.001	4248.4E6	3110.6E6	757.810	742.462
16) T	DCPA	11.467	10.948	4669.0E6	2909.2E6	763.731	781.120



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS070120\
Data File : PS011018.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Jul 2020 10:15
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 01 15:48:50 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS062420.M
Quant Title : 8080.M
QLast Update : Thu Jun 25 02:45:12 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.041 min
Delta R.T.: 0.003 min
Response: 791473269
Conc: 706.85 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.003 min
Response: 514017579
Conc: 681.39 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 957625409
Conc: 761.20 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 627373979
Conc: 753.31 ng/ml



#3 4-Nitrophenol


R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 304375347
Conc: 762.51 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.525 min
Delta R.T.: 0.000 min
Response: 237378922
Conc: 738.73 ng/ml




#4 2,4-DCAA

R.T.: 7.229 min
Delta R.T.: 0.000 min
Response: 739326248
Conc: 815.30 ng/ml



#4 2,4-DCAA


R.T.: 6.920 min
Delta R.T.: 0.000 min
Response: 451791187
Conc: 815.40 ng/ml



#5 DICAMBA


R.T.: 7.421 min
Delta R.T.: 0.000 min
Response: 2810406873
Conc: 770.75 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.089 min
Delta R.T.: 0.000 min
Response: 1733603710
Conc: 763.27 ng/ml




#6 MCP

R.T.: 7.591 min
Delta R.T.: 0.000 min
Response: 222297267
Conc: 77.96 ug/ml



#6 MCP


R.T.: 7.187 min
Delta R.T.: 0.000 min
Response: 147888577
Conc: 78.13 ug/ml



#7 MCPA


R.T.: 7.741 min
Delta R.T.: 0.000 min
Response: 305979594
Conc: 76.83 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.403 min
Delta R.T.: 0.000 min
Response: 211360440
Conc: 76.58 ug/ml




#8 DICHLORPROP

R.T.: 8.112 min
Delta R.T.: 0.000 min
Response: 671759457
Conc: 766.04 ng/ml



#8 DICHLORPROP


R.T.: 7.715 min
Delta R.T.: 0.000 min
Response: 448655724
Conc: 764.14 ng/ml



#9 2,4-D


R.T.: 8.342 min
Delta R.T.: 0.000 min
Response: 687042269
Conc: 776.94 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.009 min
Delta R.T.: 0.000 min
Response: 553934215
Conc: 766.53 ng/ml




#10 Pentachlorophenol

R.T.: 8.653 min
Delta R.T.: 0.000 min
Response: 9519170932
Conc: 765.57 ng/ml



#10 Pentachlorophenol


R.T.: 8.440 min
Delta R.T.: 0.000 min
Response: 5104574099
Conc: 734.08 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.202 min
Delta R.T.: 0.000 min
Response: 3830593191
Conc: 771.47 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.799 min
Delta R.T.: 0.000 min
Response: 2336958413
Conc: 776.68 ng/ml




#12 2,4,5-T

R.T.: 9.487 min
Delta R.T.: 0.000 min
Response: 3619020096
Conc: 776.96 ng/ml



#12 2,4,5-T


R.T.: 9.179 min
Delta R.T.: 0.000 min
Response: 2322616360
Conc: 779.96 ng/ml



#13 2,4-DB


R.T.: 10.040 min
Delta R.T.: -0.001 min
Response: 463254539
Conc: 779.45 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.685 min
Delta R.T.: -0.001 min
Response: 320817633
Conc: 780.60 ng/ml




#14 DINOSEB

R.T.: 11.202 min
Delta R.T.: 0.000 min
Response: 2737150706
Conc: 764.25 ng/ml



#14 DINOSEB


R.T.: 10.019 min
Delta R.T.: 0.000 min
Response: 1641642467
Conc: 788.44 ng/ml



#15 Picloram


R.T.: 11.021 min
Delta R.T.: -0.001 min
Response: 4248390531
Conc: 757.81 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 11.001 min
Delta R.T.: 0.000 min
Response: 3110588230
Conc: 742.46 ng/ml



#16 DCPA

R.T.: 11.467 min
Delta R.T.: 0.000 min
Response: 4669046381
Conc: 763.73 ng/ml



#16 DCPA

R.T.: 10.948 min
Delta R.T.: 0.000 min
Response: 2909200783
Conc: 781.12 ng/ml