

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS072618\
 Data File : PS001273.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jul 2018 00:42
 Operator : UA
 Sample : J4141-01MSD
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 27 06:36:52 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS072118.M
 Quant Title : 8080.M
 QLast Update : Sat Jul 21 01:18:58 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.615	11.034	60555553	67070075	326.357	368.770
Target Compounds							
1) T	Dalapon	3.008	2.421	69130344	69157417	291.535	303.492
2) T	3,5-DICHL...	10.032	9.181	78128381	73308201	289.476	287.766
3) T	4-Nitroph...	11.208	10.180	30346559	44166351	263.680	433.262 #
5) T	DICAMBA	11.930	11.321	205.7E6	233.2E6	286.061	340.184
7) T	MCPA	12.517	11.879	21232752	2636719	26.924	4.055 #
8) T	DICHLORPROP	13.122	12.446	57581308	78911542	315.445	445.458 #
9) T	2,4-D	13.481	12.918	87562036	86975299	356.716	366.531
10) T	Pentachlo...	13.869	13.473	849.0E6	816.1E6	301.539	296.541
11) T	2,4,5-TP ...	14.739	14.087	325.1E6	323.3E6	289.659	295.689
12) T	2,4,5-T	15.136	14.657	338.6E6	272.3E6	304.311	294.732
13) T	2,4-DB	15.887	15.304	45304436	69857406	314.693	524.603 #
14) T	DINOSEB	17.387	15.734	39986144	48878217	52.061	68.764 #
15) T	Picloram	17.145	16.918	479.7E6	341.8E6	303.488	247.927
16) T	DCPA	17.730	16.973	253.3E6	495.1E6	187.603	342.767 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS072618\
Data File : PS001273.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jul 2018 00:42
Operator : UA
Sample : J4141-01MSD
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 27 06:36:52 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS072118.M
Quant Title : 8080.M
QLast Update : Sat Jul 21 01:18:58 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.008 min
Delta R.T.: -0.005 min
Response: 69130344
Conc: 291.53 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.421 min
Delta R.T.: -0.004 min
Response: 69157417
Conc: 303.49 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 10.032 min
Delta R.T.: -0.004 min
Response: 78128381
Conc: 289.48 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.181 min
Delta R.T.: -0.005 min
Response: 73308201
Conc: 287.77 ng/ml



#3 4-Nitrophenol


R.T.: 11.208 min
Delta R.T.: -0.005 min
Response: 30346559
Conc: 263.68 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 10.180 min
Delta R.T.: -0.006 min
Response: 44166351
Conc: 433.26 ng/ml




#4 2,4-DCAA

R.T.: 11.615 min
Delta R.T.: -0.004 min
Response: 60555553
Conc: 326.36 ng/ml



#4 2,4-DCAA


R.T.: 11.034 min
Delta R.T.: -0.005 min
Response: 67070075
Conc: 368.77 ng/ml



#5 DICAMBA


R.T.: 11.930 min
Delta R.T.: -0.004 min
Response: 205670093
Conc: 286.06 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 11.321 min
Delta R.T.: -0.006 min
Response: 233156139
Conc: 340.18 ng/ml




#6 MCP

R.T.: 12.312 min
Delta R.T.: 0.041 min
Response: 133460
Conc: 0.27 ug/ml



#6 MCP


R.T.: 11.593 min
Delta R.T.: 0.047 min
Response: -7060848
Conc: N.D.



#7 MCPA


R.T.: 12.517 min
Delta R.T.: -0.004 min
Response: 21232752
Conc: 26.92 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 11.879 min
Delta R.T.: -0.044 min
Response: 2636719
Conc: 4.05 ug/ml




#8 DICHLORPROP

R.T.: 13.122 min
Delta R.T.: -0.006 min
Response: 57581308
Conc: 315.45 ng/ml



#8 DICHLORPROP


R.T.: 12.446 min
Delta R.T.: -0.005 min
Response: 78911542
Conc: 445.46 ng/ml



#9 2,4-D


R.T.: 13.481 min
Delta R.T.: -0.005 min
Response: 87562036
Conc: 356.72 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 12.918 min
Delta R.T.: -0.005 min
Response: 86975299
Conc: 366.53 ng/ml




#10 Pentachlorophenol

R.T.: 13.869 min
Delta R.T.: -0.005 min
Response: 848984930
Conc: 301.54 ng/ml



#10 Pentachlorophenol


R.T.: 13.473 min
Delta R.T.: -0.005 min
Response: 816134032
Conc: 296.54 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 14.739 min
Delta R.T.: -0.005 min
Response: 325090831
Conc: 289.66 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 14.087 min
Delta R.T.: -0.004 min
Response: 323321876
Conc: 295.69 ng/ml




#12 2,4,5-T

R.T.: 15.136 min
Delta R.T.: -0.005 min
Response: 338617565
Conc: 304.31 ng/ml



#12 2,4,5-T


R.T.: 14.657 min
Delta R.T.: -0.005 min
Response: 272251896
Conc: 294.73 ng/ml



#13 2,4-DB


R.T.: 15.887 min
Delta R.T.: -0.005 min
Response: 45304436
Conc: 314.69 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 15.304 min
Delta R.T.: -0.005 min
Response: 69857406
Conc: 524.60 ng/ml




#14 DINOSEB

R.T.: 17.387 min
Delta R.T.: -0.005 min
Response: 39986144
Conc: 52.06 ng/ml



#14 DINOSEB


R.T.: 15.734 min
Delta R.T.: -0.006 min
Response: 48878217
Conc: 68.76 ng/ml



#15 Picloram


R.T.: 17.145 min
Delta R.T.: -0.006 min
Response: 479706790
Conc: 303.49 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 16.918 min
Delta R.T.: -0.004 min
Response: 341770464
Conc: 247.93 ng/ml



#16 DCPA

R.T.: 17.730 min
Delta R.T.: -0.002 min
Response: 253279512
Conc: 187.60 ng/ml



#16 DCPA

R.T.: 16.973 min
Delta R.T.: -0.005 min
Response: 495055489
Conc: 342.77 ng/ml