

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS072920\
 Data File : PS011495.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jul 2020 18:19
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 29 18:36:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS071320.M
 Quant Title : 8080.M
 QLast Update : Mon Jul 13 16:10:29 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.224	6.918	815.2E6	462.7E6	840.108	821.847
Target Compounds							
1) T	Dalapon	3.036	2.622	795.6E6	477.6E6	661.128	622.121
2) T	3,5-DICHL...	6.438	6.069	1055.3E6	646.6E6	788.644	769.862
3) T	4-Nitroph...	7.056	6.524	341.8E6	246.7E6	775.431	752.429
5) T	DICAMBA	7.416	7.086	3095.0E6	1789.6E6	798.519	781.505
6) T	MCPD	7.586	7.184	241.7E6	152.0E6	79.806	79.652
7) T	MCPA	7.736	7.400	340.4E6	226.3E6	79.812	78.514
8) T	DICHLORPROP	8.108	7.711	728.9E6	466.3E6	777.490	774.646
9) T	2,4-D	8.338	8.006	733.7E6	574.9E6	771.470	766.891
10) T	Pentachlo...	8.648	8.435	10502.5E6	5502.9E6	794.519	789.549
11) T	2,4,5-TP ...	9.197	8.796	4161.7E6	2408.6E6	785.856	787.827
12) T	2,4,5-T	9.483	9.175	3913.4E6	2364.5E6	775.563	779.583
13) T	2,4-DB	10.036	9.682	483.4E6	339.6E6	749.989	794.314
14) T	DINOSEB	11.195	10.015	3032.9E6	1699.6E6	786.811	792.403
15) T	Picloram	11.019	10.999	4125.5E6	2924.0E6	653.810	668.595
16) T	DCPA	11.460	10.943	5008.3E6	3017.5E6	777.336	797.875



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS072920\
Data File : PS011495.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jul 2020 18:19
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 29 18:36:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS071320.M
Quant Title : 8080.M
QLast Update : Mon Jul 13 16:10:29 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.036 min
Delta R.T.: 0.000 min
Response: 795581528
Conc: 661.13 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.622 min
Delta R.T.: 0.001 min
Response: 477584601
Conc: 622.12 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.438 min
Delta R.T.: -0.001 min
Response: 1055329955
Conc: 788.64 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 646563899
Conc: 769.86 ng/ml



#3 4-Nitrophenol


R.T.: 7.056 min
Delta R.T.: 0.000 min
Response: 341843586
Conc: 775.43 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.524 min
Delta R.T.: 0.000 min
Response: 246705418
Conc: 752.43 ng/ml




#4 2,4-DCAA

R.T.: 7.224 min
Delta R.T.: -0.002 min
Response: 815188969
Conc: 840.11 ng/ml



#4 2,4-DCAA


R.T.: 6.918 min
Delta R.T.: 0.000 min
Response: 462718403
Conc: 821.85 ng/ml



#5 DICAMBA


R.T.: 7.416 min
Delta R.T.: -0.003 min
Response: 3094952195
Conc: 798.52 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.086 min
Delta R.T.: -0.002 min
Response: 1789618955
Conc: 781.50 ng/ml




#6 MCP

R.T.: 7.586 min
Delta R.T.: -0.009 min
Response: 241665012
Conc: 79.81 ug/ml



#6 MCP


R.T.: 7.184 min
Delta R.T.: -0.008 min
Response: 151983736
Conc: 79.65 ug/ml



#7 MCPA


R.T.: 7.736 min
Delta R.T.: -0.010 min
Response: 340375849
Conc: 79.81 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.400 min
Delta R.T.: -0.010 min
Response: 226302291
Conc: 78.51 ug/ml




#8 DICHLORPROP

R.T.: 8.108 min
Delta R.T.: -0.003 min
Response: 728916129
Conc: 777.49 ng/ml



#8 DICHLORPROP


R.T.: 7.711 min
Delta R.T.: -0.002 min
Response: 466282190
Conc: 774.65 ng/ml



#9 2,4-D


R.T.: 8.338 min
Delta R.T.: -0.002 min
Response: 733735784
Conc: 771.47 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.006 min
Delta R.T.: -0.001 min
Response: 574909971
Conc: 766.89 ng/ml




#10 Pentachlorophenol

R.T.: 8.648 min
Delta R.T.: -0.003 min
Response: 10502521967
Conc: 794.52 ng/ml



#10 Pentachlorophenol


R.T.: 8.435 min
Delta R.T.: -0.003 min
Response: 5502895543
Conc: 789.55 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.197 min
Delta R.T.: -0.003 min
Response: 4161702455
Conc: 785.86 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.796 min
Delta R.T.: -0.002 min
Response: 2408599438
Conc: 787.83 ng/ml




#12 2,4,5-T

R.T.: 9.483 min
Delta R.T.: -0.001 min
Response: 3913400006
Conc: 775.56 ng/ml



#12 2,4,5-T


R.T.: 9.175 min
Delta R.T.: -0.003 min
Response: 2364489664
Conc: 779.58 ng/ml



#13 2,4-DB


R.T.: 10.036 min
Delta R.T.: -0.001 min
Response: 483390572
Conc: 749.99 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.682 min
Delta R.T.: 0.000 min
Response: 339567663
Conc: 794.31 ng/ml




#14 DINOSEB

R.T.: 11.195 min
Delta R.T.: -0.004 min
Response: 3032893265
Conc: 786.81 ng/ml



#14 DINOSEB


R.T.: 10.015 min
Delta R.T.: -0.002 min
Response: 1699643930
Conc: 792.40 ng/ml



#15 Picloram


R.T.: 11.019 min
Delta R.T.: 0.000 min
Response: 4125454674
Conc: 653.81 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 10.999 min
Delta R.T.: 0.000 min
Response: 2924002695
Conc: 668.59 ng/ml



#16 DCPA

R.T.: 11.460 min
Delta R.T.: -0.005 min
Response: 5008323236
Conc: 777.34 ng/ml



#16 DCPA

R.T.: 10.943 min
Delta R.T.: -0.003 min
Response: 3017504276
Conc: 797.88 ng/ml