

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS080720\
 Data File : PS011681.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Aug 2020 20:24
 Operator : DD\AJ
 Sample : PB130811BS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 PB130811BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 08 06:04:27 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS071320.M
 Quant Title : 8080.M
 QLast Update : Mon Jul 13 16:10:29 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.221	6.916	460.2E6	252.6E6	474.317	448.693
Target Compounds							
1) T	Dalapon	3.038	2.627	484.3E6	285.5E6	402.431	371.842
2) T	3,5-DICHL...	6.436	6.068	595.7E6	356.4E6	445.162	424.342
3) T	4-Nitroph...	7.053	6.524	216.0E6	147.2E6	490.027	448.878
5) T	DICAMBA	7.412	7.084	1731.9E6	985.2E6	446.849	430.241
6) T	MCPD	7.579	7.178	116.2E6	77943835	38.389	40.849
7) T	MCPA	7.728	7.393	188.0E6	125.3E6	44.075	43.489
8) T	DICHLORPROP	8.104	7.709	394.1E6	251.6E6	420.346	418.048
9) T	2,4-D	8.334	8.005	428.3E6	323.3E6	450.305	431.227
10) T	Pentachlo...	8.644	8.433	6378.4E6	3363.1E6	482.530	482.536
11) T	2,4,5-TP ...	9.192	8.795	2413.5E6	1364.2E6	455.739	446.231
12) T	2,4,5-T	9.478	9.173	2406.5E6	1368.4E6	476.932	451.180
13) T	2,4-DB	10.031	9.680	280.4E6	182.9E6	434.972	427.952
14) T	DINOSB	11.189	10.012	1873.7E6	991.4E6	486.081	462.224
15) T	Picloram	11.016	10.999	2826.3E6	1851.1E6	447.925	423.259
16) T	DCPA	11.455	10.940	2746.5E6	1740.7E6	426.282	460.259



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS080720\
Data File : PS011681.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Aug 2020 20:24
Operator : DD\AJ
Sample : PB130811BS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
PB130811BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 08 06:04:27 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS071320.M
Quant Title : 8080.M
QLast Update : Mon Jul 13 16:10:29 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.038 min
Delta R.T.: 0.002 min
Response: 484272684
Conc: 402.43 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#1 Dalapon

R.T.: 2.627 min
Delta R.T.: 0.006 min
Response: 285452820
Conc: 371.84 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.436 min
Delta R.T.: -0.004 min
Response: 595696401
Conc: 445.16 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 356381106
Conc: 424.34 ng/ml



#3 4-Nitrophenol


R.T.: 7.053 min
Delta R.T.: -0.004 min
Response: 216025033
Conc: 490.03 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#3 4-Nitrophenol

R.T.: 6.524 min
Delta R.T.: 0.000 min
Response: 147177481
Conc: 448.88 ng/ml




#4 2,4-DCAA

R.T.: 7.221 min
Delta R.T.: -0.005 min
Response: 460248171
Conc: 474.32 ng/ml



#4 2,4-DCAA


R.T.: 6.916 min
Delta R.T.: -0.003 min
Response: 252624356
Conc: 448.69 ng/ml



#5 DICAMBA


R.T.: 7.412 min
Delta R.T.: -0.007 min
Response: 1731925178
Conc: 446.85 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#5 DICAMBA

R.T.: 7.084 min
Delta R.T.: -0.004 min
Response: 985237053
Conc: 430.24 ng/ml




#6 MCPP

R.T.: 7.579 min
Delta R.T.: -0.015 min
Response: 116249021
Conc: 38.39 ug/ml



#6 MCPP


R.T.: 7.178 min
Delta R.T.: -0.014 min
Response: 77943835
Conc: 40.85 ug/ml



#7 MCPA


R.T.: 7.728 min
Delta R.T.: -0.018 min
Response: 187967388
Conc: 44.08 ug/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#7 MCPA

R.T.: 7.393 min
Delta R.T.: -0.017 min
Response: 125349470
Conc: 43.49 ug/ml




#8 DICHLORPROP

R.T.: 8.104 min
Delta R.T.: -0.006 min
Response: 394085370
Conc: 420.35 ng/ml



#8 DICHLORPROP


R.T.: 7.709 min
Delta R.T.: -0.004 min
Response: 251635161
Conc: 418.05 ng/ml



#9 2,4-D


R.T.: 8.334 min
Delta R.T.: -0.005 min
Response: 428279527
Conc: 450.30 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#9 2,4-D

R.T.: 8.005 min
Delta R.T.: -0.002 min
Response: 323274831
Conc: 431.23 ng/ml




#10 Pentachlorophenol

R.T.: 8.644 min
Delta R.T.: -0.008 min
Response: 6378425134
Conc: 482.53 ng/ml



#10 Pentachlorophenol


R.T.: 8.433 min
Delta R.T.: -0.005 min
Response: 3363111938
Conc: 482.54 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.192 min
Delta R.T.: -0.008 min
Response: 2413484523
Conc: 455.74 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#11 2,4,5-TP (SILVEX)

R.T.: 8.795 min
Delta R.T.: -0.004 min
Response: 1364248049
Conc: 446.23 ng/ml




#12 2,4,5-T

R.T.: 9.478 min
Delta R.T.: -0.006 min
Response: 2406542000
Conc: 476.93 ng/ml



#12 2,4,5-T


R.T.: 9.173 min
Delta R.T.: -0.004 min
Response: 1368435875
Conc: 451.18 ng/ml



#13 2,4-DB


R.T.: 10.031 min
Delta R.T.: -0.007 min
Response: 280352806
Conc: 434.97 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#13 2,4-DB

R.T.: 9.680 min
Delta R.T.: -0.003 min
Response: 182948607
Conc: 427.95 ng/ml




#14 DINOSEB

R.T.: 11.189 min
Delta R.T.: -0.010 min
Response: 1873677699
Conc: 486.08 ng/ml



#14 DINOSEB


R.T.: 10.012 min
Delta R.T.: -0.005 min
Response: 991435867
Conc: 462.22 ng/ml



#15 Picloram


R.T.: 11.016 min
Delta R.T.: -0.002 min
Response: 2826347241
Conc: 447.92 ng/ml

Instrument :
ECD_S
ClientSampleId :
PB130811BS




#15 Picloram

R.T.: 10.999 min
Delta R.T.: 0.000 min
Response: 1851063097
Conc: 423.26 ng/ml



#16 DCPA

R.T.: 11.455 min
Delta R.T.: -0.011 min
Response: 2746508131
Conc: 426.28 ng/ml



#16 DCPA

R.T.: 10.940 min
Delta R.T.: -0.006 min
Response: 1740665653
Conc: 460.26 ng/ml