

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081121\
 Data File : PS016364.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Aug 2021 20:45
 Operator : DD\AJ
 Sample : M3326-01MS
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 MDE-NBMS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 12 05:17:53 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS080221.M
 Quant Title : 8080.M
 QLast Update : Mon Aug 02 14:10:19 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.184	6.765	389.2E6	138.7E6	264.567	265.927
Target Compounds							
1) T	Dalapon	3.013	2.518	468.1E6	187.1E6	231.999	268.528
2) T	3,5-DICHL...	6.403	5.957	271.4E6	100.4E6	128.902	127.119
3) T	4-Nitroph...	7.013	6.387	130.2E6	52588855	162.951	171.139
5) T	DICAMBA	7.375	6.927	1005.4E6	383.6E6	179.471	176.033
6) T	MCPD	7.540	7.019	36995370	14063347	8.742	8.140
7) T	MCPA	7.687	7.229	88648421	49402738	14.390	18.123 #
8) T	DICHLORPROP	8.067	7.549	159.2E6	64002522	118.286	118.138
9) T	2,4-D	8.296	7.839	298.9E6	138.8E6	197.672	219.104
10) T	Pentachlo...	8.604	8.266	806.7E6	334.0E6	41.095	45.082
11) T	2,4,5-TP ...	9.154	8.627	480.9E6	242.3E6	66.505	83.042
12) T	2,4,5-T	9.439	9.004	769.3E6	307.8E6	100.925	106.277
13) T	2,4-DB	9.991	9.512	32428850	32884843	22.312	86.928 #
14) T	DINOSEB	11.143	9.837	62891674	55597194	11.927	27.289 #
15) T	Picloram	10.966	10.813	2644.1E6	1045.7E6	264.915	259.688
16) T	DCPA	11.413	10.765	2054.1E6	1054.6E6	194.328	234.605



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081121\
Data File : PS016364.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Aug 2021 20:45
Operator : DD\AJ
Sample : M3326-01MS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 12 05:17:53 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS080221.M
Quant Title : 8080.M
QLast Update : Mon Aug 02 14:10:19 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.013 min
Delta R.T.: -0.002 min
Response: 468063678
Conc: 232.00 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#1 Dalapon

R.T.: 2.518 min
Delta R.T.: 0.000 min
Response: 187067897
Conc: 268.53 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 271372106
Conc: 128.90 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 5.957 min
Delta R.T.: 0.000 min
Response: 100380223
Conc: 127.12 ng/ml



#3 4-Nitrophenol


R.T.: 7.013 min
Delta R.T.: 0.000 min
Response: 130225317
Conc: 162.95 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#3 4-Nitrophenol

R.T.: 6.387 min
Delta R.T.: 0.001 min
Response: 52588855
Conc: 171.14 ng/ml




#4 2,4-DCAA

R.T.: 7.184 min
Delta R.T.: -0.002 min
Response: 389206873
Conc: 264.57 ng/ml



#4 2,4-DCAA


R.T.: 6.765 min
Delta R.T.: 0.000 min
Response: 138713913
Conc: 265.93 ng/ml



#5 DICAMBA


R.T.: 7.375 min
Delta R.T.: -0.002 min
Response: 1005406375
Conc: 179.47 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#5 DICAMBA

R.T.: 6.927 min
Delta R.T.: -0.002 min
Response: 383603402
Conc: 176.03 ng/ml




#6 MCPP

R.T.: 7.540 min
Delta R.T.: -0.012 min
Response: 36995370
Conc: 8.74 ug/ml



#6 MCPP


R.T.: 7.019 min
Delta R.T.: -0.014 min
Response: 14063347
Conc: 8.14 ug/ml



#7 MCPA


R.T.: 7.687 min
Delta R.T.: -0.015 min
Response: 88648421
Conc: 14.39 ug/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#7 MCPA

R.T.: 7.229 min
Delta R.T.: -0.017 min
Response: 49402738
Conc: 18.12 ug/ml




#8 DICHLORPROP

R.T.: 8.067 min
Delta R.T.: -0.002 min
Response: 159185129
Conc: 118.29 ng/ml



#8 DICHLORPROP


R.T.: 7.549 min
Delta R.T.: 0.000 min
Response: 64002522
Conc: 118.14 ng/ml



#9 2,4-D


R.T.: 8.296 min
Delta R.T.: 0.000 min
Response: 298917500
Conc: 197.67 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#9 2,4-D

R.T.: 7.839 min
Delta R.T.: 0.000 min
Response: 138818933
Conc: 219.10 ng/ml




#10 Pentachlorophenol

R.T.: 8.604 min
Delta R.T.: -0.002 min
Response: 806659704
Conc: 41.09 ng/ml



#10 Pentachlorophenol


R.T.: 8.266 min
Delta R.T.: -0.002 min
Response: 333975540
Conc: 45.08 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.154 min
Delta R.T.: -0.003 min
Response: 480882440
Conc: 66.50 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#11 2,4,5-TP (SILVEX)

R.T.: 8.627 min
Delta R.T.: -0.002 min
Response: 242304618
Conc: 83.04 ng/ml




#12 2,4,5-T

R.T.: 9.439 min
Delta R.T.: -0.001 min
Response: 769343116
Conc: 100.92 ng/ml



#12 2,4,5-T


R.T.: 9.004 min
Delta R.T.: -0.001 min
Response: 307844541
Conc: 106.28 ng/ml



#13 2,4-DB


R.T.: 9.991 min
Delta R.T.: 0.003 min
Response: 32428850
Conc: 22.31 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#13 2,4-DB

R.T.: 9.512 min
Delta R.T.: 0.002 min
Response: 32884843
Conc: 86.93 ng/ml




#14 DINOSEB

R.T.: 11.143 min
Delta R.T.: -0.005 min
Response: 62891674
Conc: 11.93 ng/ml



#14 DINOSEB


R.T.: 9.837 min
Delta R.T.: 0.000 min
Response: 55597194
Conc: 27.29 ng/ml



#15 Picloram


R.T.: 10.966 min
Delta R.T.: -0.001 min
Response: 2644070996
Conc: 264.92 ng/ml

Instrument :
ECD_S
ClientSampleId :
MDE-NBMS




#15 Picloram

R.T.: 10.813 min
Delta R.T.: -0.002 min
Response: 1045669589
Conc: 259.69 ng/ml



#16 DCPA

R.T.: 11.413 min
Delta R.T.: -0.002 min
Response: 2054077980
Conc: 194.33 ng/ml



#16 DCPA

R.T.: 10.765 min
Delta R.T.: -0.004 min
Response: 1054576173
Conc: 234.61 ng/ml