

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081320\
 Data File : PS011758.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Aug 2020 20:08
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 02:29:43 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
 Quant Title : 8080.M
 QLast Update : Tue Aug 11 15:43:16 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.218	6.915	904.9E6	459.1E6	829.629	858.427
Target Compounds							
1) T	Dalapon	3.035	2.624	936.8E6	555.0E6	752.076	734.300
2) T	3,5-DICHL...	6.433	6.066	1153.3E6	646.1E6	795.500	785.469
3) T	4-Nitroph...	7.050	6.522	408.3E6	261.8E6	693.229	718.131
5) T	DICAMBA	7.410	7.083	3393.9E6	1760.8E6	828.584	814.992
6) T	MCPD	7.579	7.181	270.6E6	147.4E6	84.693	83.400
7) T	MCPA	7.729	7.397	378.4E6	221.8E6	83.183	80.945
8) T	DICHLORPROP	8.101	7.708	824.4E6	459.4E6	820.552	813.614
9) T	2,4-D	8.331	8.003	902.7E6	596.0E6	799.519	811.319
10) T	Pentachlo...	8.641	8.432	11672.4E6	5393.1E6	811.622	793.714
11) T	2,4,5-TP ...	9.189	8.792	4780.6E6	2387.5E6	822.138	816.625
12) T	2,4,5-T	9.475	9.172	4873.0E6	2394.8E6	822.338	809.044
13) T	2,4-DB	10.028	9.678	631.9E6	338.0E6	795.219	808.271
14) T	DINOSEB	11.186	10.010	3708.9E6	1715.4E6	790.192	806.884
15) T	Picloram	11.010	10.995	5893.8E6	3449.2E6	754.103	761.002
16) T	DCPA	11.452	10.939	5967.7E6	2998.9E6	784.872	815.595



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081320\
Data File : PS011758.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Aug 2020 20:08
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 02:29:43 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
Quant Title : 8080.M
QLast Update : Tue Aug 11 15:43:16 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.000 min
Response: 936828973
Conc: 752.08 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.624 min
Delta R.T.: 0.002 min
Response: 555019542
Conc: 734.30 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.433 min
Delta R.T.: 0.000 min
Response: 1153266914
Conc: 795.50 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 646142563
Conc: 785.47 ng/ml



#3 4-Nitrophenol


R.T.: 7.050 min
Delta R.T.: 0.000 min
Response: 408341236
Conc: 693.23 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 261837368
Conc: 718.13 ng/ml




#4 2,4-DCAA

R.T.: 7.218 min
Delta R.T.: -0.002 min
Response: 904933709
Conc: 829.63 ng/ml



#4 2,4-DCAA


R.T.: 6.915 min
Delta R.T.: 0.000 min
Response: 459075457
Conc: 858.43 ng/ml



#5 DICAMBA


R.T.: 7.410 min
Delta R.T.: -0.002 min
Response: 3393866289
Conc: 828.58 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.083 min
Delta R.T.: -0.001 min
Response: 1760795397
Conc: 814.99 ng/ml




#6 MCP

R.T.: 7.579 min
Delta R.T.: -0.007 min
Response: 270599905
Conc: 84.69 ug/ml



#6 MCP


R.T.: 7.181 min
Delta R.T.: -0.007 min
Response: 147403774
Conc: 83.40 ug/ml



#7 MCPA


R.T.: 7.729 min
Delta R.T.: -0.009 min
Response: 378357096
Conc: 83.18 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.397 min
Delta R.T.: -0.008 min
Response: 221801959
Conc: 80.95 ug/ml




#8 DICHLORPROP

R.T.: 8.101 min
Delta R.T.: -0.001 min
Response: 824389699
Conc: 820.55 ng/ml



#8 DICHLORPROP


R.T.: 7.708 min
Delta R.T.: -0.002 min
Response: 459395925
Conc: 813.61 ng/ml



#9 2,4-D


R.T.: 8.331 min
Delta R.T.: -0.001 min
Response: 902730465
Conc: 799.52 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.003 min
Delta R.T.: 0.000 min
Response: 596046582
Conc: 811.32 ng/ml




#10 Pentachlorophenol

R.T.: 8.641 min
Delta R.T.: -0.002 min
Response: 11672360230
Conc: 811.62 ng/ml



#10 Pentachlorophenol


R.T.: 8.432 min
Delta R.T.: -0.002 min
Response: 5393108007
Conc: 793.71 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.189 min
Delta R.T.: -0.002 min
Response: 4780565349
Conc: 822.14 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.792 min
Delta R.T.: -0.001 min
Response: 2387522836
Conc: 816.62 ng/ml




#12 2,4,5-T

R.T.: 9.475 min
Delta R.T.: 0.000 min
Response: 4873034501
Conc: 822.34 ng/ml



#12 2,4,5-T


R.T.: 9.172 min
Delta R.T.: 0.000 min
Response: 2394836283
Conc: 809.04 ng/ml



#13 2,4-DB


R.T.: 10.028 min
Delta R.T.: 0.000 min
Response: 631862867
Conc: 795.22 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.678 min
Delta R.T.: 0.000 min
Response: 338036713
Conc: 808.27 ng/ml




#14 DINOSEB

R.T.: 11.186 min
Delta R.T.: -0.003 min
Response: 3708901509
Conc: 790.19 ng/ml



#14 DINOSEB


R.T.: 10.010 min
Delta R.T.: -0.002 min
Response: 1715374492
Conc: 806.88 ng/ml



#15 Picloram


R.T.: 11.010 min
Delta R.T.: 0.000 min
Response: 5893782177
Conc: 754.10 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 10.995 min
Delta R.T.: 0.000 min
Response: 3449201795
Conc: 761.00 ng/ml



#16 DCPA

R.T.: 11.452 min
Delta R.T.: -0.002 min
Response: 5967730493
Conc: 784.87 ng/ml



#16 DCPA

R.T.: 10.939 min
Delta R.T.: -0.001 min
Response: 2998879104
Conc: 815.60 ng/ml