

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081420\
 Data File : PS011794.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2020 15:45
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 16:23:37 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
 Quant Title : 8080.M
 QLast Update : Tue Aug 11 15:43:16 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.218	6.914	802.2E6	432.5E6	735.430	808.643
Target Compounds							
1) T	Dalapon	3.035	2.625	867.7E6	557.2E6	696.584	737.164
2) T	3,5-DICHL...	6.433	6.066	1024.1E6	608.4E6	706.418	739.540
3) T	4-Nitroph...	7.050	6.522	362.5E6	247.3E6	615.367	678.249
5) T	DICAMBA	7.409	7.082	3011.0E6	1674.0E6	735.107	774.840
6) T	MCPD	7.579	7.180	237.9E6	138.1E6	74.451	78.146
7) T	MCPA	7.729	7.396	333.7E6	207.2E6	73.367	75.603
8) T	DICHLORPROP	8.101	7.708	726.8E6	434.7E6	723.404	769.943
9) T	2,4-D	8.331	8.002	798.0E6	562.6E6	706.803	765.765
10) T	Pentachlo...	8.641	8.431	10429.0E6	5199.7E6	725.170	765.257
11) T	2,4,5-TP ...	9.189	8.792	4221.3E6	2265.8E6	725.964	775.003
12) T	2,4,5-T	9.476	9.172	4210.1E6	2283.3E6	710.458	771.378
13) T	2,4-DB	10.028	9.678	552.5E6	319.1E6	695.336	762.940
14) T	DINOSEB	11.188	10.011	3268.0E6	1633.9E6	696.263	768.565
15) T	Picloram	11.011	10.995	5149.0E6	3297.4E6	658.813	727.518
16) T	DCPA	11.452	10.938	5272.1E6	2861.9E6	693.384	778.331



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081420\
Data File : PS011794.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2020 15:45
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 16:23:37 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
Quant Title : 8080.M
QLast Update : Tue Aug 11 15:43:16 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.000 min
Response: 867704304
Conc: 696.58 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.003 min
Response: 557184380
Conc: 737.16 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.433 min
Delta R.T.: -0.001 min
Response: 1024120834
Conc: 706.42 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 608360162
Conc: 739.54 ng/ml



#3 4-Nitrophenol


R.T.: 7.050 min
Delta R.T.: 0.000 min
Response: 362477143
Conc: 615.37 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 247296323
Conc: 678.25 ng/ml




#4 2,4-DCAA

R.T.: 7.218 min
Delta R.T.: -0.002 min
Response: 802183735
Conc: 735.43 ng/ml



#4 2,4-DCAA


R.T.: 6.914 min
Delta R.T.: -0.001 min
Response: 432451413
Conc: 808.64 ng/ml



#5 DICAMBA


R.T.: 7.409 min
Delta R.T.: -0.002 min
Response: 3010984234
Conc: 735.11 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.082 min
Delta R.T.: -0.002 min
Response: 1674046871
Conc: 774.84 ng/ml




#6 MCP

R.T.: 7.579 min
Delta R.T.: -0.007 min
Response: 237875343
Conc: 74.45 ug/ml



#6 MCP


R.T.: 7.180 min
Delta R.T.: -0.007 min
Response: 138116898
Conc: 78.15 ug/ml



#7 MCPA


R.T.: 7.729 min
Delta R.T.: -0.009 min
Response: 333709199
Conc: 73.37 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.396 min
Delta R.T.: -0.009 min
Response: 207164161
Conc: 75.60 ug/ml




#8 DICHLORPROP

R.T.: 8.101 min
Delta R.T.: -0.001 min
Response: 726787274
Conc: 723.40 ng/ml



#8 DICHLORPROP


R.T.: 7.708 min
Delta R.T.: -0.002 min
Response: 434737294
Conc: 769.94 ng/ml



#9 2,4-D


R.T.: 8.331 min
Delta R.T.: -0.001 min
Response: 798045483
Conc: 706.80 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.002 min
Delta R.T.: 0.000 min
Response: 562579993
Conc: 765.77 ng/ml




#10 Pentachlorophenol

R.T.: 8.641 min
Delta R.T.: -0.002 min
Response: 10429046891
Conc: 725.17 ng/ml



#10 Pentachlorophenol


R.T.: 8.431 min
Delta R.T.: -0.003 min
Response: 5199747305
Conc: 765.26 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.189 min
Delta R.T.: -0.002 min
Response: 4221332475
Conc: 725.96 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.792 min
Delta R.T.: -0.002 min
Response: 2265834727
Conc: 775.00 ng/ml




#12 2,4,5-T

R.T.: 9.476 min
Delta R.T.: 0.000 min
Response: 4210052128
Conc: 710.46 ng/ml



#12 2,4,5-T


R.T.: 9.172 min
Delta R.T.: 0.000 min
Response: 2283343254
Conc: 771.38 ng/ml



#13 2,4-DB


R.T.: 10.028 min
Delta R.T.: 0.000 min
Response: 552498607
Conc: 695.34 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.678 min
Delta R.T.: 0.000 min
Response: 319078090
Conc: 762.94 ng/ml




#14 DINOSEB

R.T.: 11.188 min
Delta R.T.: -0.001 min
Response: 3268032201
Conc: 696.26 ng/ml



#14 DINOSEB


R.T.: 10.011 min
Delta R.T.: 0.000 min
Response: 1633911391
Conc: 768.57 ng/ml



#15 Picloram


R.T.: 11.011 min
Delta R.T.: 0.001 min
Response: 5149036012
Conc: 658.81 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.995 min
Delta R.T.: 0.000 min
Response: 3297437427
Conc: 727.52 ng/ml



#16 DCPA

R.T.: 11.452 min
Delta R.T.: -0.001 min
Response: 5272103257
Conc: 693.38 ng/ml



#16 DCPA

R.T.: 10.938 min
Delta R.T.: -0.002 min
Response: 2861862067
Conc: 778.33 ng/ml