

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081420\
 Data File : PS011806.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2020 20:21
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 17 01:49:43 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
 Quant Title : 8080.M
 QLast Update : Tue Aug 11 15:43:16 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.218	6.914	808.3E6	436.0E6	741.051	815.226
Target Compounds							
1) T	Dalapon	3.034	2.623	851.6E6	523.8E6	683.626	692.989
2) T	3,5-DICHL...	6.433	6.066	1033.7E6	612.8E6	712.999	744.910
3) T	4-Nitroph...	7.050	6.522	370.2E6	250.7E6	628.411	687.661
5) T	DICAMBA	7.409	7.083	3033.8E6	1680.3E6	740.671	777.715
6) T	MCPD	7.579	7.180	239.8E6	139.2E6	75.054	78.734
7) T	MCPA	7.729	7.396	336.9E6	209.8E6	74.071	76.549
8) T	DICHLORPROP	8.100	7.708	731.7E6	434.9E6	728.302	770.270
9) T	2,4-D	8.330	8.003	802.2E6	564.8E6	710.478	768.800
10) T	Pentachlo...	8.640	8.432	10539.4E6	5198.2E6	732.846	765.027
11) T	2,4,5-TP ...	9.189	8.792	4250.9E6	2273.7E6	731.053	777.701
12) T	2,4,5-T	9.474	9.172	4217.6E6	2279.9E6	711.739	770.203
13) T	2,4-DB	10.027	9.678	553.6E6	320.4E6	696.696	766.162
14) T	DINOSEB	11.186	10.010	3308.3E6	1637.5E6	704.852	770.253
15) T	Picloram	11.010	10.996	5157.8E6	3313.7E6	659.934	731.116
16) T	DCPA	11.451	10.938	5309.6E6	2868.3E6	698.317	780.078



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081420\
Data File : PS011806.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2020 20:21
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 17 01:49:43 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
Quant Title : 8080.M
QLast Update : Tue Aug 11 15:43:16 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.034 min
Delta R.T.: 0.000 min
Response: 851564167
Conc: 683.63 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.623 min
Delta R.T.: 0.002 min
Response: 523794735
Conc: 692.99 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.433 min
Delta R.T.: -0.001 min
Response: 1033662503
Conc: 713.00 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 612778040
Conc: 744.91 ng/ml



#3 4-Nitrophenol


R.T.: 7.050 min
Delta R.T.: 0.000 min
Response: 370160343
Conc: 628.41 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 250727793
Conc: 687.66 ng/ml




#4 2,4-DCAA

R.T.: 7.218 min
Delta R.T.: -0.002 min
Response: 808315560
Conc: 741.05 ng/ml



#4 2,4-DCAA


R.T.: 6.914 min
Delta R.T.: 0.000 min
Response: 435971794
Conc: 815.23 ng/ml



#5 DICAMBA


R.T.: 7.409 min
Delta R.T.: -0.003 min
Response: 3033776255
Conc: 740.67 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.083 min
Delta R.T.: -0.002 min
Response: 1680258174
Conc: 777.72 ng/ml




#6 MCP

R.T.: 7.579 min
Delta R.T.: -0.007 min
Response: 239802739
Conc: 75.05 ug/ml



#6 MCP


R.T.: 7.180 min
Delta R.T.: -0.008 min
Response: 139156162
Conc: 78.73 ug/ml



#7 MCPA


R.T.: 7.729 min
Delta R.T.: -0.009 min
Response: 336911203
Conc: 74.07 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.396 min
Delta R.T.: -0.008 min
Response: 209755746
Conc: 76.55 ug/ml




#8 DICHLORPROP

R.T.: 8.100 min
Delta R.T.: -0.002 min
Response: 731708390
Conc: 728.30 ng/ml



#8 DICHLORPROP


R.T.: 7.708 min
Delta R.T.: -0.002 min
Response: 434922273
Conc: 770.27 ng/ml



#9 2,4-D


R.T.: 8.330 min
Delta R.T.: -0.002 min
Response: 802195534
Conc: 710.48 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.003 min
Delta R.T.: 0.000 min
Response: 564809590
Conc: 768.80 ng/ml




#10 Pentachlorophenol

R.T.: 8.640 min
Delta R.T.: -0.003 min
Response: 10539446826
Conc: 732.85 ng/ml



#10 Pentachlorophenol


R.T.: 8.432 min
Delta R.T.: -0.002 min
Response: 5198187510
Conc: 765.03 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.189 min
Delta R.T.: -0.002 min
Response: 4250924210
Conc: 731.05 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.792 min
Delta R.T.: -0.001 min
Response: 2273723449
Conc: 777.70 ng/ml




#12 2,4,5-T

R.T.: 9.474 min
Delta R.T.: -0.002 min
Response: 4217644105
Conc: 711.74 ng/ml



#12 2,4,5-T


R.T.: 9.172 min
Delta R.T.: 0.000 min
Response: 2279865680
Conc: 770.20 ng/ml



#13 2,4-DB


R.T.: 10.027 min
Delta R.T.: 0.000 min
Response: 553578743
Conc: 696.70 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.678 min
Delta R.T.: 0.000 min
Response: 320425735
Conc: 766.16 ng/ml




#14 DINOSEB

R.T.: 11.186 min
Delta R.T.: -0.003 min
Response: 3308344971
Conc: 704.85 ng/ml



#14 DINOSEB


R.T.: 10.010 min
Delta R.T.: -0.002 min
Response: 1637500792
Conc: 770.25 ng/ml



#15 Picloram


R.T.: 11.010 min
Delta R.T.: 0.000 min
Response: 5157792396
Conc: 659.93 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.996 min
Delta R.T.: 0.001 min
Response: 3313745579
Conc: 731.12 ng/ml



#16 DCPA

R.T.: 11.451 min
Delta R.T.: -0.002 min
Response: 5309613831
Conc: 698.32 ng/ml



#16 DCPA

R.T.: 10.938 min
Delta R.T.: -0.002 min
Response: 2868286380
Conc: 780.08 ng/ml