

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081820\
 Data File : PS011844.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Aug 2020 01:06
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 02:52:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
 Quant Title : 8080.M
 QLast Update : Tue Aug 11 15:43:16 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.218	6.914	823.9E6	443.9E6	755.346	830.124
Target Compounds							
1) T	Dalapon	3.035	2.624	928.1E6	550.9E6	745.098	728.796
2) T	3,5-DICHL...	6.433	6.066	1061.9E6	625.5E6	732.459	760.328
3) T	4-Nitroph...	7.049	6.521	378.1E6	257.6E6	641.860	706.446
5) T	DICAMBA	7.409	7.082	3128.1E6	1704.9E6	763.700	789.126
6) T	MCPD	7.579	7.180	245.1E6	142.1E6	76.706	80.413
7) T	MCPA	7.729	7.396	344.7E6	214.7E6	75.789	78.347
8) T	DICHLORPROP	8.101	7.707	751.8E6	445.4E6	748.267	788.758
9) T	2,4-D	8.331	8.002	829.8E6	575.8E6	734.927	783.783
10) T	Pentachlo...	8.641	8.433	10790.3E6	5170.9E6	750.292	761.008
11) T	2,4,5-TP ...	9.189	8.791	4352.3E6	2302.8E6	748.494	787.639
12) T	2,4,5-T	9.475	9.172	4478.4E6	2327.4E6	755.749	786.275
13) T	2,4-DB	10.028	9.678	570.0E6	328.5E6	717.412	785.557
14) T	DINOSEB	11.187	10.010	3415.9E6	1707.9E6	727.757	803.390
15) T	Picloram	11.010	10.996	5344.4E6	3338.0E6	683.815	736.477
16) T	DCPA	11.452	10.938	5395.1E6	2902.5E6	709.559	789.375



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS081820\
Data File : PS011844.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Aug 2020 01:06
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 19 02:52:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
Quant Title : 8080.M
QLast Update : Tue Aug 11 15:43:16 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.000 min
Response: 928136806
Conc: 745.10 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.624 min
Delta R.T.: 0.002 min
Response: 550858785
Conc: 728.80 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.433 min
Delta R.T.: -0.001 min
Response: 1061874337
Conc: 732.46 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 625460595
Conc: 760.33 ng/ml



#3 4-Nitrophenol


R.T.: 7.049 min
Delta R.T.: 0.000 min
Response: 378082548
Conc: 641.86 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.521 min
Delta R.T.: 0.000 min
Response: 257577135
Conc: 706.45 ng/ml




#4 2,4-DCAA

R.T.: 7.218 min
Delta R.T.: -0.002 min
Response: 823907579
Conc: 755.35 ng/ml



#4 2,4-DCAA


R.T.: 6.914 min
Delta R.T.: -0.001 min
Response: 443939449
Conc: 830.12 ng/ml



#5 DICAMBA


R.T.: 7.409 min
Delta R.T.: -0.003 min
Response: 3128100631
Conc: 763.70 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.082 min
Delta R.T.: -0.002 min
Response: 1704910893
Conc: 789.13 ng/ml




#6 MCP

R.T.: 7.579 min
Delta R.T.: -0.007 min
Response: 245082754
Conc: 76.71 ug/ml



#6 MCP


R.T.: 7.180 min
Delta R.T.: -0.008 min
Response: 142123719
Conc: 80.41 ug/ml



#7 MCPA


R.T.: 7.729 min
Delta R.T.: -0.009 min
Response: 344725215
Conc: 75.79 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.396 min
Delta R.T.: -0.009 min
Response: 214683167
Conc: 78.35 ug/ml




#8 DICHLORPROP

R.T.: 8.101 min
Delta R.T.: -0.001 min
Response: 751767143
Conc: 748.27 ng/ml



#8 DICHLORPROP


R.T.: 7.707 min
Delta R.T.: -0.002 min
Response: 445361374
Conc: 788.76 ng/ml



#9 2,4-D


R.T.: 8.331 min
Delta R.T.: -0.001 min
Response: 829800839
Conc: 734.93 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.002 min
Delta R.T.: -0.001 min
Response: 575816584
Conc: 783.78 ng/ml




#10 Pentachlorophenol

R.T.: 8.641 min
Delta R.T.: -0.002 min
Response: 10790345628
Conc: 750.29 ng/ml



#10 Pentachlorophenol


R.T.: 8.433 min
Delta R.T.: -0.002 min
Response: 5170876541
Conc: 761.01 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.189 min
Delta R.T.: -0.002 min
Response: 4352338906
Conc: 748.49 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.791 min
Delta R.T.: -0.002 min
Response: 2302778619
Conc: 787.64 ng/ml




#12 2,4,5-T

R.T.: 9.475 min
Delta R.T.: 0.000 min
Response: 4478438431
Conc: 755.75 ng/ml



#12 2,4,5-T


R.T.: 9.172 min
Delta R.T.: 0.000 min
Response: 2327439473
Conc: 786.28 ng/ml



#13 2,4-DB


R.T.: 10.028 min
Delta R.T.: 0.000 min
Response: 570039612
Conc: 717.41 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.678 min
Delta R.T.: 0.000 min
Response: 328536999
Conc: 785.56 ng/ml




#14 DINOSEB

R.T.: 11.187 min
Delta R.T.: -0.002 min
Response: 3415856184
Conc: 727.76 ng/ml



#14 DINOSEB


R.T.: 10.010 min
Delta R.T.: -0.002 min
Response: 1707946583
Conc: 803.39 ng/ml



#15 Picloram


R.T.: 11.010 min
Delta R.T.: 0.000 min
Response: 5344444087
Conc: 683.82 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.996 min
Delta R.T.: 0.000 min
Response: 3338042151
Conc: 736.48 ng/ml



#16 DCPA

R.T.: 11.452 min
Delta R.T.: -0.002 min
Response: 5395088825
Conc: 709.56 ng/ml



#16 DCPA

R.T.: 10.938 min
Delta R.T.: -0.002 min
Response: 2902469473
Conc: 789.38 ng/ml