

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS082420\
 Data File : PS011904.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Aug 2020 19:32
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 01:08:21 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
 Quant Title : 8080.M
 QLast Update : Tue Aug 11 15:43:16 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.217	6.914	815.3E6	442.4E6	747.446	827.314
Target Compounds							
1) T	Dalapon	3.035	2.625	923.2E6	527.8E6	741.161	698.286
2) T	3,5-DICHL...	6.432	6.066	1052.2E6	621.3E6	725.802	755.299
3) T	4-Nitroph...	7.048	6.521	369.7E6	252.1E6	627.668	691.502
5) T	DICAMBA	7.408	7.082	3113.0E6	1700.6E6	760.023	787.126
6) T	MCPD	7.577	7.180	242.5E6	140.7E6	75.896	79.635
7) T	MCPA	7.728	7.396	338.8E6	212.8E6	74.480	77.654
8) T	DICHLORPROP	8.099	7.707	744.5E6	444.9E6	741.060	787.946
9) T	2,4-D	8.329	8.002	819.6E6	572.2E6	725.937	778.825
10) T	Pentachlo...	8.639	8.432	10679.4E6	5249.3E6	742.577	772.556
11) T	2,4,5-TP ...	9.188	8.791	4310.2E6	2304.4E6	741.247	788.210
12) T	2,4,5-T	9.474	9.171	4417.5E6	2319.6E6	745.459	783.643
13) T	2,4-DB	10.026	9.677	562.0E6	327.1E6	707.350	782.121
14) T	DINOSEB	11.185	10.009	3392.4E6	1711.7E6	722.763	805.170
15) T	Picloram	11.008	10.994	5012.5E6	3164.3E6	641.344	698.148
16) T	DCPA	11.450	10.937	5330.8E6	2903.4E6	701.102	789.616



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS082420\
Data File : PS011904.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Aug 2020 19:32
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 01:08:21 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081120.M
Quant Title : 8080.M
QLast Update : Tue Aug 11 15:43:16 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.000 min
Response: 923232055
Conc: 741.16 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.003 min
Response: 527798026
Conc: 698.29 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.432 min
Delta R.T.: -0.002 min
Response: 1052223210
Conc: 725.80 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 621323854
Conc: 755.30 ng/ml



#3 4-Nitrophenol


R.T.: 7.048 min
Delta R.T.: -0.002 min
Response: 369722858
Conc: 627.67 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.521 min
Delta R.T.: 0.000 min
Response: 252128153
Conc: 691.50 ng/ml




#4 2,4-DCAA

R.T.: 7.217 min
Delta R.T.: -0.003 min
Response: 815290849
Conc: 747.45 ng/ml



#4 2,4-DCAA


R.T.: 6.914 min
Delta R.T.: -0.001 min
Response: 442436479
Conc: 827.31 ng/ml



#5 DICAMBA


R.T.: 7.408 min
Delta R.T.: -0.003 min
Response: 3113041626
Conc: 760.02 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.082 min
Delta R.T.: -0.002 min
Response: 1700590022
Conc: 787.13 ng/ml




#6 MCP

R.T.: 7.577 min
Delta R.T.: -0.009 min
Response: 242494343
Conc: 75.90 ug/ml



#6 MCP


R.T.: 7.180 min
Delta R.T.: -0.008 min
Response: 140749336
Conc: 79.63 ug/ml



#7 MCPA


R.T.: 7.728 min
Delta R.T.: -0.010 min
Response: 338771820
Conc: 74.48 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.396 min
Delta R.T.: -0.009 min
Response: 212782663
Conc: 77.65 ug/ml




#8 DICHLORPROP

R.T.: 8.099 min
Delta R.T.: -0.003 min
Response: 744525720
Conc: 741.06 ng/ml



#8 DICHLORPROP


R.T.: 7.707 min
Delta R.T.: -0.002 min
Response: 444902616
Conc: 787.95 ng/ml



#9 2,4-D


R.T.: 8.329 min
Delta R.T.: -0.003 min
Response: 819649693
Conc: 725.94 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.002 min
Delta R.T.: -0.001 min
Response: 572174181
Conc: 778.82 ng/ml




#10 Pentachlorophenol

R.T.: 8.639 min
Delta R.T.: -0.004 min
Response: 10679395696
Conc: 742.58 ng/ml



#10 Pentachlorophenol


R.T.: 8.432 min
Delta R.T.: -0.002 min
Response: 5249341290
Conc: 772.56 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.188 min
Delta R.T.: -0.003 min
Response: 4310201223
Conc: 741.25 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.791 min
Delta R.T.: -0.002 min
Response: 2304447587
Conc: 788.21 ng/ml




#12 2,4,5-T

R.T.: 9.474 min
Delta R.T.: -0.002 min
Response: 4417458932
Conc: 745.46 ng/ml



#12 2,4,5-T


R.T.: 9.171 min
Delta R.T.: -0.001 min
Response: 2319649175
Conc: 783.64 ng/ml



#13 2,4-DB


R.T.: 10.026 min
Delta R.T.: -0.002 min
Response: 562044123
Conc: 707.35 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.677 min
Delta R.T.: -0.001 min
Response: 327099934
Conc: 782.12 ng/ml




#14 DINOSEB

R.T.: 11.185 min
Delta R.T.: -0.004 min
Response: 3392414944
Conc: 722.76 ng/ml



#14 DINOSEB


R.T.: 10.009 min
Delta R.T.: -0.003 min
Response: 1711731333
Conc: 805.17 ng/ml



#15 Picloram


R.T.: 11.008 min
Delta R.T.: -0.001 min
Response: 5012506234
Conc: 641.34 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.994 min
Delta R.T.: 0.000 min
Response: 3164318418
Conc: 698.15 ng/ml



#16 DCPA

R.T.: 11.450 min
Delta R.T.: -0.003 min
Response: 5330786424
Conc: 701.10 ng/ml



#16 DCPA

R.T.: 10.937 min
Delta R.T.: -0.003 min
Response: 2903356128
Conc: 789.62 ng/ml