

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS082421\
 Data File : PS016596.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Aug 2021 10:14
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 06:58:42 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS080221.M
 Quant Title : 8080.M
 QLast Update : Mon Aug 02 14:10:19 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.181	6.763	1052.4E6	410.7E6	715.371	787.275
Target Compounds							
1) T	Dalapon	3.013	2.517	1390.1E6	498.8E6	689.007	715.998
2) T	3,5-DICHL...	6.401	5.955	1373.5E6	579.7E6	652.427	734.137
3) T	4-Nitroph...	7.010	6.385	515.0E6	226.0E6	644.381	735.534
5) T	DICAMBA	7.372	6.926	3770.0E6	1618.5E6	672.974	742.712
6) T	MCPD	7.541	7.023	272.9E6	128.3E6	64.477	74.252
7) T	MCPA	7.690	7.235	413.9E6	193.1E6	67.193	70.828
8) T	DICHLORPROP	8.064	7.546	897.1E6	402.3E6	666.628	742.542
9) T	2,4-D	8.292	7.837	1019.6E6	472.8E6	674.279	746.226
10) T	Pentachlo...	8.601	8.264	13164.5E6	5549.2E6	670.660	749.071
11) T	2,4,5-TP ...	9.151	8.624	4855.5E6	2201.9E6	671.496	754.644
12) T	2,4,5-T	9.435	9.001	5128.4E6	2215.6E6	672.759	764.885
13) T	2,4-DB	9.983	9.506	1025.4E6	289.0E6	705.488	763.820
14) T	DINOSEB	11.141	9.833	3549.3E6	1575.4E6	673.070	773.252
15) T	Picloram	10.961	10.812	6763.4E6	3013.5E6	677.638	748.385
16) T	DCPA	11.409	10.763	7092.9E6	3411.1E6	671.027	758.843



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


```
Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS082421\  
Data File : PS016596.D  
Signal(s) : Signal #1: ECD1A.ch  Signal #2: ECD2B.ch  
Acq On    : 24 Aug 2021  10:14  
Operator  : DD\AJ  
Sample    : HSTDCCC750  
Misc      :  
ALS Vial  : 3      Sample Multiplier: 1
```

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 06:58:42 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS080221.M
Quant Title : 8080.M
QLast Update : Mon Aug 02 14:10:19 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.013 min
Delta R.T.: -0.002 min
Response: 1390088893
Conc: 689.01 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.517 min
Delta R.T.: 0.000 min
Response: 498794671
Conc: 716.00 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.401 min
Delta R.T.: -0.003 min
Response: 1373527538
Conc: 652.43 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 5.955 min
Delta R.T.: -0.002 min
Response: 579714785
Conc: 734.14 ng/ml



#3 4-Nitrophenol


R.T.: 7.010 min
Delta R.T.: -0.003 min
Response: 514969569
Conc: 644.38 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.385 min
Delta R.T.: 0.000 min
Response: 226020531
Conc: 735.53 ng/ml




#4 2,4-DCAA

R.T.: 7.181 min
Delta R.T.: -0.005 min
Response: 1052386525
Conc: 715.37 ng/ml



#4 2,4-DCAA


R.T.: 6.763 min
Delta R.T.: -0.002 min
Response: 410661877
Conc: 787.27 ng/ml



#5 DICAMBA


R.T.: 7.372 min
Delta R.T.: -0.004 min
Response: 3770032571
Conc: 672.97 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 6.926 min
Delta R.T.: -0.003 min
Response: 1618483479
Conc: 742.71 ng/ml




#6 MCP

R.T.: 7.541 min
Delta R.T.: -0.010 min
Response: 272854112
Conc: 64.48 ug/ml



#6 MCP


R.T.: 7.023 min
Delta R.T.: -0.009 min
Response: 128281519
Conc: 74.25 ug/ml



#7 MCPA


R.T.: 7.690 min
Delta R.T.: -0.012 min
Response: 413932865
Conc: 67.19 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.235 min
Delta R.T.: -0.011 min
Response: 193073182
Conc: 70.83 ug/ml




#8 DICHLORPROP

R.T.: 8.064 min
Delta R.T.: -0.005 min
Response: 897122914
Conc: 666.63 ng/ml



#8 DICHLORPROP


R.T.: 7.546 min
Delta R.T.: -0.003 min
Response: 402278441
Conc: 742.54 ng/ml



#9 2,4-D


R.T.: 8.292 min
Delta R.T.: -0.005 min
Response: 1019635874
Conc: 674.28 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 7.837 min
Delta R.T.: -0.003 min
Response: 472789669
Conc: 746.23 ng/ml




#10 Pentachlorophenol

R.T.: 8.601 min
Delta R.T.: -0.006 min
Response: 13164504982
Conc: 670.66 ng/ml



#10 Pentachlorophenol


R.T.: 8.264 min
Delta R.T.: -0.004 min
Response: 5549243708
Conc: 749.07 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.151 min
Delta R.T.: -0.006 min
Response: 4855462850
Conc: 671.50 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.624 min
Delta R.T.: -0.004 min
Response: 2201932908
Conc: 754.64 ng/ml




#12 2,4,5-T

R.T.: 9.435 min
Delta R.T.: -0.006 min
Response: 5128393585
Conc: 672.76 ng/ml



#12 2,4,5-T


R.T.: 9.001 min
Delta R.T.: -0.004 min
Response: 2215584536
Conc: 764.89 ng/ml



#13 2,4-DB


R.T.: 9.983 min
Delta R.T.: -0.006 min
Response: 1025380958
Conc: 705.49 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.506 min
Delta R.T.: -0.004 min
Response: 288954470
Conc: 763.82 ng/ml




#14 DINOSEB

R.T.: 11.141 min
Delta R.T.: -0.007 min
Response: 3549267298
Conc: 673.07 ng/ml



#14 DINOSEB


R.T.: 9.833 min
Delta R.T.: -0.004 min
Response: 1575359045
Conc: 773.25 ng/ml



#15 Picloram


R.T.: 10.961 min
Delta R.T.: -0.006 min
Response: 6763386933
Conc: 677.64 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 10.812 min
Delta R.T.: -0.004 min
Response: 3013473967
Conc: 748.39 ng/ml



#16 DCPA

R.T.: 11.409 min
Delta R.T.: -0.006 min
Response: 7092857366
Conc: 671.03 ng/ml



#16 DCPA

R.T.: 10.763 min
Delta R.T.: -0.005 min
Response: 3411082133
Conc: 758.84 ng/ml