

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS082919\
 Data File : PS006393.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Aug 2019 10:22
 Operator : SM\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Manual Integrations
 APPROVED

Ankita
 8/30/2019 9:50:22 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 30 06:53:53 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081419.M
 Quant Title : 8080.M
 QLast Update : Wed Aug 14 15:09:52 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	5.485	5.216	596.5E6	318.6E6	691.086	647.782
Target Compounds							
1) T	Dalapon	2.052	1.762	668.7E6	375.1E6	613.702	597.817
2) T	3,5-DICHL...	4.852	4.518	705.2E6	385.8E6	654.140	636.979
3) T	4-Nitroph...	5.335	4.899	221.2E6	153.3E6	589.304	618.897
5) T	DICAMBA	5.639	5.345	2070.8E6	1098.8E6	644.779	595.697
6) T	MCPD	5.789	5.427	133.2E6	73364179	59.199m	59.303m
7) T	MCPA	5.923	5.606	177.2E6	118.0E6	56.117	57.722
8) T	DICHLORPROP	6.266	5.884	482.6E6	270.2E6	636.310m	607.773
9) T	2,4-D	6.482	6.155	559.1E6	337.9E6	686.164	614.616
10) T	Pentachlo...	6.744	6.522	7973.0E6	4386.5E6	674.483	648.895
11) T	2,4,5-TP ...	7.278	6.886	3068.2E6	1647.4E6	672.595	633.098
12) T	2,4,5-T	7.551	7.244	3306.5E6	1671.8E6	668.720	672.479m
13) T	2,4-DB	8.080	7.731	486.3E6	203.3E6	780.805	610.800
14) T	DINOSEB	9.171	8.042	2491.1E6	1270.0E6	680.479	661.150
15) T	Picloram	9.002	8.979	4998.7E6	2785.9E6	671.818	617.593
16) T	DCPA	9.443	8.936	4141.0E6	2361.3E6	714.513	677.157m

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS082919\
Data File : PS006393.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Aug 2019 10:22
Operator : SM\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_S
ClientSampled :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 30 06:53:53 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS081419.M
Quant Title : 8080.M
QLast Update : Wed Aug 14 15:09:52 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon

R.T.: 2.052 min
Delta R.T.: -0.019 min
Response: 668705463
Conc: 613.70 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#1 Dalapon

R.T.: 1.762 min
Delta R.T.: -0.017 min
Response: 375126314
Conc: 597.82 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 4.852 min
Delta R.T.: -0.020 min
Response: 705249990
Conc: 654.14 ng/ml



#2 3,5-DICHLOROBENZOIC ACID

R.T.: 4.518 min
Delta R.T.: -0.020 min
Response: 385822275
Conc: 636.98 ng/ml




#3 4-Nitrophenol

R.T.: 5.335 min
Delta R.T.: -0.023 min
Response: 221234250
Conc: 589.30 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#3 4-Nitrophenol

R.T.: 4.899 min
Delta R.T.: -0.020 min
Response: 153316337
Conc: 618.90 ng/ml




#4 2,4-DCAA

R.T.: 5.485 min
Delta R.T.: -0.020 min
Response: 596546012
Conc: 691.09 ng/ml



#4 2,4-DCAA

R.T.: 5.216 min
Delta R.T.: -0.020 min
Response: 318612955
Conc: 647.78 ng/ml




#5 DICAMBA

R.T.: 5.639 min
Delta R.T.: -0.019 min
Response: 2070809370
Conc: 644.78 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#5 DICAMBA

R.T.: 5.345 min
Delta R.T.: -0.020 min
Response: 1098765714
Conc: 595.70 ng/ml




#6 MCPP

R.T.: 5.789 min
Delta R.T.: -0.020 min
Response: 133222867
Conc: 59.20 ug/ml m



#6 MCPP

R.T.: 5.427 min
Delta R.T.: -0.021 min
Response: 73364179
Conc: 59.30 ug/ml m




#7 MCPA

R.T.: 5.923 min
Delta R.T.: -0.020 min
Response: 177167352
Conc: 56.12 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#7 MCPA

R.T.: 5.606 min
Delta R.T.: -0.021 min
Response: 117967543
Conc: 57.72 ug/ml




#8 DICHLORPROP

R.T.: 6.266 min
Delta R.T.: -0.022 min
Response: 482561455
Conc: 636.31 ng/ml m



#8 DICHLORPROP

R.T.: 5.884 min
Delta R.T.: -0.021 min
Response: 270218739
Conc: 607.77 ng/ml




#9 2,4-D

R.T.: 6.482 min
Delta R.T.: -0.021 min
Response: 559075534
Conc: 686.16 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#9 2,4-D

R.T.: 6.155 min
Delta R.T.: -0.021 min
Response: 337863071
Conc: 614.62 ng/ml




#10 Pentachlorophenol

R.T.: 6.744 min
Delta R.T.: -0.020 min
Response: 7972987383
Conc: 674.48 ng/ml



#10 Pentachlorophenol

R.T.: 6.522 min
Delta R.T.: -0.021 min
Response: 4386483937
Conc: 648.90 ng/ml




#11 2,4,5-TP (SILVEX)

R.T.: 7.278 min
Delta R.T.: -0.021 min
Response: 3068239171
Conc: 672.60 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#11 2,4,5-TP (SILVEX)

R.T.: 6.886 min
Delta R.T.: -0.021 min
Response: 1647379806
Conc: 633.10 ng/ml




#12 2,4,5-T

R.T.: 7.551 min
Delta R.T.: -0.021 min
Response: 3306540585
Conc: 668.72 ng/ml



#12 2,4,5-T

R.T.: 7.244 min
Delta R.T.: -0.022 min
Response: 1671817560
Conc: 672.48 ng/ml m




#13 2,4-DB

R.T.: 8.080 min
Delta R.T.: -0.022 min
Response: 486273773
Conc: 780.80 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#13 2,4-DB

R.T.: 7.731 min
Delta R.T.: -0.022 min
Response: 203275880
Conc: 610.80 ng/ml




#14 DINOSEB

R.T.: 9.171 min
Delta R.T.: -0.021 min
Response: 2491090934
Conc: 680.48 ng/ml



#14 DINOSEB

R.T.: 8.042 min
Delta R.T.: -0.022 min
Response: 1269954687
Conc: 661.15 ng/ml




#15 Picloram

R.T.: 9.002 min
Delta R.T.: -0.021 min
Response: 4998742133
Conc: 671.82 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750


Manual Integrations
APPROVED

Ankita
8/30/2019 9:50:22 AM




#15 Picloram

R.T.: 8.979 min
Delta R.T.: -0.021 min
Response: 2785871674
Conc: 617.59 ng/ml



#16 DCPA

R.T.: 9.443 min
Delta R.T.: -0.022 min
Response: 4141006443
Conc: 714.51 ng/ml



#16 DCPA

R.T.: 8.936 min
Delta R.T.: -0.023 min
Response: 2361348461
Conc: 677.16 ng/ml m