

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS091720\
 Data File : PS012350.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Sep 2020 19:05
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 18 05:13:46 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS091420.M
 Quant Title : 8080.M
 QLast Update : Tue Sep 15 06:03:04 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.216	6.912	847.9E6	403.5E6	782.306	764.751
Target Compounds							
1) T	Dalapon	3.034	2.623	838.1E6	445.4E6	682.777	669.142
2) T	3,5-DICHL...	6.431	6.064	1069.5E6	575.2E6	729.414	711.047
3) T	4-Nitroph...	7.047	6.521	382.9E6	226.0E6	718.945	706.445
5) T	DICAMBA	7.406	7.080	3119.6E6	1565.5E6	741.409	725.859
6) T	MCPD	7.575	7.177	243.6E6	125.9E6	75.602	73.149
7) T	MCPA	7.725	7.393	345.9E6	198.1E6	74.041	70.478
8) T	DICHLORPROP	8.097	7.705	752.7E6	407.4E6	736.017	720.106
9) T	2,4-D	8.328	8.000	841.1E6	518.9E6	738.493	713.376
10) T	Pentachlo...	8.636	8.428	11027.1E6	5025.6E6	749.665	742.028
11) T	2,4,5-TP ...	9.186	8.789	4395.9E6	2136.4E6	746.907	738.178
12) T	2,4,5-T	9.471	9.169	4510.8E6	2145.6E6	735.495	744.967
13) T	2,4-DB	10.025	9.675	562.4E6	300.0E6	735.049	737.419
14) T	DINOSEB	11.182	10.006	3423.3E6	1547.7E6	728.972	745.240
15) T	Picloram	11.009	10.996	4039.8E6	2302.6E6	548.659	543.142
16) T	DCPA	11.447	10.934	5532.5E6	2730.0E6	747.588	751.085



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS091720\
Data File : PS012350.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Sep 2020 19:05
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 05:13:46 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS091420.M
Quant Title : 8080.M
QLast Update : Tue Sep 15 06:03:04 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.034 min
Delta R.T.: 0.002 min
Response: 838133683
Conc: 682.78 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.623 min
Delta R.T.: 0.002 min
Response: 445423843
Conc: 669.14 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.431 min
Delta R.T.: 0.000 min
Response: 1069470693
Conc: 729.41 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.064 min
Delta R.T.: 0.000 min
Response: 575236060
Conc: 711.05 ng/ml



#3 4-Nitrophenol


R.T.: 7.047 min
Delta R.T.: -0.001 min
Response: 382864768
Conc: 718.95 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.521 min
Delta R.T.: 0.000 min
Response: 225963663
Conc: 706.45 ng/ml




#4 2,4-DCAA

R.T.: 7.216 min
Delta R.T.: 0.000 min
Response: 847937964
Conc: 782.31 ng/ml



#4 2,4-DCAA


R.T.: 6.912 min
Delta R.T.: 0.000 min
Response: 403486508
Conc: 764.75 ng/ml



#5 DICAMBA


R.T.: 7.406 min
Delta R.T.: 0.000 min
Response: 3119577357
Conc: 741.41 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.080 min
Delta R.T.: 0.000 min
Response: 1565498548
Conc: 725.86 ng/ml




#6 MCP

R.T.: 7.575 min
Delta R.T.: 0.000 min
Response: 243603042
Conc: 75.60 ug/ml



#6 MCP


R.T.: 7.177 min
Delta R.T.: 0.000 min
Response: 125888940
Conc: 73.15 ug/ml



#7 MCPA


R.T.: 7.725 min
Delta R.T.: 0.000 min
Response: 345949511
Conc: 74.04 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.393 min
Delta R.T.: 0.000 min
Response: 198061693
Conc: 70.48 ug/ml




#8 DICHLORPROP

R.T.: 8.097 min
Delta R.T.: -0.001 min
Response: 752721707
Conc: 736.02 ng/ml



#8 DICHLORPROP


R.T.: 7.705 min
Delta R.T.: 0.000 min
Response: 407444228
Conc: 720.11 ng/ml



#9 2,4-D


R.T.: 8.328 min
Delta R.T.: -0.002 min
Response: 841110429
Conc: 738.49 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.000 min
Delta R.T.: -0.001 min
Response: 518926896
Conc: 713.38 ng/ml




#10 Pentachlorophenol

R.T.: 8.636 min
Delta R.T.: -0.002 min
Response: 11027054213
Conc: 749.67 ng/ml



#10 Pentachlorophenol

R.T.: 8.428 min
Delta R.T.: 0.000 min
Response: 5025606536
Conc: 742.03 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.186 min

Delta R.T.: -0.001 min

Response: 4395921885

Conc: 746.91 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.789 min

Delta R.T.: 0.000 min

Response: 2136392589

Conc: 738.18 ng/ml




#12 2,4,5-T

R.T.: 9.471 min

Delta R.T.: -0.002 min

Response: 4510830695

Conc: 735.49 ng/ml




#12 2,4,5-T

R.T.: 9.169 min

Delta R.T.: -0.001 min

Response: 2145639236


Conc: 744.97 ng/ml



#13 2,4-DB


R.T.: 10.025 min
Delta R.T.: -0.001 min
Response: 562446507
Conc: 735.05 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.675 min
Delta R.T.: -0.002 min
Response: 300029414
Conc: 737.42 ng/ml




#14 DINOSEB

R.T.: 11.182 min
Delta R.T.: 0.000 min
Response: 3423285616
Conc: 728.97 ng/ml



#14 DINOSEB


R.T.: 10.006 min
Delta R.T.: 0.000 min
Response: 1547742914
Conc: 745.24 ng/ml



#15 Picloram


R.T.: 11.009 min
Delta R.T.: 0.000 min
Response: 4039765816
Conc: 548.66 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.996 min
Delta R.T.: 0.000 min
Response: 2302606559
Conc: 543.14 ng/ml



#16 DCPA

R.T.: 11.447 min
Delta R.T.: -0.001 min
Response: 5532460150
Conc: 747.59 ng/ml



#16 DCPA

R.T.: 10.934 min
Delta R.T.: 0.000 min
Response: 2729989419
Conc: 751.08 ng/ml