

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS091720\
 Data File : PS012362.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Sep 2020 23:41
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 18 05:17:32 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS091420.M
 Quant Title : 8080.M
 QLast Update : Tue Sep 15 06:03:04 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.215	6.911	879.5E6	417.3E6	811.405	790.895
Target Compounds							
1) T	Dalapon	3.034	2.623	846.2E6	447.7E6	689.327	672.613
2) T	3,5-DICHL...	6.431	6.064	1106.8E6	594.6E6	754.868	734.996
3) T	4-Nitroph...	7.047	6.520	400.4E6	234.8E6	751.894	734.192
5) T	DICAMBA	7.406	7.080	3244.8E6	1613.3E6	771.177	748.023
6) T	MCPD	7.575	7.177	255.6E6	130.5E6	79.326	75.841
7) T	MCPA	7.725	7.392	364.0E6	205.1E6	77.905	72.991
8) T	DICHLORPROP	8.097	7.705	786.0E6	421.3E6	768.525	744.554
9) T	2,4-D	8.327	8.000	871.2E6	539.9E6	764.908	742.239
10) T	Pentachlo...	8.636	8.427	11422.0E6	5139.5E6	776.512	758.844
11) T	2,4,5-TP ...	9.186	8.789	4579.9E6	2201.7E6	778.164	760.741
12) T	2,4,5-T	9.471	9.168	4682.5E6	2217.7E6	763.482	769.995
13) T	2,4-DB	10.024	9.675	593.2E6	328.4E6	775.249	807.049
14) T	DINOSEB	11.182	10.006	3587.2E6	1609.1E6	763.876	774.766
15) T	Picloram	11.009	10.994	4572.7E6	2603.6E6	621.043	614.135
16) T	DCPA	11.447	10.934	5765.2E6	2812.1E6	779.041	773.667



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS091720\
Data File : PS012362.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Sep 2020 23:41
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 05:17:32 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS091420.M
Quant Title : 8080.M
QLast Update : Tue Sep 15 06:03:04 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.034 min
Delta R.T.: 0.002 min
Response: 846174596
Conc: 689.33 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.623 min
Delta R.T.: 0.001 min
Response: 447734658
Conc: 672.61 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.431 min
Delta R.T.: 0.000 min
Response: 1106791189
Conc: 754.87 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.064 min
Delta R.T.: 0.000 min
Response: 594610986
Conc: 735.00 ng/ml



#3 4-Nitrophenol


R.T.: 7.047 min
Delta R.T.: -0.001 min
Response: 400411238
Conc: 751.89 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.520 min
Delta R.T.: -0.001 min
Response: 234838601
Conc: 734.19 ng/ml




#4 2,4-DCAA

R.T.: 7.215 min
Delta R.T.: -0.001 min
Response: 879478259
Conc: 811.40 ng/ml



#4 2,4-DCAA


R.T.: 6.911 min
Delta R.T.: 0.000 min
Response: 417280102
Conc: 790.89 ng/ml



#5 DICAMBA


R.T.: 7.406 min
Delta R.T.: -0.002 min
Response: 3244830423
Conc: 771.18 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.080 min
Delta R.T.: 0.000 min
Response: 1613301625
Conc: 748.02 ng/ml




#6 MCP

R.T.: 7.575 min
Delta R.T.: 0.000 min
Response: 255603595
Conc: 79.33 ug/ml



#6 MCP


R.T.: 7.177 min
Delta R.T.: 0.000 min
Response: 130521713
Conc: 75.84 ug/ml



#7 MCPA


R.T.: 7.725 min
Delta R.T.: 0.000 min
Response: 364004083
Conc: 77.91 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.392 min
Delta R.T.: 0.000 min
Response: 205123924
Conc: 72.99 ug/ml




#8 DICHLORPROP

R.T.: 8.097 min
Delta R.T.: -0.002 min
Response: 785967471
Conc: 768.53 ng/ml



#8 DICHLORPROP


R.T.: 7.705 min
Delta R.T.: -0.001 min
Response: 421276839
Conc: 744.55 ng/ml



#9 2,4-D


R.T.: 8.327 min
Delta R.T.: -0.002 min
Response: 871195270
Conc: 764.91 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.000 min
Delta R.T.: -0.001 min
Response: 539922480
Conc: 742.24 ng/ml




#10 Pentachlorophenol

R.T.: 8.636 min
Delta R.T.: -0.002 min
Response: 11421951051
Conc: 776.51 ng/ml



#10 Pentachlorophenol


R.T.: 8.427 min
Delta R.T.: -0.001 min
Response: 5139496482
Conc: 758.84 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.186 min
Delta R.T.: -0.001 min
Response: 4579885089
Conc: 778.16 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.789 min
Delta R.T.: 0.000 min
Response: 2201693618
Conc: 760.74 ng/ml




#12 2,4,5-T

R.T.: 9.471 min
Delta R.T.: -0.002 min
Response: 4682479148
Conc: 763.48 ng/ml



#12 2,4,5-T


R.T.: 9.168 min
Delta R.T.: -0.002 min
Response: 2217726962
Conc: 770.00 ng/ml



#13 2,4-DB


R.T.: 10.024 min
Delta R.T.: -0.002 min
Response: 593206701
Conc: 775.25 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.675 min
Delta R.T.: -0.001 min
Response: 328359133
Conc: 807.05 ng/ml




#14 DINOSEB

R.T.: 11.182 min
Delta R.T.: 0.000 min
Response: 3587195637
Conc: 763.88 ng/ml



#14 DINOSEB


R.T.: 10.006 min
Delta R.T.: -0.002 min
Response: 1609065516
Conc: 774.77 ng/ml



#15 Picloram


R.T.: 11.009 min
Delta R.T.: 0.000 min
Response: 4572725459
Conc: 621.04 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.994 min
Delta R.T.: -0.001 min
Response: 2603573372
Conc: 614.13 ng/ml



#16 DCPA

R.T.: 11.447 min
Delta R.T.: 0.000 min
Response: 5765224673
Conc: 779.04 ng/ml



#16 DCPA

R.T.: 10.934 min
Delta R.T.: 0.000 min
Response: 2812068537
Conc: 773.67 ng/ml