

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS092320\
 Data File : PS012474.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Sep 2020 22:07
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 24 04:06:38 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
 Quant Title : 8080.M
 QLast Update : Wed Sep 23 04:57:25 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.215	6.912	752.5E6	351.7E6	768.328	764.522
Target Compounds							
1) T	Dalapon	3.034	2.624	749.6E6	391.2E6	659.626	654.041
2) T	3,5-DICHL...	6.430	6.065	954.4E6	503.3E6	707.799	705.979
3) T	4-Nitroph...	7.047	6.522	342.0E6	196.7E6	703.273	703.974
5) T	DICAMBA	7.405	7.080	2799.9E6	1380.9E6	725.804	724.151
6) T	MCPD	7.573	7.175	217.1E6	111.1E6	74.408	73.429
7) T	MCPA	7.723	7.391	303.9E6	168.0E6	72.873	70.065
8) T	DICHLORPROP	8.097	7.705	699.6E6	371.2E6	722.936	718.951
9) T	2,4-D	8.327	8.001	821.0E6	452.7E6	723.105	722.946
10) T	Pentachlo...	8.636	8.428	10134.8E6	4492.1E6	733.352	736.490
11) T	2,4,5-TP ...	9.184	8.789	4089.3E6	1952.3E6	737.497	739.951
12) T	2,4,5-T	9.471	9.169	4121.9E6	1919.0E6	733.271	746.303
13) T	2,4-DB	10.023	9.676	758.6E6	263.9E6	801.668	705.012
14) T	DINOSEB	11.180	10.006	3242.7E6	1399.5E6	714.209	730.635
15) T	Picloram	11.008	10.995	5093.9E6	2792.0E6	707.469	708.366
16) T	DCPA	11.445	10.934	5273.5E6	2515.3E6	746.616	756.389



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS092320\
Data File : PS012474.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Sep 2020 22:07
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 24 04:06:38 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
Quant Title : 8080.M
QLast Update : Wed Sep 23 04:57:25 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.034 min
Delta R.T.: 0.002 min
Response: 749576668
Conc: 659.63 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.624 min
Delta R.T.: 0.003 min
Response: 391240459
Conc: 654.04 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.430 min
Delta R.T.: 0.000 min
Response: 954428665
Conc: 707.80 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.065 min
Delta R.T.: 0.000 min
Response: 503335209
Conc: 705.98 ng/ml



#3 4-Nitrophenol


R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 341976207
Conc: 703.27 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 196696467
Conc: 703.97 ng/ml




#4 2,4-DCAA

R.T.: 7.215 min
Delta R.T.: 0.000 min
Response: 752538463
Conc: 768.33 ng/ml



#4 2,4-DCAA


R.T.: 6.912 min
Delta R.T.: 0.000 min
Response: 351692932
Conc: 764.52 ng/ml



#5 DICAMBA


R.T.: 7.405 min
Delta R.T.: 0.000 min
Response: 2799917629
Conc: 725.80 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.080 min
Delta R.T.: 0.000 min
Response: 1380894934
Conc: 724.15 ng/ml




#6 MCPP

R.T.: 7.573 min
Delta R.T.: 0.000 min
Response: 217092513
Conc: 74.41 ug/ml



#6 MCPP


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 111072652
Conc: 73.43 ug/ml



#7 MCPA


R.T.: 7.723 min
Delta R.T.: 0.000 min
Response: 303928597
Conc: 72.87 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.391 min
Delta R.T.: 0.001 min
Response: 167966450
Conc: 70.07 ug/ml




#8 DICHLORPROP

R.T.: 8.097 min
Delta R.T.: 0.000 min
Response: 699579138
Conc: 722.94 ng/ml



#8 DICHLORPROP


R.T.: 7.705 min
Delta R.T.: 0.000 min
Response: 371213990
Conc: 718.95 ng/ml



#9 2,4-D


R.T.: 8.327 min
Delta R.T.: 0.000 min
Response: 821028212
Conc: 723.10 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.001 min
Delta R.T.: 0.000 min
Response: 452738789
Conc: 722.95 ng/ml




#10 Pentachlorophenol

R.T.: 8.636 min
Delta R.T.: 0.000 min
Response: 10134780230
Conc: 733.35 ng/ml



#10 Pentachlorophenol


R.T.: 8.428 min
Delta R.T.: 0.000 min
Response: 4492146230
Conc: 736.49 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.184 min
Delta R.T.: 0.000 min
Response: 4089305902
Conc: 737.50 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.789 min
Delta R.T.: 0.000 min
Response: 1952280321
Conc: 739.95 ng/ml




#12 2,4,5-T

R.T.: 9.471 min
Delta R.T.: 0.000 min
Response: 4121872380
Conc: 733.27 ng/ml



#12 2,4,5-T


R.T.: 9.169 min
Delta R.T.: 0.000 min
Response: 1918959878
Conc: 746.30 ng/ml



#13 2,4-DB


R.T.: 10.023 min
Delta R.T.: 0.000 min
Response: 758618869
Conc: 801.67 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.676 min
Delta R.T.: 0.000 min
Response: 263934538
Conc: 705.01 ng/ml




#14 DINOSEB

R.T.: 11.180 min
Delta R.T.: 0.000 min
Response: 3242674354
Conc: 714.21 ng/ml



#14 DINOSEB


R.T.: 10.006 min
Delta R.T.: 0.000 min
Response: 1399480701
Conc: 730.63 ng/ml



#15 Picloram


R.T.: 11.008 min
Delta R.T.: 0.000 min
Response: 5093881804
Conc: 707.47 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 10.995 min
Delta R.T.: 0.000 min
Response: 2791973742
Conc: 708.37 ng/ml



#16 DCPA

R.T.: 11.445 min
Delta R.T.: -0.001 min
Response: 5273522922
Conc: 746.62 ng/ml



#16 DCPA

R.T.: 10.934 min
Delta R.T.: 0.000 min
Response: 2515314984
Conc: 756.39 ng/ml