

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS092520\
 Data File : PS012498.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Sep 2020 12:47
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 25 13:23:37 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
 Quant Title : 8080.M
 QLast Update : Wed Sep 23 04:57:25 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.215	6.911	777.3E6	365.2E6	793.615	793.858
Target Compounds							
1) T	Dalapon	3.033	2.623	761.4E6	402.6E6	670.033	672.967
2) T	3,5-DICHL...	6.430	6.064	980.5E6	517.7E6	727.107	726.127
3) T	4-Nitroph...	7.046	6.520	356.8E6	203.9E6	733.730	729.740
5) T	DICAMBA	7.405	7.079	2890.2E6	1430.8E6	749.219	750.332
6) T	MCPD	7.573	7.175	223.7E6	114.4E6	76.667	75.633
7) T	MCPA	7.723	7.391	308.5E6	171.9E6	73.962	71.703
8) T	DICHLORPROP	8.097	7.704	722.9E6	382.4E6	747.059	740.619
9) T	2,4-D	8.327	8.000	847.4E6	469.0E6	746.303	748.938
10) T	Pentachlo...	8.636	8.427	10326.1E6	4482.6E6	747.194	734.925
11) T	2,4,5-TP ...	9.184	8.787	4202.9E6	2014.2E6	757.983	763.425
12) T	2,4,5-T	9.470	9.168	4247.6E6	1992.3E6	755.646	774.811
13) T	2,4-DB	10.022	9.675	775.0E6	289.8E6	819.011	774.224
14) T	DINOSEB	11.180	10.006	3341.8E6	1463.1E6	736.037	763.855
15) T	Picloram	11.005	10.993	5614.1E6	3014.4E6	779.722	764.804
16) T	DCPA	11.445	10.933	5401.8E6	2587.4E6	764.772	778.080



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS092520\
Data File : PS012498.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Sep 2020 12:47
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 25 13:23:37 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
Quant Title : 8080.M
QLast Update : Wed Sep 23 04:57:25 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.033 min
Delta R.T.: 0.001 min
Response: 761402832
Conc: 670.03 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.623 min
Delta R.T.: 0.003 min
Response: 402562285
Conc: 672.97 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.430 min
Delta R.T.: 0.000 min
Response: 980463711
Conc: 727.11 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.064 min
Delta R.T.: 0.000 min
Response: 517699783
Conc: 726.13 ng/ml



#3 4-Nitrophenol


R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 356786389
Conc: 733.73 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.520 min
Delta R.T.: -0.001 min
Response: 203895843
Conc: 729.74 ng/ml




#4 2,4-DCAA

R.T.: 7.215 min
Delta R.T.: 0.000 min
Response: 777305456
Conc: 793.62 ng/ml



#4 2,4-DCAA


R.T.: 6.911 min
Delta R.T.: 0.000 min
Response: 365187907
Conc: 793.86 ng/ml



#5 DICAMBA


R.T.: 7.405 min
Delta R.T.: 0.000 min
Response: 2890245762
Conc: 749.22 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.079 min
Delta R.T.: 0.000 min
Response: 1430819481
Conc: 750.33 ng/ml




#6 MCP

R.T.: 7.573 min
Delta R.T.: 0.000 min
Response: 223685133
Conc: 76.67 ug/ml



#6 MCP


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 114406659
Conc: 75.63 ug/ml



#7 MCPA


R.T.: 7.723 min
Delta R.T.: 0.000 min
Response: 308471577
Conc: 73.96 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 171893818
Conc: 71.70 ug/ml




#8 DICHLORPROP

R.T.: 8.097 min
Delta R.T.: 0.000 min
Response: 722922874
Conc: 747.06 ng/ml



#8 DICHLORPROP


R.T.: 7.704 min
Delta R.T.: 0.000 min
Response: 382401675
Conc: 740.62 ng/ml



#9 2,4-D


R.T.: 8.327 min
Delta R.T.: 0.000 min
Response: 847368192
Conc: 746.30 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.000 min
Delta R.T.: -0.001 min
Response: 469015902
Conc: 748.94 ng/ml




#10 Pentachlorophenol

R.T.: 8.636 min
Delta R.T.: 0.000 min
Response: 10326070960
Conc: 747.19 ng/ml



#10 Pentachlorophenol


R.T.: 8.427 min
Delta R.T.: 0.000 min
Response: 4482598437
Conc: 734.93 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.184 min
Delta R.T.: 0.000 min
Response: 4202899042
Conc: 757.98 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.787 min
Delta R.T.: -0.001 min
Response: 2014213221
Conc: 763.42 ng/ml




#12 2,4,5-T

R.T.: 9.470 min
Delta R.T.: -0.002 min
Response: 4247646436
Conc: 755.65 ng/ml



#12 2,4,5-T


R.T.: 9.168 min
Delta R.T.: -0.001 min
Response: 1992263154
Conc: 774.81 ng/ml



#13 2,4-DB


R.T.: 10.022 min
Delta R.T.: -0.002 min
Response: 775030359
Conc: 819.01 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.675 min
Delta R.T.: 0.000 min
Response: 289845397
Conc: 774.22 ng/ml




#14 DINOSEB

R.T.: 11.180 min
Delta R.T.: -0.001 min
Response: 3341779605
Conc: 736.04 ng/ml



#14 DINOSEB


R.T.: 10.006 min
Delta R.T.: 0.000 min
Response: 1463111478
Conc: 763.85 ng/ml



#15 Picloram


R.T.: 11.005 min
Delta R.T.: -0.004 min
Response: 5614113976
Conc: 779.72 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.993 min
Delta R.T.: -0.003 min
Response: 3014420177
Conc: 764.80 ng/ml



#16 DCPA

R.T.: 11.445 min
Delta R.T.: -0.002 min
Response: 5401765344
Conc: 764.77 ng/ml



#16 DCPA

R.T.: 10.933 min
Delta R.T.: 0.000 min
Response: 2587446968
Conc: 778.08 ng/ml