

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100220\
 Data File : PS012613.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Oct 2020 02:54
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 03 05:45:07 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
 Quant Title : 8080.M
 QLast Update : Wed Sep 23 04:57:25 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.215	6.912	765.6E6	356.1E6	781.685	774.013
Target Compounds							
1) T	Dalapon	3.035	2.625	699.3E6	372.8E6	615.414	623.194
2) T	3,5-DICHL...	6.430	6.065	968.5E6	506.7E6	718.217	710.722
3) T	4-Nitroph...	7.047	6.521	347.2E6	197.8E6	714.064	707.833
5) T	DICAMBA	7.405	7.079	2853.6E6	1399.9E6	739.714	734.136
6) T	MCP	7.574	7.175	222.3E6	111.9E6	76.182	73.971
7) T	MCPA	7.723	7.391	309.8E6	173.6E6	74.284	72.418
8) T	DICHLORPROP	8.096	7.704	711.0E6	375.3E6	734.697	726.769
9) T	2,4-D	8.328	8.000	824.4E6	457.4E6	726.083	730.405
10) T	Pentachlo...	8.635	8.427	10192.5E6	4581.2E6	737.532	751.086
11) T	2,4,5-TP ...	9.184	8.788	4123.6E6	1978.4E6	743.685	749.834
12) T	2,4,5-T	9.470	9.168	4135.2E6	1935.2E6	735.635	752.631
13) T	2,4-DB	10.023	9.674	733.7E6	266.8E6	775.349	712.783
14) T	DINOSEB	11.180	10.005	3300.5E6	1427.2E6	726.954	745.124
15) T	Picloram	11.008	10.993	4800.9E6	2651.4E6	666.776	672.699
16) T	DCPA	11.445	10.932	5297.3E6	2562.6E6	749.980	770.619



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100220\
Data File : PS012613.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Oct 2020 02:54
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 03 05:45:07 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
Quant Title : 8080.M
QLast Update : Wed Sep 23 04:57:25 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.003 min
Response: 699336425
Conc: 615.41 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.625 min
Delta R.T.: 0.005 min
Response: 372788532
Conc: 623.19 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.430 min
Delta R.T.: 0.000 min
Response: 968475800
Conc: 718.22 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.065 min
Delta R.T.: 0.000 min
Response: 506716515
Conc: 710.72 ng/ml



#3 4-Nitrophenol


R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 347223502
Conc: 714.06 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.521 min
Delta R.T.: 0.000 min
Response: 197774827
Conc: 707.83 ng/ml




#4 2,4-DCAA

R.T.: 7.215 min
Delta R.T.: 0.000 min
Response: 765620790
Conc: 781.69 ng/ml



#4 2,4-DCAA


R.T.: 6.912 min
Delta R.T.: 0.000 min
Response: 356058839
Conc: 774.01 ng/ml



#5 DICAMBA


R.T.: 7.405 min
Delta R.T.: 0.000 min
Response: 2853576820
Conc: 739.71 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.079 min
Delta R.T.: 0.000 min
Response: 1399934413
Conc: 734.14 ng/ml




#6 MCP

R.T.: 7.574 min
Delta R.T.: 0.001 min
Response: 222269827
Conc: 76.18 ug/ml



#6 MCP


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 111892493
Conc: 73.97 ug/ml



#7 MCPA


R.T.: 7.723 min
Delta R.T.: 0.000 min
Response: 309815299
Conc: 74.28 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 173606434
Conc: 72.42 ug/ml




#8 DICHLORPROP

R.T.: 8.096 min
Delta R.T.: 0.000 min
Response: 710960850
Conc: 734.70 ng/ml



#8 DICHLORPROP


R.T.: 7.704 min
Delta R.T.: 0.000 min
Response: 375250600
Conc: 726.77 ng/ml



#9 2,4-D


R.T.: 8.328 min
Delta R.T.: 0.000 min
Response: 824409994
Conc: 726.08 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.000 min
Delta R.T.: -0.001 min
Response: 457409938
Conc: 730.41 ng/ml




#10 Pentachlorophenol

R.T.: 8.635 min
Delta R.T.: 0.000 min
Response: 10192549800
Conc: 737.53 ng/ml



#10 Pentachlorophenol


R.T.: 8.427 min
Delta R.T.: 0.000 min
Response: 4581172556
Conc: 751.09 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.184 min
Delta R.T.: 0.000 min
Response: 4123617610
Conc: 743.68 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.788 min
Delta R.T.: 0.000 min
Response: 1978354374
Conc: 749.83 ng/ml




#12 2,4,5-T

R.T.: 9.470 min
Delta R.T.: -0.002 min
Response: 4135162035
Conc: 735.64 ng/ml



#12 2,4,5-T


R.T.: 9.168 min
Delta R.T.: 0.000 min
Response: 1935230285
Conc: 752.63 ng/ml



#13 2,4-DB


R.T.: 10.023 min
Delta R.T.: -0.001 min
Response: 733712749
Conc: 775.35 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.674 min
Delta R.T.: 0.000 min
Response: 266843837
Conc: 712.78 ng/ml




#14 DINOSEB

R.T.: 11.180 min
Delta R.T.: -0.001 min
Response: 3300538739
Conc: 726.95 ng/ml



#14 DINOSEB


R.T.: 10.005 min
Delta R.T.: -0.001 min
Response: 1427234651
Conc: 745.12 ng/ml



#15 Picloram


R.T.: 11.008 min
Delta R.T.: 0.000 min
Response: 4800886852
Conc: 666.78 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.993 min
Delta R.T.: -0.002 min
Response: 2651393311
Conc: 672.70 ng/ml



#16 DCPA

R.T.: 11.445 min
Delta R.T.: -0.002 min
Response: 5297289132
Conc: 749.98 ng/ml



#16 DCPA

R.T.: 10.932 min
Delta R.T.: -0.002 min
Response: 2562635805
Conc: 770.62 ng/ml