

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100620\
 Data File : PS012654.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Oct 2020 09:33
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 06 10:22:39 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
 Quant Title : 8080.M
 QLast Update : Wed Sep 23 04:57:25 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.215	6.911	715.1E6	333.2E6	730.078	724.264
Target Compounds							
1) T	Dalapon	3.035	2.626	702.9E6	363.4E6	618.559	607.491
2) T	3,5-DICHL...	6.430	6.064	912.1E6	475.4E6	676.373	666.852
3) T	4-Nitroph...	7.047	6.522	313.4E6	180.3E6	644.499	645.162
5) T	DICAMBA	7.405	7.079	2680.3E6	1319.9E6	694.809	692.187
6) T	MCPD	7.572	7.174	205.6E6	104.6E6	70.481	69.182
7) T	MCPA	7.722	7.390	285.5E6	160.7E6	68.463	67.037
8) T	DICHLORPROP	8.096	7.704	666.5E6	353.4E6	688.786	684.440
9) T	2,4-D	8.327	8.000	774.4E6	430.3E6	682.045	687.050
10) T	Pentachlo...	8.635	8.426	9733.4E6	4319.7E6	704.306	708.224
11) T	2,4,5-TP ...	9.184	8.788	3891.0E6	1874.2E6	701.726	710.354
12) T	2,4,5-T	9.470	9.168	3908.6E6	1825.4E6	695.322	709.928
13) T	2,4-DB	10.023	9.675	686.1E6	251.9E6	725.028	672.782
14) T	DINOSEB	11.179	10.004	3137.9E6	1358.0E6	691.134	708.971
15) T	Picloram	11.007	10.993	4931.1E6	2744.0E6	684.855	696.185
16) T	DCPA	11.444	10.931	4970.1E6	2420.4E6	703.662	727.832



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100620\
Data File : PS012654.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Oct 2020 09:33
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 06 10:22:39 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
Quant Title : 8080.M
QLast Update : Wed Sep 23 04:57:25 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.003 min
Response: 702910352
Conc: 618.56 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.626 min
Delta R.T.: 0.006 min
Response: 363395104
Conc: 607.49 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.430 min
Delta R.T.: 0.000 min
Response: 912052305
Conc: 676.37 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.064 min
Delta R.T.: 0.000 min
Response: 475438930
Conc: 666.85 ng/ml



#3 4-Nitrophenol


R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 313396612
Conc: 644.50 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 180263879
Conc: 645.16 ng/ml




#4 2,4-DCAA

R.T.: 7.215 min
Delta R.T.: 0.000 min
Response: 715074266
Conc: 730.08 ng/ml



#4 2,4-DCAA


R.T.: 6.911 min
Delta R.T.: 0.000 min
Response: 333173338
Conc: 724.26 ng/ml



#5 DICAMBA


R.T.: 7.405 min
Delta R.T.: 0.000 min
Response: 2680349476
Conc: 694.81 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.079 min
Delta R.T.: 0.000 min
Response: 1319942243
Conc: 692.19 ng/ml




#6 MCP

R.T.: 7.572 min
Delta R.T.: 0.000 min
Response: 205636367
Conc: 70.48 ug/ml



#6 MCP


R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 104648971
Conc: 69.18 ug/ml



#7 MCPA


R.T.: 7.722 min
Delta R.T.: 0.000 min
Response: 285535397
Conc: 68.46 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.390 min
Delta R.T.: 0.000 min
Response: 160707449
Conc: 67.04 ug/ml




#8 DICHLORPROP

R.T.: 8.096 min
Delta R.T.: 0.000 min
Response: 666533089
Conc: 688.79 ng/ml



#8 DICHLORPROP


R.T.: 7.704 min
Delta R.T.: 0.000 min
Response: 353394984
Conc: 684.44 ng/ml



#9 2,4-D


R.T.: 8.327 min
Delta R.T.: 0.000 min
Response: 774408506
Conc: 682.05 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.000 min
Delta R.T.: 0.000 min
Response: 430258982
Conc: 687.05 ng/ml




#10 Pentachlorophenol

R.T.: 8.635 min
Delta R.T.: 0.000 min
Response: 9733372875
Conc: 704.31 ng/ml



#10 Pentachlorophenol


R.T.: 8.426 min
Delta R.T.: -0.002 min
Response: 4319737952
Conc: 708.22 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.184 min
Delta R.T.: 0.000 min
Response: 3890964209
Conc: 701.73 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.788 min
Delta R.T.: 0.000 min
Response: 1874191237
Conc: 710.35 ng/ml




#12 2,4,5-T

R.T.: 9.470 min
Delta R.T.: -0.002 min
Response: 3908552410
Conc: 695.32 ng/ml



#12 2,4,5-T


R.T.: 9.168 min
Delta R.T.: -0.001 min
Response: 1825429428
Conc: 709.93 ng/ml



#13 2,4-DB


R.T.: 10.023 min
Delta R.T.: -0.001 min
Response: 686094642
Conc: 725.03 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.675 min
Delta R.T.: 0.000 min
Response: 251868712
Conc: 672.78 ng/ml




#14 DINOSEB

R.T.: 11.179 min
Delta R.T.: -0.002 min
Response: 3137907288
Conc: 691.13 ng/ml



#14 DINOSEB


R.T.: 10.004 min
Delta R.T.: -0.002 min
Response: 1357985278
Conc: 708.97 ng/ml



#15 Picloram


R.T.: 11.007 min
Delta R.T.: -0.002 min
Response: 4931051984
Conc: 684.85 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 10.993 min
Delta R.T.: -0.002 min
Response: 2743961550
Conc: 696.18 ng/ml



#16 DCPA

R.T.: 11.444 min
Delta R.T.: -0.003 min
Response: 4970133816
Conc: 703.66 ng/ml



#16 DCPA

R.T.: 10.931 min
Delta R.T.: -0.002 min
Response: 2420351456
Conc: 727.83 ng/ml