

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100720\
 Data File : PS012756.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Oct 2020 07:40
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 08 08:21:33 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
 Quant Title : 8080.M
 QLast Update : Wed Sep 23 04:57:25 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.214	6.911	725.0E6	331.2E6	740.172	719.954
Target Compounds							
1) T	Dalapon	3.035	2.624	685.6E6	348.9E6	603.361	583.218
2) T	3,5-DICHL...	6.430	6.064	922.6E6	475.8E6	684.161	667.377
3) T	4-Nitroph...	7.048	6.522	322.9E6	181.4E6	664.054	649.253
5) T	DICAMBA	7.405	7.078	2719.3E6	1316.2E6	704.901	690.219
6) T	MCPD	7.573	7.174	209.0E6	104.4E6	71.643	69.018
7) T	MCPA	7.722	7.389	291.4E6	159.6E6	69.878	66.563
8) T	DICHLORPROP	8.097	7.704	673.5E6	349.2E6	695.994	676.378
9) T	2,4-D	8.327	8.000	782.5E6	424.3E6	689.153	677.575
10) T	Pentachlo...	8.635	8.426	9829.1E6	4336.1E6	711.236	710.903
11) T	2,4,5-TP ...	9.184	8.788	3922.4E6	1850.7E6	707.400	701.433
12) T	2,4,5-T	9.471	9.168	3944.2E6	1804.7E6	701.662	701.879
13) T	2,4-DB	10.024	9.675	695.2E6	264.5E6	734.648	706.483
14) T	DINOSEB	11.180	10.005	3157.0E6	1329.2E6	695.339	693.963
15) T	Picloram	11.010	10.996	4789.4E6	2618.4E6	665.180	664.332
16) T	DCPA	11.445	10.932	5048.4E6	2394.7E6	714.745	720.108



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100720\
Data File : PS012756.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Oct 2020 07:40
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 08 08:21:33 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS092220.M
Quant Title : 8080.M
QLast Update : Wed Sep 23 04:57:25 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.035 min
Delta R.T.: 0.003 min
Response: 685639864
Conc: 603.36 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.624 min
Delta R.T.: 0.004 min
Response: 348875288
Conc: 583.22 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.430 min
Delta R.T.: 0.000 min
Response: 922554147
Conc: 684.16 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.064 min
Delta R.T.: 0.000 min
Response: 475813058
Conc: 667.38 ng/ml



#3 4-Nitrophenol


R.T.: 7.048 min
Delta R.T.: 0.000 min
Response: 322905718
Conc: 664.05 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.522 min
Delta R.T.: 0.000 min
Response: 181407179
Conc: 649.25 ng/ml




#4 2,4-DCAA

R.T.: 7.214 min
Delta R.T.: 0.000 min
Response: 724960857
Conc: 740.17 ng/ml



#4 2,4-DCAA


R.T.: 6.911 min
Delta R.T.: 0.000 min
Response: 331190960
Conc: 719.95 ng/ml



#5 DICAMBA


R.T.: 7.405 min
Delta R.T.: 0.000 min
Response: 2719281578
Conc: 704.90 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.078 min
Delta R.T.: 0.000 min
Response: 1316190119
Conc: 690.22 ng/ml




#6 MCP

R.T.: 7.573 min
Delta R.T.: 0.000 min
Response: 209024930
Conc: 71.64 ug/ml



#6 MCP


R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 104399842
Conc: 69.02 ug/ml



#7 MCPA


R.T.: 7.722 min
Delta R.T.: 0.000 min
Response: 291439065
Conc: 69.88 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.389 min
Delta R.T.: 0.000 min
Response: 159570476
Conc: 66.56 ug/ml




#8 DICHLORPROP

R.T.: 8.097 min
Delta R.T.: 0.000 min
Response: 673508184
Conc: 695.99 ng/ml



#8 DICHLORPROP


R.T.: 7.704 min
Delta R.T.: -0.001 min
Response: 349232580
Conc: 676.38 ng/ml



#9 2,4-D


R.T.: 8.327 min
Delta R.T.: 0.000 min
Response: 782478185
Conc: 689.15 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.000 min
Delta R.T.: 0.000 min
Response: 424325665
Conc: 677.58 ng/ml




#10 Pentachlorophenol

R.T.: 8.635 min
Delta R.T.: 0.000 min
Response: 9829139177
Conc: 711.24 ng/ml



#10 Pentachlorophenol


R.T.: 8.426 min
Delta R.T.: -0.002 min
Response: 4336079593
Conc: 710.90 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.184 min
Delta R.T.: 0.000 min
Response: 3922423979
Conc: 707.40 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.788 min
Delta R.T.: -0.001 min
Response: 1850654251
Conc: 701.43 ng/ml




#12 2,4,5-T

R.T.: 9.471 min
Delta R.T.: 0.000 min
Response: 3944194868
Conc: 701.66 ng/ml



#12 2,4,5-T


R.T.: 9.168 min
Delta R.T.: 0.000 min
Response: 1804733649
Conc: 701.88 ng/ml



#13 2,4-DB


R.T.: 10.024 min
Delta R.T.: 0.000 min
Response: 695197974
Conc: 734.65 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.675 min
Delta R.T.: 0.000 min
Response: 264485365
Conc: 706.48 ng/ml




#14 DINOSEB

R.T.: 11.180 min
Delta R.T.: -0.001 min
Response: 3157001284
Conc: 695.34 ng/ml



#14 DINOSEB


R.T.: 10.005 min
Delta R.T.: -0.002 min
Response: 1329237650
Conc: 693.96 ng/ml



#15 Picloram


R.T.: 11.010 min
Delta R.T.: 0.001 min
Response: 4789391101
Conc: 665.18 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.996 min
Delta R.T.: 0.000 min
Response: 2618415825
Conc: 664.33 ng/ml



#16 DCPA

R.T.: 11.445 min
Delta R.T.: -0.002 min
Response: 5048415028
Conc: 714.75 ng/ml



#16 DCPA

R.T.: 10.932 min
Delta R.T.: -0.001 min
Response: 2394667210
Conc: 720.11 ng/ml