

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS110218\
 Data File : PS002278.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Nov 2018 21:50
 Operator : EI\SJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 02 23:24:47 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS102618.M
 Quant Title : 8080.M
 QLast Update : Sat Oct 27 01:34:10 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.430	10.921	220.2E6	280.3E6	699.789	780.601
Target Compounds							
1) T	Dalapon	2.951	2.389	321.7E6	307.0E6	701.341	679.990
2) T	3,5-DICHL...	9.861	9.077	44924701	321.9E6	98.968	725.732 #
3) T	4-Nitroph...	11.023	10.068	123.5E6	120.9E6	740.522	678.296
5) T	DICAMBA	11.740	11.205	985.4E6	934.8E6	742.013	748.029
6) T	MCPD	0.000	11.436	0	65582417	N.D.	76.228 #
7) T	MCPA	12.331	11.812	31475373	103.4E6	20.962	76.378 #
8) T	DICHLORPROP	12.926	12.329	253.5E6	218.1E6	727.796	679.013
9) T	2,4-D	13.283	12.799	194.6E6	317.7E6	483.617	746.026 #
10) T	Pentachlo...	13.663	13.345	3573.2E6	3714.2E6	742.774	790.694
11) T	2,4,5-TP ...	14.531	13.963	311.3E6	1494.8E6	162.725	816.998 #
12) T	2,4,5-T	14.927	14.528	1307.7E6	1114.7E6	729.655	744.387
13) T	2,4-DB	15.674	15.177	89258044	174.7E6	380.128	788.651 #
14) T	DINOSEB	17.154	15.606	1020.3E6	1040.6E6	744.697	822.027
15) T	Picloram	16.920	16.783	1522.3E6	1927.3E6	638.211	851.965 #
16) T	DCPA	17.496	16.836	-694500283	1686.2E6	N.D.	712.139



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS110218\
Data File : PS002278.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Nov 2018 21:50
Operator : EI\SJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 02 23:24:47 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS102618.M
Quant Title : 8080.M
QLast Update : Sat Oct 27 01:34:10 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.951 min
Delta R.T.: 0.009 min
Response: 321682073
Conc: 701.34 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.389 min
Delta R.T.: 0.016 min
Response: 307020173
Conc: 679.99 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 9.861 min
Delta R.T.: -0.009 min
Response: 44924701
Conc: 98.97 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.077 min
Delta R.T.: 0.007 min
Response: 321902145
Conc: 725.73 ng/ml



#3 4-Nitrophenol


R.T.: 11.023 min
Delta R.T.: -0.017 min
Response: 123540610
Conc: 740.52 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 10.068 min
Delta R.T.: 0.004 min
Response: 120947304
Conc: 678.30 ng/ml




#4 2,4-DCAA

R.T.: 11.430 min
Delta R.T.: -0.011 min
Response: 220213674
Conc: 699.79 ng/ml



#4 2,4-DCAA


R.T.: 10.921 min
Delta R.T.: 0.007 min
Response: 280312313
Conc: 780.60 ng/ml



#5 DICAMBA


R.T.: 11.740 min
Delta R.T.: -0.009 min
Response: 985407310
Conc: 742.01 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 11.205 min
Delta R.T.: 0.008 min
Response: 934810627
Conc: 748.03 ng/ml




#6 MCP

R.T.: 0.000 min
Exp R.T. : 12.084 min
Response: 0
Conc: N.D.



#6 MCP


R.T.: 11.436 min
Delta R.T.: 0.016 min
Response: 65582417
Conc: 76.23 ug/ml



#7 MCPA


R.T.: 12.331 min
Delta R.T.: -0.003 min
Response: 31475373
Conc: 20.96 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 11.812 min
Delta R.T.: 0.017 min
Response: 103370332
Conc: 76.38 ug/ml




#8 DICHLORPROP

R.T.: 12.926 min
Delta R.T.: -0.012 min
Response: 253456915
Conc: 727.80 ng/ml



#8 DICHLORPROP


R.T.: 12.329 min
Delta R.T.: 0.009 min
Response: 218054096
Conc: 679.01 ng/ml



#9 2,4-D


R.T.: 13.283 min
Delta R.T.: -0.014 min
Response: 194603048
Conc: 483.62 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 12.799 min
Delta R.T.: 0.008 min
Response: 317727184
Conc: 746.03 ng/ml




#10 Pentachlorophenol

R.T.: 13.663 min
Delta R.T.: -0.011 min
Response: 3573247950
Conc: 742.77 ng/ml



#10 Pentachlorophenol


R.T.: 13.345 min
Delta R.T.: 0.010 min
Response: 3714236567
Conc: 790.69 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 14.531 min
Delta R.T.: -0.011 min
Response: 311266038
Conc: 162.72 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 13.963 min
Delta R.T.: 0.010 min
Response: 1494750424
Conc: 817.00 ng/ml




#12 2,4,5-T

R.T.: 14.927 min
Delta R.T.: -0.014 min
Response: 1307729661
Conc: 729.65 ng/ml



#12 2,4,5-T


R.T.: 14.528 min
Delta R.T.: 0.009 min
Response: 1114704702
Conc: 744.39 ng/ml



#13 2,4-DB


R.T.: 15.674 min
Delta R.T.: -0.014 min
Response: 89258044
Conc: 380.13 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 15.177 min
Delta R.T.: 0.010 min
Response: 174732157
Conc: 788.65 ng/ml




#14 DINOSEB

R.T.: 17.154 min
Delta R.T.: -0.014 min
Response: 1020271946
Conc: 744.70 ng/ml



#14 DINOSEB


R.T.: 15.606 min
Delta R.T.: 0.011 min
Response: 1040578328
Conc: 822.03 ng/ml



#15 Picloram


R.T.: 16.920 min
Delta R.T.: -0.018 min
Response: 1522321043
Conc: 638.21 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 16.783 min
Delta R.T.: 0.011 min
Response: 1927331540
Conc: 851.96 ng/ml



#16 DCPA

R.T.: 17.496 min
Delta R.T.: -0.013 min
Response: -694500283
Conc: N.D.



#16 DCPA

R.T.: 16.836 min
Delta R.T.: 0.009 min
Response: 1686248766
Conc: 712.14 ng/ml