

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS110420\
 Data File : PS013118.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Nov 2020 20:21
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 05 00:56:12 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS110220.M
 Quant Title : 8080.M
 QLast Update : Tue Nov 03 03:59:48 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.208	6.912	700.3E6	310.1E6	783.410	796.889
Target Compounds							
1) T	Dalapon	3.032	2.623	719.5E6	364.4E6	680.054	687.608
2) T	3,5-DICHL...	6.425	6.066	891.2E6	450.2E6	723.662	731.846
3) T	4-Nitroph...	7.043	6.524	314.2E6	181.7E6	736.690	763.001
5) T	DICAMBA	7.398	7.079	2643.7E6	1238.0E6	740.289	745.746
6) T	MCPD	7.565	7.173	200.7E6	98871849	75.400	74.700
7) T	MCPA	7.715	7.388	285.2E6	152.9E6	74.686	71.880
8) T	DICHLORPROP	8.089	7.704	658.3E6	329.2E6	735.079	736.520
9) T	2,4-D	8.320	8.001	718.7E6	400.4E6	760.688	754.475
10) T	Pentachlo...	8.627	8.426	9687.2E6	4150.4E6	752.679	751.035
11) T	2,4,5-TP ...	9.176	8.787	3845.8E6	1750.2E6	748.857	755.229
12) T	2,4,5-T	9.463	9.167	3925.1E6	1706.7E6	741.681	770.528
13) T	2,4-DB	10.016	9.674	660.3E6	252.1E6	783.846	776.783
14) T	DINOSEB	11.168	10.002	2950.8E6	1245.8E6	715.593	738.980
15) T	Picloram	11.000	10.994	4946.1E6	2621.7E6	752.172	726.331
16) T	DCPA	11.434	10.929	4892.8E6	2300.5E6	753.414	766.241



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS110420\
Data File : PS013118.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Nov 2020 20:21
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 05 00:56:12 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS110220.M
Quant Title : 8080.M
QLast Update : Tue Nov 03 03:59:48 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.032 min
Delta R.T.: 0.000 min
Response: 719504168
Conc: 680.05 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.623 min
Delta R.T.: 0.000 min
Response: 364415036
Conc: 687.61 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.425 min
Delta R.T.: -0.001 min
Response: 891245437
Conc: 723.66 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: -0.001 min
Response: 450211617
Conc: 731.85 ng/ml



#3 4-Nitrophenol


R.T.: 7.043 min
Delta R.T.: -0.002 min
Response: 314188137
Conc: 736.69 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.524 min
Delta R.T.: -0.003 min
Response: 181707728
Conc: 763.00 ng/ml




#4 2,4-DCAA

R.T.: 7.208 min
Delta R.T.: -0.002 min
Response: 700313263
Conc: 783.41 ng/ml



#4 2,4-DCAA


R.T.: 6.912 min
Delta R.T.: -0.002 min
Response: 310060965
Conc: 796.89 ng/ml



#5 DICAMBA


R.T.: 7.398 min
Delta R.T.: -0.002 min
Response: 2643748470
Conc: 740.29 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.079 min
Delta R.T.: -0.001 min
Response: 1237954699
Conc: 745.75 ng/ml




#6 MCP

R.T.: 7.565 min
Delta R.T.: -0.001 min
Response: 200721766
Conc: 75.40 ug/ml



#6 MCP


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 98871849
Conc: 74.70 ug/ml



#7 MCPA


R.T.: 7.715 min
Delta R.T.: -0.002 min
Response: 285182370
Conc: 74.69 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.388 min
Delta R.T.: 0.000 min
Response: 152936034
Conc: 71.88 ug/ml




#8 DICHLORPROP

R.T.: 8.089 min
Delta R.T.: -0.003 min
Response: 658259253
Conc: 735.08 ng/ml



#8 DICHLORPROP


R.T.: 7.704 min
Delta R.T.: -0.002 min
Response: 329194432
Conc: 736.52 ng/ml



#9 2,4-D


R.T.: 8.320 min
Delta R.T.: -0.003 min
Response: 718654657
Conc: 760.69 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.001 min
Delta R.T.: -0.003 min
Response: 400403499
Conc: 754.47 ng/ml




#10 Pentachlorophenol

R.T.: 8.627 min
Delta R.T.: -0.002 min
Response: 9687160425
Conc: 752.68 ng/ml



#10 Pentachlorophenol


R.T.: 8.426 min
Delta R.T.: -0.002 min
Response: 4150405140
Conc: 751.04 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.176 min
Delta R.T.: -0.003 min
Response: 3845787351
Conc: 748.86 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.787 min
Delta R.T.: -0.003 min
Response: 1750223285
Conc: 755.23 ng/ml




#12 2,4,5-T

R.T.: 9.463 min
Delta R.T.: -0.004 min
Response: 3925061270
Conc: 741.68 ng/ml



#12 2,4,5-T


R.T.: 9.167 min
Delta R.T.: -0.003 min
Response: 1706713073
Conc: 770.53 ng/ml



#13 2,4-DB


R.T.: 10.016 min
Delta R.T.: -0.005 min
Response: 660348925
Conc: 783.85 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.674 min
Delta R.T.: -0.003 min
Response: 252100018
Conc: 776.78 ng/ml




#14 DINOSEB

R.T.: 11.168 min
Delta R.T.: -0.004 min
Response: 2950764932
Conc: 715.59 ng/ml



#14 DINOSEB


R.T.: 10.002 min
Delta R.T.: -0.003 min
Response: 1245842343
Conc: 738.98 ng/ml



#15 Picloram


R.T.: 11.000 min
Delta R.T.: -0.006 min
Response: 4946066528
Conc: 752.17 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.994 min
Delta R.T.: -0.005 min
Response: 2621670233
Conc: 726.33 ng/ml



#16 DCPA

R.T.: 11.434 min
Delta R.T.: -0.004 min
Response: 4892766225
Conc: 753.41 ng/ml



#16 DCPA

R.T.: 10.929 min
Delta R.T.: -0.003 min
Response: 2300451871
Conc: 766.24 ng/ml