

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS110518\
 Data File : PS002309.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Nov 2018 19:59
 Operator : EI\SJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 06 01:01:32 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS102618.M
 Quant Title : 8080.M
 QLast Update : Sat Oct 27 01:34:10 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.432	10.923	159.8E6	277.3E6	507.727	772.225 #
Target Compounds							
1) T	Dalapon	2.953	2.392	322.8E6	306.2E6	703.885	678.231
2) T	3,5-DICHL...	0.000	9.079	0	317.6E6	N.D.	716.108 #
3) T	4-Nitroph...	11.024	10.069	118.7E6	123.6E6	711.609	693.283
5) T	DICAMBA	11.741	11.206	968.0E6	923.2E6	728.908	738.775
6) T	MCPD	0.000	11.437	0	64938769	N.D.	75.480 #
7) T	MCPA	0.000	11.813	0	102.2E6	N.D.	75.504 #
8) T	DICHLORPROP	12.927	12.329	248.5E6	212.5E6	713.597	661.695
9) T	2,4-D	13.284	12.800	180.9E6	316.0E6	449.555	741.861 #
10) T	Pentachlo...	13.663	13.346	3544.0E6	3686.6E6	736.697	784.811
11) T	2,4,5-TP ...	0.000	13.964	0	1482.7E6	N.D.	810.406 #
12) T	2,4,5-T	14.928	14.528	1235.4E6	1130.9E6	689.325	755.182
13) T	2,4-DB	15.674	15.178	68456818	171.8E6	291.540	775.507 #
14) T	DINOSEB	17.153	15.605	1008.4E6	1034.8E6	736.039	817.488
15) T	Picloram	16.920	16.783	1594.4E6	1896.4E6	668.445	838.272 #
16) T	DCPA	0.000	16.835	0	1790.2E6	N.D.	756.019 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS110518\
Data File : PS002309.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Nov 2018 19:59
Operator : EI\SJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 06 01:01:32 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS102618.M
Quant Title : 8080.M
QLast Update : Sat Oct 27 01:34:10 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.953 min
Delta R.T.: 0.011 min
Response: 322848691
Conc: 703.88 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.392 min
Delta R.T.: 0.019 min
Response: 306226196
Conc: 678.23 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 0.000 min
Exp R.T. : 9.870 min
Response: 0
Conc: N.D.



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.079 min
Delta R.T.: 0.008 min
Response: 317632946
Conc: 716.11 ng/ml



#3 4-Nitrophenol


R.T.: 11.024 min
Delta R.T.: -0.016 min
Response: 118717080
Conc: 711.61 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 10.069 min
Delta R.T.: 0.006 min
Response: 123619702
Conc: 693.28 ng/ml




#4 2,4-DCAA

R.T.: 11.432 min
Delta R.T.: -0.009 min
Response: 159774521
Conc: 507.73 ng/ml



#4 2,4-DCAA


R.T.: 10.923 min
Delta R.T.: 0.008 min
Response: 277304258
Conc: 772.22 ng/ml



#5 DICAMBA


R.T.: 11.741 min
Delta R.T.: -0.009 min
Response: 968003135
Conc: 728.91 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 11.206 min
Delta R.T.: 0.010 min
Response: 923246795
Conc: 738.78 ng/ml




#6 MCP

R.T.: 0.000 min
Exp R.T. : 12.084 min
Response: 0
Conc: N.D.



#6 MCP


R.T.: 11.437 min
Delta R.T.: 0.017 min
Response: 64938769
Conc: 75.48 ug/ml



#7 MCPA


R.T.: 0.000 min
Exp R.T.: 12.333 min
Response: 0
Conc: N.D.

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 11.813 min
Delta R.T.: 0.018 min
Response: 102188128
Conc: 75.50 ug/ml




#8 DICHLORPROP

R.T.: 12.927 min
Delta R.T.: -0.010 min
Response: 248511970
Conc: 713.60 ng/ml



#8 DICHLORPROP


R.T.: 12.329 min
Delta R.T.: 0.010 min
Response: 212492751
Conc: 661.69 ng/ml



#9 2,4-D


R.T.: 13.284 min
Delta R.T.: -0.014 min
Response: 180896756
Conc: 449.55 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 12.800 min
Delta R.T.: 0.009 min
Response: 315953306
Conc: 741.86 ng/ml




#10 Pentachlorophenol

R.T.: 13.663 min
Delta R.T.: -0.011 min
Response: 3544013476
Conc: 736.70 ng/ml



#10 Pentachlorophenol


R.T.: 13.346 min
Delta R.T.: 0.010 min
Response: 3686603591
Conc: 784.81 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 0.000 min
Exp R.T.: 14.542 min
Response: 0
Conc: N.D.

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 13.964 min
Delta R.T.: 0.010 min
Response: 1482689665
Conc: 810.41 ng/ml




#12 2,4,5-T

R.T.: 14.928 min
Delta R.T.: -0.013 min
Response: 1235448638
Conc: 689.33 ng/ml



#12 2,4,5-T


R.T.: 14.528 min
Delta R.T.: 0.009 min
Response: 1130868819
Conc: 755.18 ng/ml



#13 2,4-DB


R.T.: 15.674 min
Delta R.T.: -0.014 min
Response: 68456818
Conc: 291.54 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 15.178 min
Delta R.T.: 0.011 min
Response: 171819936
Conc: 775.51 ng/ml




#14 DINOSEB

R.T.: 17.153 min
Delta R.T.: -0.015 min
Response: 1008409139
Conc: 736.04 ng/ml



#14 DINOSEB


R.T.: 15.605 min
Delta R.T.: 0.011 min
Response: 1034832432
Conc: 817.49 ng/ml



#15 Picloram


R.T.: 16.920 min
Delta R.T.: -0.018 min
Response: 1594437089
Conc: 668.44 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 16.783 min
Delta R.T.: 0.011 min
Response: 1896355382
Conc: 838.27 ng/ml



#16 DCPA

R.T.: 0.000 min
Exp R.T. : 17.509 min
Response: 0
Conc: N.D.



#16 DCPA

R.T.: 16.835 min
Delta R.T.: 0.009 min
Response: 1790150727
Conc: 756.02 ng/ml