

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS120920\
 Data File : PS013435.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Dec 2020 14:24
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 10 05:01:35 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS120220.M
 Quant Title : 8080.M
 QLast Update : Thu Dec 03 02:59:27 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.210	6.913	712.2E6	301.2E6	764.937	765.812
Target Compounds							
1) T	Dalapon	3.032	2.623	733.9E6	355.4E6	683.203	676.175
2) T	3,5-DICHL...	6.427	6.066	904.3E6	439.1E6	705.542	706.628
3) T	4-Nitroph...	7.045	6.525	319.9E6	170.2E6	710.058	713.970
5) T	DICAMBA	7.400	7.079	2679.3E6	1216.5E6	725.539	723.858
6) T	MCPD	7.567	7.173	201.1E6	96501380	74.063	72.822
7) T	MCPA	7.717	7.388	282.6E6	146.1E6	72.315	70.256
8) T	DICHLORPROP	8.091	7.704	665.3E6	321.7E6	718.828	719.843
9) T	2,4-D	8.324	8.002	748.9E6	390.7E6	743.961	724.072
10) T	Pentachlo...	8.630	8.425	9684.5E6	4058.2E6	722.583	719.659
11) T	2,4,5-TP ...	9.179	8.787	3869.6E6	1705.2E6	725.900	726.310
12) T	2,4,5-T	9.465	9.168	3973.8E6	1655.3E6	718.741	741.924
13) T	2,4-DB	10.020	9.676	675.2E6	223.2E6	735.003	763.067
14) T	DINOSEB	11.171	10.003	2960.1E6	1206.7E6	698.492	730.059
15) T	Picloram	11.007	10.997	5007.7E6	2413.8E6	727.020	693.255
16) T	DCPA	11.437	10.929	4888.6E6	2209.7E6	720.863	726.581



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS120920\
Data File : PS013435.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Dec 2020 14:24
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 10 05:01:35 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS120220.M
Quant Title : 8080.M
QLast Update : Thu Dec 03 02:59:27 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.032 min
Delta R.T.: 0.000 min
Response: 733898792
Conc: 683.20 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.623 min
Delta R.T.: 0.000 min
Response: 355351017
Conc: 676.18 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 904297968
Conc: 705.54 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: -0.002 min
Response: 439075636
Conc: 706.63 ng/ml



#3 4-Nitrophenol


R.T.: 7.045 min
Delta R.T.: -0.001 min
Response: 319932374
Conc: 710.06 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#3 4-Nitrophenol

R.T.: 6.525 min
Delta R.T.: -0.002 min
Response: 170174380
Conc: 713.97 ng/ml




#4 2,4-DCAA

R.T.: 7.210 min
Delta R.T.: 0.000 min
Response: 712201975
Conc: 764.94 ng/ml



#4 2,4-DCAA


R.T.: 6.913 min
Delta R.T.: -0.001 min
Response: 301240850
Conc: 765.81 ng/ml



#5 DICAMBA


R.T.: 7.400 min
Delta R.T.: 0.000 min
Response: 2679330468
Conc: 725.54 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 7.079 min
Delta R.T.: -0.001 min
Response: 1216528459
Conc: 723.86 ng/ml




#6 MCPP

R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 201104292
Conc: 74.06 ug/ml



#6 MCPP


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 96501380
Conc: 72.82 ug/ml



#7 MCPA


R.T.: 7.717 min
Delta R.T.: 0.000 min
Response: 282649803
Conc: 72.31 ug/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#7 MCPA

R.T.: 7.388 min
Delta R.T.: -0.001 min
Response: 146106606
Conc: 70.26 ug/ml




#8 DICHLORPROP

R.T.: 8.091 min
Delta R.T.: 0.000 min
Response: 665316145
Conc: 718.83 ng/ml



#8 DICHLORPROP


R.T.: 7.704 min
Delta R.T.: -0.001 min
Response: 321706997
Conc: 719.84 ng/ml



#9 2,4-D


R.T.: 8.324 min
Delta R.T.: 0.000 min
Response: 748919316
Conc: 743.96 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 8.002 min
Delta R.T.: -0.001 min
Response: 390707868
Conc: 724.07 ng/ml




#10 Pentachlorophenol

R.T.: 8.630 min
Delta R.T.: 0.000 min
Response: 9684490271
Conc: 722.58 ng/ml



#10 Pentachlorophenol


R.T.: 8.425 min
Delta R.T.: -0.002 min
Response: 4058199823
Conc: 719.66 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.179 min
Delta R.T.: 0.000 min
Response: 3869615609
Conc: 725.90 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 8.787 min
Delta R.T.: -0.001 min
Response: 1705152396
Conc: 726.31 ng/ml




#12 2,4,5-T

R.T.: 9.465 min
Delta R.T.: -0.002 min
Response: 3973838147
Conc: 718.74 ng/ml



#12 2,4,5-T


R.T.: 9.168 min
Delta R.T.: -0.002 min
Response: 1655295646
Conc: 741.92 ng/ml



#13 2,4-DB


R.T.: 10.020 min
Delta R.T.: -0.002 min
Response: 675192743
Conc: 735.00 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 9.676 min
Delta R.T.: -0.002 min
Response: 223187404
Conc: 763.07 ng/ml




#14 DINOSEB

R.T.: 11.171 min
Delta R.T.: 0.000 min
Response: 2960102697
Conc: 698.49 ng/ml



#14 DINOSEB


R.T.: 10.003 min
Delta R.T.: -0.001 min
Response: 1206711050
Conc: 730.06 ng/ml



#15 Picloram


R.T.: 11.007 min
Delta R.T.: -0.002 min
Response: 5007679006
Conc: 727.02 ng/ml

Instrument :
ECD_S
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 10.997 min
Delta R.T.: -0.004 min
Response: 2413761738
Conc: 693.26 ng/ml



#16 DCPA

R.T.: 11.437 min
Delta R.T.: 0.000 min
Response: 4888643826
Conc: 720.86 ng/ml



#16 DCPA

R.T.: 10.929 min
Delta R.T.: -0.001 min
Response: 2209711823
Conc: 726.58 ng/ml