

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS122320\
 Data File : PS013601.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Dec 2020 00:28
 Operator : DD\AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 24 00:53:43 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS120220.M
 Quant Title : 8080.M
 QLast Update : Thu Dec 03 02:59:27 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.209	6.912	730.7E6	306.5E6	784.802	779.301
Target Compounds							
1) T	Dalapon	3.031	2.622	681.2E6	331.3E6	634.126	630.397
2) T	3,5-DICHL...	6.426	6.066	940.2E6	450.7E6	733.542	725.268
3) T	4-Nitroph...	7.044	6.526	320.5E6	170.0E6	711.345	713.253
5) T	DICAMBA	7.399	7.077	2779.7E6	1245.2E6	752.707	740.934
6) T	MCPD	7.566	7.172	210.9E6	98155519	77.661	74.070
7) T	MCPA	7.715	7.387	298.4E6	146.5E6	76.349	70.458
8) T	DICHLORPROP	8.090	7.703	688.4E6	328.2E6	743.752	734.284
9) T	2,4-D	8.322	8.001	751.3E6	396.6E6	746.305	735.033
10) T	Pentachlo...	8.628	8.424	10127.1E6	4209.1E6	755.605	746.414
11) T	2,4,5-TP ...	9.177	8.785	4011.5E6	1753.5E6	752.509	746.886
12) T	2,4,5-T	9.464	9.167	4081.8E6	1682.4E6	738.270	754.065
13) T	2,4-DB	10.019	9.674	632.2E6	223.7E6	688.254	764.914
14) T	DINOSEB	11.169	10.001	3095.8E6	1230.5E6	730.516	744.422
15) T	Picloram	11.007	10.998	4521.5E6	2228.0E6	656.441	639.915
16) T	DCPA	11.435	10.928	5125.3E6	2302.6E6	755.758	757.134



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS122320\
Data File : PS013601.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Dec 2020 00:28
Operator : DD\AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 24 00:53:43 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS120220.M
Quant Title : 8080.M
QLast Update : Thu Dec 03 02:59:27 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 3.031 min
Delta R.T.: 0.000 min
Response: 681180342
Conc: 634.13 ng/ml

Instrument :
ECD_S
ClientSampleId :




#1 Dalapon

R.T.: 2.622 min
Delta R.T.: 0.000 min
Response: 331292970
Conc: 630.40 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.426 min
Delta R.T.: -0.002 min
Response: 940185071
Conc: 733.54 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.066 min
Delta R.T.: -0.002 min
Response: 450657805
Conc: 725.27 ng/ml



#3 4-Nitrophenol


R.T.: 7.044 min
Delta R.T.: -0.002 min
Response: 320512419
Conc: 711.35 ng/ml

Instrument :
ECD_S
ClientSampleId :




#3 4-Nitrophenol

R.T.: 6.526 min
Delta R.T.: -0.002 min
Response: 170003507
Conc: 713.25 ng/ml




#4 2,4-DCAA

R.T.: 7.209 min
Delta R.T.: -0.002 min
Response: 730696893
Conc: 784.80 ng/ml



#4 2,4-DCAA


R.T.: 6.912 min
Delta R.T.: -0.002 min
Response: 306547046
Conc: 779.30 ng/ml



#5 DICAMBA


R.T.: 7.399 min
Delta R.T.: -0.002 min
Response: 2779660352
Conc: 752.71 ng/ml

Instrument :
ECD_S
ClientSampleId :




#5 DICAMBA

R.T.: 7.077 min
Delta R.T.: -0.003 min
Response: 1245226605
Conc: 740.93 ng/ml




#6 MCP

R.T.: 7.566 min
Delta R.T.: -0.002 min
Response: 210873864
Conc: 77.66 ug/ml



#6 MCP


R.T.: 7.172 min
Delta R.T.: -0.002 min
Response: 98155519
Conc: 74.07 ug/ml



#7 MCPA


R.T.: 7.715 min
Delta R.T.: -0.002 min
Response: 298415592
Conc: 76.35 ug/ml

Instrument :
ECD_S
ClientSampleId :




#7 MCPA

R.T.: 7.387 min
Delta R.T.: -0.002 min
Response: 146527253
Conc: 70.46 ug/ml




#8 DICHLORPROP

R.T.: 8.090 min
Delta R.T.: -0.002 min
Response: 688384643
Conc: 743.75 ng/ml



#8 DICHLORPROP


R.T.: 7.703 min
Delta R.T.: -0.002 min
Response: 328160764
Conc: 734.28 ng/ml



#9 2,4-D


R.T.: 8.322 min
Delta R.T.: -0.002 min
Response: 751278273
Conc: 746.30 ng/ml

Instrument :
ECD_S
ClientSampleId :




#9 2,4-D

R.T.: 8.001 min
Delta R.T.: -0.003 min
Response: 396622077
Conc: 735.03 ng/ml




#10 Pentachlorophenol

R.T.: 8.628 min
Delta R.T.: -0.002 min
Response: 10127076898
Conc: 755.61 ng/ml



#10 Pentachlorophenol


R.T.: 8.424 min
Delta R.T.: -0.003 min
Response: 4209071765
Conc: 746.41 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.177 min
Delta R.T.: -0.003 min
Response: 4011464513
Conc: 752.51 ng/ml

Instrument :
ECD_S
ClientSampleId :




#11 2,4,5-TP (SILVEX)

R.T.: 8.785 min
Delta R.T.: -0.003 min
Response: 1753458959
Conc: 746.89 ng/ml




#12 2,4,5-T

R.T.: 9.464 min
Delta R.T.: -0.003 min
Response: 4081812892
Conc: 738.27 ng/ml



#12 2,4,5-T


R.T.: 9.167 min
Delta R.T.: -0.002 min
Response: 1682382365
Conc: 754.06 ng/ml



#13 2,4-DB


R.T.: 10.019 min
Delta R.T.: -0.002 min
Response: 632247897
Conc: 688.25 ng/ml

Instrument :
ECD_S
ClientSampleId :




#13 2,4-DB

R.T.: 9.674 min
Delta R.T.: -0.004 min
Response: 223727847
Conc: 764.91 ng/ml




#14 DINOSEB

R.T.: 11.169 min
Delta R.T.: -0.002 min
Response: 3095816196
Conc: 730.52 ng/ml



#14 DINOSEB


R.T.: 10.001 min
Delta R.T.: -0.003 min
Response: 1230450931
Conc: 744.42 ng/ml



#15 Picloram


R.T.: 11.007 min
Delta R.T.: -0.002 min
Response: 4521535347
Conc: 656.44 ng/ml

Instrument :
ECD_S
ClientSampleId :




#15 Picloram

R.T.: 10.998 min
Delta R.T.: -0.003 min
Response: 2228041875
Conc: 639.91 ng/ml



#16 DCPA

R.T.: 11.435 min
Delta R.T.: -0.002 min
Response: 5125284535
Conc: 755.76 ng/ml



#16 DCPA

R.T.: 10.928 min
Delta R.T.: -0.003 min
Response: 2302632008
Conc: 757.13 ng/ml