

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS122724\
 Data File : PS028832.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Dec 2024 17:57
 Operator : AR\AJ
 Sample : P5318-*01MS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 AU-06-122024MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 28 02:06:19 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS122324.M
 Quant Title : 8080.M
 QLast Update : Mon Dec 23 13:44:25 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.205	7.694	1325.3E6	595.2E6	585.882	528.856
Target Compounds							
1) T	Dalapon	2.625	2.680	1498.4E6	1372.2E6	531.972	697.024 #
2) T	3,5-DICHL...	6.381	6.657	2169.5E6	942.6E6	658.401	568.670
3) T	4-Nitroph...	7.007	7.252	-3944469	10669886	N.D.	12.749
5) T	DICAMBA	7.391	7.892	5827.0E6	3057.6E6	590.940	556.954
6) T	MCPD	7.572	7.995	364.5E6	181.9E6	58.537	55.662
7) T	MCPA	7.721	8.237	468.5E6	278.5E6	53.445	60.116
8) T	DICHLORPROP	8.095	8.604	1518.4E6	754.9E6	572.296	547.150
9) T	2,4-D	8.325	8.932	1792.6E6	851.5E6	629.093	590.007
10) T	Pentachlo...	8.623	9.457	23717.0E6	11823.9E6	607.085	542.414
11) T	2,4,5-TP ...	9.199	9.834	9828.7E6	5683.7E6	625.662	632.681
12) T	2,4,5-T	9.489	10.251	9374.5E6	4727.3E6	576.210	542.796
13) T	2,4-DB	10.062	10.817	1482.8E6	438.1E6	475.021	451.096
14) T	DINOSEB	11.266	11.195	3831.6E6	1566.5E6	285.055	254.333
15) T	Picloram	11.075	12.281	12866.2E6	5479.9E6	479.854	426.816
16) T	DCPA	11.559	12.236	13061.3E6	6103.6E6	543.065	568.061



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS122724\
Data File : PS028832.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Dec 2024 17:57
Operator : AR\AJ
Sample : P5318-*01MS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 28 02:06:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS122324.M
Quant Title : 8080.M
QLast Update : Mon Dec 23 13:44:25 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.625 min
Delta R.T.: 0.005 min
Response: 1498380431
Conc: 531.97 ng/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#1 Dalapon

R.T.: 2.680 min
Delta R.T.: 0.007 min
Response: 1372163170
Conc: 697.02 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.381 min
Delta R.T.: -0.004 min
Response: 2169519536
Conc: 658.40 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.657 min
Delta R.T.: -0.004 min
Response: 942611556
Conc: 568.67 ng/ml



#3 4-Nitrophenol


R.T.: 7.007 min
Delta R.T.: -0.002 min
Response: -3944469
Conc: N.D.

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#3 4-Nitrophenol

R.T.: 7.252 min
Delta R.T.: 0.024 min
Response: 10669886
Conc: 12.75 ng/ml




#4 2,4-DCAA

R.T.: 7.205 min
Delta R.T.: -0.005 min
Response: 1325281171
Conc: 585.88 ng/ml



#4 2,4-DCAA


R.T.: 7.694 min
Delta R.T.: -0.005 min
Response: 595247357
Conc: 528.86 ng/ml



#5 DICAMBA


R.T.: 7.391 min
Delta R.T.: -0.005 min
Response: 5827047276
Conc: 590.94 ng/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#5 DICAMBA

R.T.: 7.892 min
Delta R.T.: -0.006 min
Response: 3057605209
Conc: 556.95 ng/ml




#6 MCP

R.T.: 7.572 min
Delta R.T.: -0.002 min
Response: 364519440
Conc: 58.54 ug/ml



#6 MCP


R.T.: 7.995 min
Delta R.T.: -0.002 min
Response: 181890695
Conc: 55.66 ug/ml



#7 MCPA


R.T.: 7.721 min
Delta R.T.: -0.002 min
Response: 468469590
Conc: 53.44 ug/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#7 MCPA

R.T.: 8.237 min
Delta R.T.: -0.003 min
Response: 278507552
Conc: 60.12 ug/ml




#8 DICHLORPROP

R.T.: 8.095 min
Delta R.T.: -0.006 min
Response: 1518401435
Conc: 572.30 ng/ml



#8 DICHLORPROP


R.T.: 8.604 min
Delta R.T.: -0.007 min
Response: 754879773
Conc: 547.15 ng/ml



#9 2,4-D


R.T.: 8.325 min
Delta R.T.: -0.007 min
Response: 1792620073
Conc: 629.09 ng/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#9 2,4-D

R.T.: 8.932 min
Delta R.T.: -0.007 min
Response: 851465123
Conc: 590.01 ng/ml




#10 Pentachlorophenol

R.T.: 8.623 min
Delta R.T.: -0.006 min
Response: 23716992813
Conc: 607.09 ng/ml



#10 Pentachlorophenol


R.T.: 9.457 min
Delta R.T.: -0.007 min
Response: 11823936516
Conc: 542.41 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.199 min
Delta R.T.: -0.007 min
Response: 9828721891
Conc: 625.66 ng/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#11 2,4,5-TP (SILVEX)

R.T.: 9.834 min
Delta R.T.: -0.007 min
Response: 5683695944
Conc: 632.68 ng/ml




#12 2,4,5-T

R.T.: 9.489 min
Delta R.T.: -0.008 min
Response: 9374465764
Conc: 576.21 ng/ml



#12 2,4,5-T


R.T.: 10.251 min
Delta R.T.: -0.008 min
Response: 4727308339
Conc: 542.80 ng/ml



#13 2,4-DB


R.T.: 10.062 min
Delta R.T.: -0.007 min
Response: 1482823514
Conc: 475.02 ng/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#13 2,4-DB

R.T.: 10.817 min
Delta R.T.: -0.009 min
Response: 438058122
Conc: 451.10 ng/ml




#14 DINOSEB

R.T.: 11.266 min
Delta R.T.: -0.010 min
Response: 3831632364
Conc: 285.06 ng/ml



#14 DINOSEB


R.T.: 11.195 min
Delta R.T.: -0.009 min
Response: 1566475742
Conc: 254.33 ng/ml



#15 Picloram


R.T.: 11.075 min
Delta R.T.: -0.009 min
Response: 12866221739
Conc: 479.85 ng/ml

Instrument :
ECD_S
ClientSampleId :
AU-06-122024MS




#15 Picloram

R.T.: 12.281 min
Delta R.T.: -0.010 min
Response: 5479896085
Conc: 426.82 ng/ml



#16 DCPA

R.T.: 11.559 min
Delta R.T.: -0.011 min
Response: 13061269256
Conc: 543.06 ng/ml



#16 DCPA

R.T.: 12.236 min
Delta R.T.: -0.010 min
Response: 6103571729
Conc: 568.06 ng/ml