

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012622\
 Data File : FF009786.D
 Signal(s) : FID2B.ch
 Acq On : 26 Jan 2022 10:32
 Operator : AJ\MA
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jan 27 00:11:48 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF011722.M
 Quant Title :
 QLast Update : Tue Jan 18 02:53:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.440	6576622	50.327 ug/ml
Target Compounds			
1) N-OCTANE	2.167	7514195	54.356 ug/ml
2) N-DECANE	4.230	8027198	56.757 ug/ml
3) N-DODECANE	6.236	8048356	56.243 ug/ml
4) N-TETRADECANE	8.021	8065359	54.886 ug/ml
5) N-HEXADECANE	9.614	8022841	53.631 ug/ml
6) N-OCTADECANE	11.049	8132339	52.750 ug/ml
7) N-EICOSANE	12.352	7749128	51.264 ug/ml
8) N-DOCOSANE	13.545	7605330	51.139 ug/ml
10) N-TETRACOSANE	14.643	7414168	49.995 ug/ml
11) N-HEXACOSANE	15.660	7178542	49.098 ug/ml
12) N-OCTACOSANE	16.606	6963176	47.967 ug/ml
13) N-TRIACONTANE	17.490	6840420	47.807 ug/ml
14) N-DOTRIACONTANE	18.319	6633682	48.748 ug/ml
15) N-TETRATRIACONTANE	19.100	6319648	53.207 ug/ml
16) N-HEXATRIACONTANE	19.836	7570219	73.424 ug/ml
17) N-OCTATRIACONTANE	20.539	4537332	50.883 ug/ml
18) N-TETRACONTANE	21.355	5066719	55.778 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012622\
Data File : FF009786.D
Signal(s) : FID2B.ch
Acq On : 26 Jan 2022 10:32
Operator : AJ\MA
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jan 27 00:11:48 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF011722.M
Quant Title :
QLast Update : Tue Jan 18 02:53:40 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE


R.T.: 2.167 min
Delta R.T.: -0.007 min
Response: 7514195
Conc: 54.36 ug/ml

Instrument :
FID_F
ClientSampleId :




#2 N-DECANE

R.T.: 4.230 min
Delta R.T.: -0.012 min
Response: 8027198
Conc: 56.76 ug/ml




#3 N-DODECANE

R.T.: 6.236 min
Delta R.T.: -0.014 min
Response: 8048356
Conc: 56.24 ug/ml



#4 N-TETRADECANE


R.T.: 8.021 min
Delta R.T.: -0.014 min
Response: 8065359
Conc: 54.89 ug/ml



#5 N-HEXADECANE


R.T.: 9.614 min
Delta R.T.: -0.015 min
Response: 8022841
Conc: 53.63 ug/ml

Instrument :
FID_F
ClientSampleId :




#6 N-OCTADECANE

R.T.: 11.049 min
Delta R.T.: -0.015 min
Response: 8132339
Conc: 52.75 ug/ml




#7 N-EICOSANE

R.T.: 12.352 min
Delta R.T.: -0.017 min
Response: 7749128
Conc: 51.26 ug/ml



#8 N-DOCOSANE


R.T.: 13.545 min
Delta R.T.: -0.017 min
Response: 7605330
Conc: 51.14 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.440 min
Delta R.T.: -0.017 min
Response: 6576622
Conc: 50.33 ug/ml

Instrument :
FID_F
ClientSampleId :




#10 N-TETRACOSANE

R.T.: 14.643 min
Delta R.T.: -0.019 min
Response: 7414168
Conc: 49.99 ug/ml




#11 N-HEXACOSANE

R.T.: 15.660 min
Delta R.T.: -0.019 min
Response: 7178542
Conc: 49.10 ug/ml



#12 N-OCTACOSANE


R.T.: 16.606 min
Delta R.T.: -0.019 min
Response: 6963176
Conc: 47.97 ug/ml



#13 N-TRIACONTANE


R.T.: 17.490 min
Delta R.T.: -0.020 min
Response: 6840420
Conc: 47.81 ug/ml

Instrument :
FID_F
ClientSampleId :




#14 N-DOTRIACONTANE

R.T.: 18.319 min
Delta R.T.: -0.020 min
Response: 6633682
Conc: 48.75 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.100 min
Delta R.T.: -0.019 min
Response: 6319648
Conc: 53.21 ug/ml



#16 N-HEXATRIACONTANE


R.T.: 19.836 min
Delta R.T.: -0.022 min
Response: 7570219
Conc: 73.42 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 20.539 min
Delta R.T.: -0.024 min
Response: 4537332
Conc: 50.88 ug/ml

Instrument :
FID_F
ClientSampleId :



#18 N-TETRACONTANE

R.T.: 21.355 min
Delta R.T.: -0.029 min
Response: 5066719
Conc: 55.78 ug/ml