

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012720\
 Data File : FF006309.D
 Signal(s) : FID2B.ch
 Acq On : 27 Jan 2020 16:09
 Operator : DD\AJ
 Sample : PB126359BS
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 28 03:06:25 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF011020.M
 Quant Title :
 QLast Update : Fri Jan 10 12:35:13 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	14.636	2689075	24.816 ug/ml
Target Compounds				
2)	N-DECANE	4.390	3675918	29.493 ug/ml
3)	N-DODECANE	6.407	3674203	29.095 ug/ml
4)	N-TETRADECANE	8.200	3600921	28.528 ug/ml
5)	N-HEXADECANE	9.797	3489035	27.301 ug/ml
6)	N-OCTADECANE	11.236	3400320	26.807 ug/ml
7)	N-EICOSANE	12.544	3337998	26.117 ug/ml
8)	N-DOCOSANE	13.739	3227580	25.597 ug/ml
10)	N-TETRACOSANE	14.840	3152572	25.307 ug/ml
11)	N-HEXACOSANE	15.857	3132538	25.481 ug/mlm
12)	N-OCTACOSANE	16.805	3141871	25.845 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012720\
Data File : FF006309.D
Signal(s) : FID2B.ch
Acq On : 27 Jan 2020 16:09
Operator : DD\AJ
Sample : PB126359BS
Misc :
ALS Vial : 58 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 28 03:06:25 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF011020.M
Quant Title :
QLast Update : Fri Jan 10 12:35:13 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.390 min
Delta R.T.: 0.008 min
Response: 3675918
Conc: 29.49 ug/ml




#3 N-DODECANE

R.T.: 6.407 min
Delta R.T.: 0.008 min
Response: 3674203
Conc: 29.09 ug/ml




#4 N-TETRADECANE

R.T.: 8.200 min
Delta R.T.: 0.009 min
Response: 3600921
Conc: 28.53 ug/ml




#5 N-HEXADECANE

R.T.: 9.797 min
Delta R.T.: 0.011 min
Response: 3489035
Conc: 27.30 ug/ml




#6 N-OCTADECANE

R.T.: 11.236 min
Delta R.T.: 0.012 min
Response: 3400320
Conc: 26.81 ug/ml




#7 N-EICOSANE

R.T.: 12.544 min
Delta R.T.: 0.013 min
Response: 3337998
Conc: 26.12 ug/ml




#8 N-DOCOSANE

R.T.: 13.739 min
Delta R.T.: 0.015 min
Response: 3227580
Conc: 25.60 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.636 min
Delta R.T.: 0.016 min
Response: 2689075
Conc: 24.82 ug/ml




#10 N-TETRACOSANE

R.T.: 14.840 min
Delta R.T.: 0.016 min
Response: 3152572
Conc: 25.31 ug/ml



#11 N-HEXACOSANE

R.T.: 15.857 min
Delta R.T.: 0.016 min
Response: 3132538
Conc: 25.48 ug/ml m



#12 N-OCTACOSANE

R.T.: 16.805 min
Delta R.T.: 0.019 min
Response: 3141871
Conc: 25.85 ug/ml m