

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012720\
 Data File : FF006312.D
 Signal(s) : FID2B.ch
 Acq On : 27 Jan 2020 17:40
 Operator : DD\AJ
 Sample : L1269-05MSD
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 28 03:07:10 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF011020.M
 Quant Title :
 QLast Update : Fri Jan 10 12:35:13 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	14.634	1974149	18.219 ug/ml
Target Compounds				
2)	N-DECANE	4.387	2452145	19.674 ug/ml
3)	N-DODECANE	6.405	2446686	19.375 ug/ml
4)	N-TETRADECANE	8.198	2416359	19.143 ug/ml
5)	N-HEXADECANE	9.795	2385636	18.667 ug/ml
6)	N-OCTADECANE	11.234	2332981	18.392 ug/ml
7)	N-EICOSANE	12.542	2305301	18.037 ug/ml
8)	N-DOCOSANE	13.738	2278101	18.067 ug/ml
10)	N-TETRACOSANE	14.837	2197387	17.640 ug/ml
11)	N-HEXACOSANE	15.857	2206998	17.953 ug/ml
12)	N-OCTACOSANE	16.803	2338451	19.236 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012720\
Data File : FF006312.D
Signal(s) : FID2B.ch
Acq On : 27 Jan 2020 17:40
Operator : DD\AJ
Sample : L1269-05MSD
Misc :
ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 28 03:07:10 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF011020.M
Quant Title :
QLast Update : Fri Jan 10 12:35:13 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.387 min
Delta R.T.: 0.005 min
Response: 2452145
Conc: 19.67 ug/ml




#3 N-DODECANE

R.T.: 6.405 min
Delta R.T.: 0.006 min
Response: 2446686
Conc: 19.37 ug/ml




#4 N-TETRADECANE

R.T.: 8.198 min
Delta R.T.: 0.007 min
Response: 2416359
Conc: 19.14 ug/ml




#5 N-HEXADECANE

R.T.: 9.795 min
Delta R.T.: 0.008 min
Response: 2385636
Conc: 18.67 ug/ml




#6 N-OCTADECANE

R.T.: 11.234 min
Delta R.T.: 0.010 min
Response: 2332981
Conc: 18.39 ug/ml




#7 N-EICOSANE

R.T.: 12.542 min
Delta R.T.: 0.011 min
Response: 2305301
Conc: 18.04 ug/ml




#8 N-DOCOSANE

R.T.: 13.738 min
Delta R.T.: 0.014 min
Response: 2278101
Conc: 18.07 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.634 min
Delta R.T.: 0.014 min
Response: 1974149
Conc: 18.22 ug/ml




#10 N-TETRACOSANE

R.T.: 14.837 min
Delta R.T.: 0.014 min
Response: 2197387
Conc: 17.64 ug/ml



#11 N-HEXACOSANE

R.T.: 15.857 min
Delta R.T.: 0.016 min
Response: 2206998
Conc: 17.95 ug/ml



#12 N-OCTACOSANE

R.T.: 16.803 min
Delta R.T.: 0.016 min
Response: 2338451
Conc: 19.24 ug/ml m