

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012825AR\
 Data File : FF015333.D
 Signal(s) : FID2B.ch
 Acq On : 28 Jan 2025 19:11
 Operator : YP\AJ
 Sample : Q1194-01D
 Misc :
 ALS Vial : 70 Sample Multiplier: 1

Instrument :
 FID_F
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jan 29 00:49:26 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 011425.M
 Quant Title : GC Extractables
 QLast Update : Wed Jan 15 07:05:42 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.992	6147603	46.573 ug/ml
Spiked Amount 50.000		Recovery =	93.15%
6) S 2-Fluorobiphenyl (SURR)	8.865	3650265	43.245 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	86.49%
11) S ortho-Terphenyl (SURR)	11.928	5614211	32.614 ug/ml
Spiked Amount 50.000		Recovery =	65.23%
Target Compounds			
12) T Fluoranthene (C21.85)	12.984	57726	0.349 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.449	72840	0.578 ug/ml
20) T Dibenz[a,h]anthracene...	18.512	35296	0.239 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF012825AR\
Data File : FF015333.D
Signal(s) : FID2B.ch
Acq On : 28 Jan 2025 19:11
Operator : YP\AJ
Sample : Q1194-01D
Misc :
ALS Vial : 70 Sample Multiplier: 1

Instrument :
FID_F
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jan 29 00:49:26 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 011425.M
Quant Title : GC Extractables
QLast Update : Wed Jan 15 07:05:42 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)


R.T.: 7.992 min
Delta R.T.: 0.003 min
Response: 6147603
Conc: 46.57 ug/ml

Instrument :
FID_F
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.865 min
Delta R.T.: 0.003 min
Response: 3650265
Conc: 43.25 ug/ml




#11 ortho-Terphenyl (SURRE)

R.T.: 11.928 min
Delta R.T.: 0.004 min
Response: 5614211
Conc: 32.61 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.984 min
Delta R.T.: 0.011 min
Response: 57726
Conc: 0.35 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.449 min
Delta R.T.: -0.009 min
Response: 72840
Conc: 0.58 ug/ml

Instrument :
FID_F
ClientSampleId :



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.512 min
Delta R.T.: 0.013 min
Response: 35296
Conc: 0.24 ug/ml