

rteres

Instrument :
FID_F
ClientSampleId :
LOD-MDL-WATER-01-QT1-2025
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :Ankita Jodhani 01/30/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF01292
Data File : FF015356.D
Signal(s) : FID2B.ch
Acq On : 29 Jan 2025 11:13
Sample : Q1168-07
Misc : 4 PPM WATER LOD
ALS Vial : 66 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 011425.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.602	4.582	4.662	VB	49927	484791	6.99%	1.797%
2	6.270	6.220	6.344	BB	53082	537682	7.75%	1.993%
3	7.364	7.219	7.440	BB	51625	545107	7.86%	2.020%
4	7.992	7.959	8.041	PV	714550	6933429	100.00%	25.697%
5	8.663	8.610	8.742	BB	51066	535643	7.73%	1.985%
6	8.865	8.830	8.937	BV	431297	4573620	65.96%	16.951%
7	8.962	8.937	9.035	VB	53622	565340	8.15%	2.095%
8	9.751	9.685	9.825	BB	46162	500295	7.22%	1.854%
9	11.156	11.120	11.205	BV	42385	483157	6.97%	1.791%
10	11.231	11.205	11.300	VBA	37852	466657	6.73%	1.730%
11	11.930	11.854	12.004	BB	630700	6844656	98.72%	25.368%
12	12.976	12.945	13.077	VB	42197	515231	7.43%	1.910%
13	13.274	13.240	13.322	BV	44088	515372	7.43%	1.910%
14	15.154	15.019	15.176	BV	29973	366939	5.29%	1.360%
15	15.196	15.176	15.250	VBA	33140	509695	7.35%	1.889%
16	16.711	16.660	16.727	BV	33608	423421	6.11%	1.569%
17	16.744	16.727	16.790	VBA	31958	452667	6.53%	1.678%
18	17.094	17.030	17.169	BV	28020	422212	6.09%	1.565%
19	18.466	18.434	18.489	PV	26416	383475	5.53%	1.421%
20	18.510	18.489	18.620	VBA	23429	489960	7.07%	1.816%
21	18.717	18.680	18.800	BBA	28860	432434	6.24%	1.603%
Sum of corrected areas:						26981782		

Aromatic EPH 011425.M Thu Jan 30 03:22:53 2025