

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF020524\
 Data File : FF013974.D
 Signal(s) : FID2B.ch
 Acq On : 05 Feb 2024 12:24
 Operator : YP\AJ
 Sample : P1187-07
 Misc : DRO LOD 1 PPM
 ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 06 02:55:25 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF020124.M
 Quant Title :
 QLast Update : Thu Feb 01 14:13:56 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.953	1816414	18.152 ug/ml
Target Compounds			
2) N-DECANE	4.508	87363	0.847 ug/ml
3) N-DODECANE	6.671	55657	0.526 ug/ml
4) N-TETRADECANE	8.512	85164	0.818 ug/mlm
5) N-HEXADECANE	10.111	73485	0.684 ug/mlm
6) N-OCTADECANE	11.548	63835	0.569 ug/ml
7) N-EICOSANE	12.858	67912	0.613 ug/ml
8) N-DOCOSANE	14.056	85442	0.777 ug/ml
10) N-TETRACOSANE	15.160	96871	0.889 ug/ml
11) N-HEXACOSANE	16.190	77373	0.735 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_F\Data\FF020524\
Data File : FF013974.D
Signal(s) : FID2B.ch
Acq On : 05 Feb 2024 12:24
Operator : YP\AJ
Sample : P1187-07
Misc : DRO LOD 1 PPM
ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 06 02:55:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\FF020124.M
Quant Title :
QLast Update : Thu Feb 01 14:13:56 2024
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.508 min
Delta R.T.: 0.000 min
Response: 87363
Conc: 0.85 ug/ml




#3 N-DODECANE

R.T.: 6.671 min
Delta R.T.: 0.000 min
Response: 55657
Conc: 0.53 ug/ml




#4 N-TETRADECANE

R.T.: 8.512 min
Delta R.T.: 0.017 min
Response: 85164
Conc: 0.82 ug/ml m




#5 N-HEXADECANE

R.T.: 10.111 min
Delta R.T.: 0.010 min
Response: 73485
Conc: 0.68 ug/ml m




#6 N-OCTADECANE

R.T.: 11.548 min
Delta R.T.: 0.005 min
Response: 63835
Conc: 0.57 ug/ml




#7 N-EICOSANE

R.T.: 12.858 min
Delta R.T.: 0.005 min
Response: 67912
Conc: 0.61 ug/ml




#8 N-DOCOSANE

R.T.: 14.056 min
Delta R.T.: 0.004 min
Response: 85442
Conc: 0.78 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.953 min
Delta R.T.: 0.000 min
Response: 1816414
Conc: 18.15 ug/ml



#10 N-TETRACOSANE

R.T.: 15.160 min
Delta R.T.: 0.003 min
Response: 96871
Conc: 0.89 ug/ml



#11 N-HEXACOSANE

R.T.: 16.190 min
Delta R.T.: 0.012 min
Response: 77373
Conc: 0.74 ug/ml