

nteres

Instrument :  
FID\_F  
LabSampleId :  
50 PPM TRPH STD  
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/08/2022  
Supervised By :Ankita Jodhani 02/08/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_F\Data\FF02072  
Data File : FF009902.D  
Signal(s) : FID2B.ch  
Acq On : 07 Feb 2022 18:38  
Sample : 50 PPM TRPH STD  
Misc :  
ALS Vial : 53 Sample Multiplier: 1

Integration File: calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_F\Method\FF011722.M  
Title :

Signal : FID2B.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 2.157       | 2.127        | 2.237      | BB       | 1228151        | 8819742      | 93.90%         | 6.213%        |
| 2                       | 4.215       | 4.186        | 4.287      | BB       | 1040538        | 9392200      | 100.00%        | 6.617%        |
| 3                       | 6.221       | 6.182        | 6.286      | BB       | 951461         | 9352404      | 99.58%         | 6.589%        |
| 4                       | 8.006       | 7.969        | 8.049      | BB       | 896351         | 9266380      | 98.66%         | 6.528%        |
| 5                       | 9.598       | 9.556        | 9.644      | BB       | 843321         | 9099396      | 96.88%         | 6.410%        |
| 6                       | 11.033      | 10.997       | 11.069     | BB       | 809155         | 9040958      | 96.26%         | 6.369%        |
| 7                       | 12.336      | 12.292       | 12.382     | BB       | 708525         | 8492437      | 90.42%         | 5.983%        |
| 8                       | 13.528      | 13.456       | 13.574     | BB       | 678997         | 8140992      | 86.68%         | 5.735%        |
| 9                       | 14.423      | 14.379       | 14.452     | BV       | 512079         | 6821480      | 72.63%         | 4.806%        |
| 10                      | 14.626      | 14.572       | 14.672     | BB       | 632884         | 7845638      | 83.53%         | 5.527%        |
| 11                      | 15.643      | 15.601       | 15.692     | BB       | 589097         | 7637451      | 81.32%         | 5.380%        |
| 12                      | 16.588      | 16.527       | 16.637     | BB       | 577406         | 7612296      | 81.05%         | 5.363%        |
| 13                      | 17.472      | 17.416       | 17.527     | BB       | 561231         | 7675971      | 81.73%         | 5.408%        |
| 14                      | 18.302      | 18.236       | 18.361     | BB       | 536235         | 7615013      | 81.08%         | 5.365%        |
| 15                      | 19.081      | 19.021       | 19.141     | BB       | 521234         | 7238230      | 77.07%         | 5.099%        |
| 16                      | 19.818      | 19.754       | 19.896     | BB       | 445668         | 6603953      | 70.31%         | 4.652%        |
| 17                      | 20.520      | 20.456       | 20.592     | BB       | 367691         | 5754028      | 61.26%         | 4.054%        |
| 18                      | 21.329      | 21.257       | 21.424     | BB       | 261338         | 5540470      | 58.99%         | 3.903%        |
| Sum of corrected areas: |             |              |            |          |                | 141949037    |                |               |

FF011722.M Tue Feb 08 08:56:20 2022